UC Irvine

UC Irvine Previously Published Works

Title

Erratum to "Population genetics of the malaria vector Anopheles aconitus in China and Southeast Asia" [Infect. Genet. Evol. 12 (2012) 1958–1967]

Permalink

https://escholarship.org/uc/item/2hp9m495

Authors

Chen, Bin Harbach, Ralph E Walton, Catherine et al.

Publication Date

2013-12-01

DOI

10.1016/j.meegid.2012.11.001

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at https://creativecommons.org/licenses/by/4.0/

Peer reviewed



Contents lists available at SciVerse ScienceDirect

Infection, Genetics and Evolution

journal homepage: www.elsevier.com/locate/meegid



Erratum

Erratum to "Population genetics of the malaria vector *Anopheles aconitus* in China and Southeast Asia" [Infect. Genet. Evol. 12 (2012) 1958–1967]



Bin Chen ^{a,*}, Ralph E. Harbach ^b, Catherine Walton ^c, Zhengbo He ^a, Daibin Zhong ^d, Guiyun Yan ^d, Roger K. Butlin ^e

- ^a Institute of Entomology and Molecular Biology, College of Life Sciences, Chongqing Normal University, Chongqing 401331, China
- ^b Department of Entomology, The Natural History Museum, London SW7 5BD, UK
- ^c Faculty of Life Sciences, The University of Manchester, Manchester M13 9PT, UK
- ^d College of Health Sciences, University of California at Irvine, CA 92697, USA
- ^e Animal and Plant Sciences, The University of Sheffield, Sheffield S10 2TN, UK

When this article was published, Table 2 contained a number of errors. The correct artwork is printed below.

^{*} Corresponding author at: Institute of Entomology and Molecular Biology, College of Life Sciences, Chongqing Normal University, Chongqing 401331, China. Tel.: +86 2365918391; fax: +86 2365340559.

 Table 2

 Variation in the 639 bp sequence of the COII gene of Anopheles aconitus.

	Sites	_ GenBank
Haplotype	1111222222233333333344444444455555555555	accession
raprotype	12234778567701345790122335590123667799111225677	
	67804251951410448976847034752400381756069282706	no.
HAPL1 (44)	GACACTTTCTACTAACTTAATTTATATATTTGGTATAGAAATTTAAA	AJ626951
HAPL2 (20)		AJ626952
HAPL3 (10)	T	AJ626953
HAPL4 (7)	C G	AJ626954
HAPL5 (6)	T	AJ626955
HAPL6 (5)		AJ626956
HAPL7(1)		AJ626957
HAPL8(1)		AJ626958
HAPL9 (2)		AJ626959
HAPL10(1)	C T G	AJ626960
HAPL11(1)	C G	AJ626961
HAPL12(1)	T	AJ626962
HAPL13(1)		AJ626963
HAPL14(3)		AJ626964
HAPL15(1)		AJ626965
HAPL16(1)		AJ626966
HAPL17(2)	T C C C G C	AJ626967
HAPL18(2)	T G G C	AJ626968
HAPL19(1)	GT	AJ626969
HAPL20(1)		AJ626970
HAPL21(1)	CCC	AJ626971
HAPL22(1) HAPL23(1)	G G	AJ626972
HAPL24(1)	A C	AJ626973 AJ626974
HAPL25(1)	. G	AJ626974 AJ626975
HAPL26(1)	. G	AJ626976
HAPL27(1)	G. C	AJ626977
HAPL28(1)		AJ626978
HAPL29 (2)		HQ403792. 1
HAPL30(1)	C	HQ403794. 1
HAPL31(1)		HQ403776. 1
HAPL32(1)		HQ403771. 1
HAPL33(1)		HQ403765. 1
HAPL34(1)	. GT G	HQ403757. 1
HAPL35(1)	T	HQ403772. 1
HAPL36(3)		HQ403808. 1
HAPL37(1)		HQ403804.1
HAPL38(1)	. G	HQ403812.1
HAPL39(1)	G. G G.	HQ403799.1
HAPL40(1)		HQ403795.1
HAPL41(1)	G.	HQ403796. 1
HAPL42(1)		HQ403800. 1
HAPL43(1)		HQ403802. 1
HAPL44(1)	T C C	HQ403806. 1
HAPL45(1)	C	HQ403807. 1
HAPL46(1)	G T	HQ403814.1

Frequencies of haplotypes are in parentheses and variable positions are shown in the first row. Identity with the first sequence is denoted by a dot and substitution by a different base letter.