

# Lawrence Berkeley National Laboratory

## LBL Publications

### Title

Genome Sequencing and Mapping Reveal Loss of Heterozygosity as a Mechanism for Rapid Adaptation in the Vegetable Pathogen *Phytophthora capsici*

### Permalink

<https://escholarship.org/uc/item/5rw79183>

### Authors

Lamour, Kurt H.

Mudge, Joann

Gobena, Daniel

et al.

### Publication Date

2012-10-01

# Genome Sequencing and Mapping Reveal Loss of Heterozygosity as a Mechanism for Rapid Adaptation in the Vegetable Pathogen *Physophthora Capsici*

Kurt H. Lamour,<sup>1</sup> Joann Mudge,<sup>2</sup> Daniel Gobena,<sup>1</sup> Oscar P. Hurtado-Gonzales,<sup>3</sup> Jeremy Schmutz,<sup>4,5</sup> Alan Kuo,<sup>4</sup> Neil A. Miller,<sup>6</sup> Brandon J. Rice,<sup>2</sup> Sylvain Raffaele,<sup>7</sup> Liliana M. Cano,<sup>7</sup> Arvind K. Bharti,<sup>2</sup> Ryan S. Donahoo,<sup>8</sup> Sabra Finley,<sup>1</sup> Edgar Huitema,<sup>9,10</sup> Jon Hulvey,<sup>11</sup> Darren Platt,<sup>4</sup> Asaf Salamov,<sup>4</sup> Alon Savidor,<sup>12</sup> Rahul Sharma,<sup>13,14,15</sup> Remco Stam,<sup>9,10</sup> Dylan Storey,<sup>1</sup> Marco Thines,<sup>13,14,15</sup> Joe Win,<sup>7</sup> Brian J. Haas,<sup>16</sup> Darrell L. Dinwiddie,<sup>6,17</sup> Jerry Jenkins,<sup>4,5</sup> James R. Knight,<sup>18</sup> Jason P. Affourtit,<sup>18</sup> Cliff S. Han,<sup>19</sup> Olga Chertkov,<sup>19</sup> Erika A. Lindquist,<sup>4</sup> Chris Detter,<sup>19</sup> Igor V. Grigoriev,<sup>5</sup> Sophien Kamoun,<sup>7</sup> and Stephen F. Kingsmore<sup>6,17</sup>

<sup>1</sup>University of Tennessee, Knoxville 37996, U.S.A.

<sup>2</sup>National Center for Genome Resources, Santa Fe, NM 87505, U.S.A.

<sup>3</sup>Pioneer Hi-Bred International, Johnston, IA 50131, U.S.A.

<sup>4</sup>United States Department of Energy Joint Genome Institute, Walnut Creek, CA 94598, U.S.A.

<sup>5</sup>Hudson Alpha Institute of Biotechnology, Huntsville, AL 35806, U.S.A.

<sup>6</sup>Children's Mercy Hospital, Kansas City, MO 64108, U.S.A.

<sup>7</sup>The Sainsbury Laboratory, Norwich NR4 7UH, U.K.

<sup>8</sup>University of Florida, IFAS-SWFREC, Immokalee 34142, U.S.A.

<sup>9</sup>Division of Plant Science, University of Dundee, Invergowrie, Dundee DD2 5DA, U.K.

<sup>10</sup>Plant Pathology Program, James Hutton Institute, Invergowrie, Dundee DD2 5DA, U.K.

<sup>11</sup>University of Massachusetts-Amherst, Department of Plant, Soil, and Insect Sciences, Amherst 01003, U.S.A.

<sup>12</sup>Department of Molecular Biology and Ecology of Plants, Tel Aviv University, Tel Aviv 69978, Israel

<sup>13</sup>Biodiversity and Climate Research Centre, D-60325 Frankfurt am Main, Germany

<sup>14</sup>Senckenberg Gesellschaft für Naturforschung, D-60325 Frankfurt am Main, Germany

<sup>15</sup>Goethe University, Department of Biological Sciences, Institute of Ecology, Evolution and Diversity, D-60323, Frankfurt am Main, Germany

<sup>16</sup>Broad Institute, Cambridge, MA 02142, U.S.A.

<sup>17</sup>School of Medicine, University of Missouri-Kansas City, Kansas City, MO 64108, U.S.A.

<sup>18</sup>Roche Applied Science, Branford, Connecticut 06405, U.S.A.

<sup>19</sup>Los Alamos National Laboratory, Department of Energy Joint Genome Institute, Los Alamos, NM 87545, U.S.A.

October 2012

The work conducted by the U.S. Department of Energy Joint Genome Institute is supported by the Office of Science of the U.S. Department of Energy under Contract No. DE-AC02-05CH11231

## **DISCLAIMER**

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or The Regents of the University of California.

**Title: Genome sequencing and mapping reveal loss of heterozygosity as a mechanism for rapid adaptation in the vegetable pathogen *Phytophthora capsici*.**

**Authors:** Kurt H. Lamour<sup>1†\*</sup>, Joann Mudge<sup>2†</sup>, Daniel Gobena<sup>1</sup>, Oscar P. Hurtado-Gonzales<sup>3</sup>, Jeremy Schmutz<sup>4,5</sup>, Alan Kuo<sup>4</sup>, Neil A. Miller<sup>6</sup>, Brandon J. Rice<sup>2</sup>, Sylvain Raffaele<sup>7</sup>, Liliana M. Cano<sup>7</sup>, Arvind K. Bharti<sup>2</sup>, Ryan S. Donahoo<sup>8</sup>, Sabra Finley<sup>1</sup>, Edgar Huitema<sup>9,10</sup>, Jon Hulvey<sup>11</sup>, Darren Platt<sup>4</sup>, Asaf Salamov<sup>4</sup>, Alon Savidor<sup>12</sup>, Rahul Sharma<sup>13-15</sup>, Remco Stam<sup>9,10</sup>, Dylan Storey<sup>1</sup>, Marco Thines<sup>13-15</sup>, Joe Win<sup>7</sup>, Brian J. Haas<sup>16</sup>, Darrell L. Dinwiddie<sup>6,17</sup>, Jerry Jenkins<sup>4,5</sup>, James R. Knight<sup>18</sup>, Jason P. Affourtit<sup>18</sup>, Cliff S. Han<sup>19</sup>, Olga Chertkov<sup>19</sup>, Erika A. Lindquist<sup>4</sup>, Chris Detter<sup>19</sup>, Igor V. Grigoriev<sup>4</sup>, Sophien Kamoun<sup>7</sup>, Stephen F. Kingsmore<sup>6,17</sup>

**Affiliations:**

<sup>1</sup>University of Tennessee, Department of Entomology and Plant Pathology, Knoxville, TN 37996, USA.

<sup>2</sup>National Center for Genome Resources, Santa Fe, NM 87505, USA.

<sup>3</sup>Pioneer Hi-Bred International, Johnston, IA 50131, USA.

<sup>4</sup>US Department of Energy Joint Genome Institute, Walnut Creek, CA 94598, USA.

<sup>5</sup>Hudson Alpha Institute of Biotechnology, Huntsville, AL 35806, USA.

<sup>6</sup>Children's Mercy Hospital, Kansas City, MO 64108, USA.

<sup>7</sup>The Sainsbury Laboratory, Norwich NR4 7UH, UK.

<sup>8</sup>University of Florida, IFAS-SWFREC, Immokalee, FL 34142, USA.

<sup>9</sup>Division of Plant Science, University of Dundee, Invergowrie, Dundee DD2 5DA, UK.

<sup>10</sup>Plant Pathology Program, James Hutton Institute, Invergowrie, Dundee DD2 5DA, UK.

<sup>11</sup>University of Massachusetts-Amherst, Dept. of Plant, Soil, and Insect Sciences, Amherst, MA 01003, USA.

<sup>12</sup>Department of Molecular Biology and Ecology of Plants, Tel Aviv University, Tel Aviv 69978, Israel.

<sup>13</sup>Biodiversity and Climate Research Centre, D-60325 Frankfurt am Main, Germany.

<sup>14</sup>Senckenberg Gesellschaft für Naturforschung, D-60325 Frankfurt am Main, Germany.

<sup>15</sup>Goethe University, Department of Biological Sciences, Institute of Ecology, Evolution and Diversity, D-60323, Frankfurt am Main, Germany.

<sup>16</sup>Broad Institute, Cambridge, MA 02142, USA.

<sup>17</sup>School of Medicine, University of Missouri-Kansas City, Kansas City, MO 64108, USA.

<sup>18</sup>Roche Applied Science, Branford, Connecticut 06405, USA.

<sup>19</sup>Los Alamos National Laboratory, Department of Energy's Joint Genome Institute, Los Alamos, NM 87545, USA.

† These authors contributed equally to this work.

**Running title:** Adaptation in *Phytophthora capsici*.

\*Corresponding author: Kurt Lamour, [klamour@utk.edu](mailto:klamour@utk.edu).

**ABSTRACT:** The oomycete vegetable pathogen *Phytophthora capsici* has shown remarkable adaptation to fungicides and new hosts. Like other members of this destructive genus, *P. capsici* has an explosive epidemiology, rapidly producing massive numbers of asexual spores on infected hosts. In addition, *P. capsici* can remain dormant for years as sexually-recombined oospores, making it difficult to produce crops at infested sites, and allowing outcrossing populations to maintain significant genetic variation. Genome sequencing, development of a high-density genetic map, and integrative genomic/genetic characterization of *P. capsici* field isolates and intercross progeny revealed significant mitotic loss of heterozygosity (LOH) and higher levels of SNVs than those reported for humans, plants, and *P. infestans*. LOH was detected in clonally propagated field isolates and sexual progeny, cumulatively affecting >30% of the genome. LOH altered genotypes for more than 11,000 single nucleotide variant (SNV) sites and showed a strong association with changes in mating type and pathogenicity. Overall, it appears that LOH may provide a rapid mechanism for fixing alleles and may be an important component of adaptability for *P. capsici*.

## INTRODUCTION

*Phytophthora capsici* is a virulent, hemibiotrophic pathogen of vegetable crops, inflicting significant losses worldwide (Leonian 1922; Erwin and Ribeiro 1996; Gevens et al. 2008; Lamour and Kamoun 2009; Meitz et al. 2010; Lamour et al. 2011). It's main hosts are peppers and cucurbits and during the last ninety years *P. capsici* has spread geographically as agricultural cultivation of these hosts has intensified; dynamically adapting to fungicides and new hosts (Leonian 1922; Erwin and Ribeiro 1996; Lamour and Hausbeck 2001; Hausbeck and Lamour 2004; Gevens et al. 2008; Hurtado-Gonzales et al. 2008; Lamour and Kamoun 2009; Meitz et al. 2010; Lamour et al. 2011; Gobena et al. 2012). Like other members of this destructive genus (e.g. the late blight pathogen *P. infestans* and the sudden oak death

pathogen *P. ramorum*), *P. capsici* has an explosive epidemiology, rapidly producing massive numbers of asexual spores on infected hosts (Lamour and Hausbeck 2001; Hausbeck and Lamour 2004; Lamour and Kamoun 2009) (Fig. 1B-G). In addition, *P. capsici* often features meiosis between two mating types, producing thick-walled oospores that remain dormant for years, making it very difficult to produce crops at infested sites, and allowing outcrossing populations to maintain significant genetic variation (Fig. 1A). Members of this genus are notoriously plastic in field and laboratory scenarios and we examined the molecular basis for rapid adaptation in *P. capsici* through genome sequencing, development of a high-density genetic map, and integrative genomic/genetic characterization of *P. capsici* field isolates and intercross progeny. Development of these tools and subsequent analyses revealed significant mitotic loss of heterozygosity (LOH) in clonally propagated field isolates as well as multiple sexual progeny. Follow-up tests revealed a strong association of LOH with changes in mating type and loss of pathogenicity.

## RESULTS

### Genome sequencing, assembly and annotation

Assembling the nuclear genome of a diploid organism with frequent nucleotide variants can be difficult and a partially inbred line of *P. capsici* (LT1534) was developed for sequencing (Supplementary Fig. 1) (Hurtado-Gonzales and Lamour 2009; Gobena et al. 2012). The 64 Mbp reference genome was assembled using Arachne from 30X paired and singleton 454 FLX and Titanium genomic DNA reads, 5X Sanger paired reads, 56,448 Sanger ESTs, and 1,260 full-length cDNA sequences. This resulted in 917 scaffolds and an N50 of 706 kbp (Supplementary Table 1). The size of the *P. capsici* genome is intermediate among the sequenced oomycetes, larger than *Albugo* and *Pythium ultimum* (up to 45 Mbp) (Levesque et al. 2010; Kemen et al. 2011), but more compact than *P. ramorum*, *P. sojae*, *Hyaloperonospora arabidopsis* and *P. infestans* at 65, 95, 100, and 240 Mbp, respectively (Tyler et al. 2006; Haas et al. 2009; Baxter et al. 2010). The *P. capsici* draft genome had fewer scaffolds and/or

larger scaffold N50, which may reflect hybrid assembly or fewer repeat sequences in *P. capsici* (19%) than *P. infestans*, *P. sojae* or *P. ramorum* (74%, 39%, and 28%, respectively) (Tyler et al. 2006; Haas et al. 2009). Like other Phytophthora species, the majority of *P. capsici* repeats were retrotransposons (84%) with long terminal repeats, of which 57% were Gypsy elements. The mitochondrial genome (80,148 bp) was assembled in 4 scaffolds.

Gene model prediction using a training set of 16.4 million sequencing-by-synthesis mRNA-sequences from nine life stages predicted 19,805 genes supported by cDNA sequences (50%) or previously identified proteins (75%) (Supplementary Tables 2 and 3). After excluding 2,682 genes with homology to transposable elements, *P. capsici* had a similar gene content to *P. infestans*, *P. sojae* and *P. ramorum* (17,797, 16,988 and 14,451, respectively) (Tyler et al. 2006; Haas et al. 2009) and had slightly more core eukaryotic genes identified compared to these other species (Supplementary Fig. 2). The non-repetitive gene density in *P. capsici* (268/Mbp) was higher than other Phytophthora species (74/Mbp in *P. infestans*, 179/Mb in *P. sojae* and 222/Mb in *P. ramorum*) (Tyler et al. 2006; Haas et al. 2009).

### **Comparison to other Phytophthora species**

Genome comparisons revealed almost perfect scaffold-level synteny between the gene models of *P. capsici*, *P. ramorum* and *P. sojae*, with very little duplication (Fig. 2A, B). There was also extensive synteny with *P. infestans* genes (Supplementary Fig. 3). The genome organization of *P. capsici* was similar to other Phytophthora species, with  $\frac{2}{3}$  of the genes located in gene-rich blocks that have a conserved order and few repeats (median intergenic distance 351 bp), separated by relatively gene-poor regions without order conservation and more repetitive sequences (median intergenic distance ~3kb; Fig. 2C) (Haas et al. 2009). Like *P. infestans*, the 365 predicted *P. capsici* genes without a homolog resided predominantly in gene-poor genomic regions (Fig. 2C) (Haas et al. 2009; Raffaele et al. 2010).

Seventy eight percent of the predicted *P. capsici* genes clustered into 2,483 candidate multigene families. Among these families, there are cytoplasmic effector genes of the RxLR type including

homologs of known avirulence genes in *P. infestans* (Whisson et al. 2007; Dou et al. 2008; Boutemy et al. 2011). *P. capsici* had 357 RxLR effector genes, which is similar to the numbers reported for *P. sojae* and *P. ramorum*, whereas *P. infestans* had > 500 (Tyler et al. 2006; Haas et al. 2009).

*Phytophthora capsici* also had 29 putative full length and 70 pseudogenes for Crinkling and Necrosis (CRN) effectors, an ancient class of intracellular effector proteins that share a highly conserved N-terminal domain, required for translocation, and diverse C-terminal effector domains (Haas et al. 2009). While markedly fewer than in *P. infestans*, the majority of predicted CRN effector domains were conserved between species.

### **Single nucleotide variation (SNV) and genetic mapping**

Nucleotide diversity was assessed in seven *P. capsici* field isolates (including parental isolates TN1 and TN2) and an isolate of the sister species *P. tropicalis* by restriction-site associated DNA (RAD) sequencing (Supplementary Table 4) (Baird et al. 2008). Between 5 and 9 million sequencing-by-synthesis reads, flanked by a *SgrAI* restriction site, were generated per isolate (Table S5). The reads were aligned to the *P. capsici* reference genome and covered ~2.3 Mbp at a depth of  $\geq 30$ -fold (Kim et al. 2009; Baranzini et al. 2010; Bell et al. 2011). The SNV density among *P. capsici* isolates was 23.4/kb (range 16.9 - 25.9/kb) and between *P. capsici* and the closely related species *P. tropicalis* was 51.7/kb (Supplementary Tables 6 and 7; Supplementary Figs. 4 and 5). This is much higher than the SNV diversity observed among *P. infestans* strains (0.65/Kb average) and between *P. infestans* T30-4 and species in its clade (7.67/Kb average) (Raffaele et al. 2010). The nucleotide diversity ( $\pi$ ) was 0.012 (range 0.009 - 0.016), ~16-fold higher than *H. sapiens* and ~4-fold higher than obtained by RAD in natural stickleback populations and most outbred plant species. The threespined stickleback (*Gasterosteus aculeatus* L.) is an outcrossing species of fish studied to better understand adaptive evolution (Hohenlohe et al. 2010).



In addition, the inheritance of SNV's was examined in 65 putative F<sub>1</sub> intercross progeny by *Pst*I-based RAD (Supplementary Figs. 1 and 6; Supplementary Table 8). Of these 65 isolates, two were found to be clonally derived from the TN2 parent and three additional isolates were clonal to progeny isolates. The remaining 60 true F<sub>1</sub> progeny were genotyped at bi-allelic sites exhibiting either a di- or tri-modal distribution where the peaks corresponded to homozygous reference alleles, heterozygotes, and homozygous alternate alleles (Supplementary Fig. 7) (Kim et al. 2009). Genotypes were imputed at 500,352 nucleotides with  $\geq 10$  uniquely aligned reads in  $\geq 55$  progeny. Homozygosity was inferred when  $>90\%$  reads displayed one allele, and heterozygosity when 20-80% of reads displayed one allele. We have previously shown such genotype imputation to be  $>99\%$  accurate (Kim et al. 2009; Baranzini et al. 2010; Bell et al. 2011). Forty-five percent (9,254) of SNVs showing Mendelian inheritance were in coding regions, and 3,382 (37%) of these were non-synonymous (Supplementary Fig. 8a, Supplementary Table 10). The distribution of mutations in *Phytophthora* clade 1c species is in a similar range with 35% of SNV's in coding regions, 41% of which are non-synonymous (Raffaele et al. 2010). This was surprising since there is typically extensive purifying selection on genes. A parsimonious explanation of these findings is that rates of mutation relative to generation times are much greater in *P. capsici* than higher eukaryotes.

A total of 20,568 SNVs were either polymorphic in the parents and had Mendelian segregation ( $\chi^2 \geq 0.05$ ), or were homozygous for opposite alleles in the parents and heterozygous in progeny that did not exhibit loss of heterozygosity (LOH) (marker spacing 3,111 bp; Supplementary Table 9). A genetic map was developed using markers on the 108 scaffolds that had sufficient SNVs for independent genetic linkage analysis in the F<sub>1</sub> progeny. Of these, 92 scaffolds had SNV's that were inherited as a single co-segregating block, while markers on 15 scaffolds broke into 2 blocks and markers on the largest scaffold (Scaffold 1) broke into three blocks (Supplementary Table 11; Supplementary Fig. 9). Scaffold-level linkage groups were inherited with LOD scores of  $\geq 7$ . Following scaffold-level linkage analysis, a genetic map of *P. capsici* was constructed with 1,136 SNVs that had segregation patterns  $<95\%$  similar.

The genetic map was 1,654 centiMorgans (cM) in length and comprised eighteen linkage groups accounting for 84% (54Mbp) of the reference genome and containing ~90% of the predicted genes (Fig. 3; Supplementary Table 12). The order for the majority of markers was the same on the genetic and physical maps. Genetic linkage analysis localized the mating type locus to a ~300kb critical region on scaffold block 4.1 in LG10.

### **Loss of heterozygosity**

Integrated genomic and genetic analysis allowed assessment of chromosomal variation among the 65 putative F<sub>1</sub> intercross progeny. Twenty-three F<sub>1</sub> isolates and two clonal isolates contained regions with LOH. LOH was identified by homozygosity at all markers in  $\geq 2$  adjacent (linked) RAD sequences that were incompatible with parental genotypes (Supplementary Fig. 10; Supplementary Table 13). The minimum length of LOH tracts varied from 299 bp to >1 Mbp. LOH occurred in 14 of the 18 LGs and in 59 scaffolds or scaffold blocks. Fifty-four percent (11,048) of SNVs exhibited LOH in at least one isolate and the LOH was bidirectional. The frequency and distribution of LOH tracts varied among isolates and 36.5% (19.7 Mbp) of the genome was affected by LOH in at least one isolate. Two isolates (TN37 and TN47) had LOH exceeding 10% of the genome (Supplementary Table 14). Interestingly, LOH showed bias toward gene-rich regions (Supplementary Fig. 8B, C). Given the requirements of informative parental genotypes, at least two adjacent RAD tags to be affected, and that LOH was sought only in the mapped genome, the true extent of LOH is likely to be considerably higher.

Sub-chromosomal mitotic LOH has several molecular mechanisms including deletions (resulting in hemizyosity) and translocations (resulting in homozygosity) associated with homologous and non-homologous recombination or gene conversion (Chamnanpant et al. 2001; Cvitanich et al. 2006). Of note, mutagenesis-induced LOH in *P. capsici* was not associated with sub-chromosomal deletions (Hulvey et al. 2010). In only one of 12 isolates was LOH due to hemizyosity as assessed by batched, normalized sequence coverage plots (Bell et al. 2011) (Fig. 4A-C). Forty-five percent (4,967) of the

marker nucleotides exhibiting LOH were exonic, 17% (1,911) were in coding regions and 3.5% (391) were predicted to be non-synonymous, affecting 264 genes. Phenotypic consequences of genome diversity were sought among F<sub>1</sub> progeny. Five F<sub>1</sub> isolates switched mating type from A2 to A1 between assessments in 2005 and RAD sequencing in 2010, while one switched from A1 to A2 (Fig. 5A). Isolates were in storage for most of this interval and were sub-cultured < 10 times. Four of the isolates that switched from A2 to A1 had >800 Kbp tracts of LOH encompassing a region that appears to contain the mating type locus (or loci) on LG10 (Fig. 5A). TN25, which changed from A1 to A2, did not exhibit LOH at the mating type locus but did have >1.6 Mbp LOH in LG16. However, A1 mating type isolates TN37 and TN70 had similar LOH on LG16, but did not change mating type. Thus, LOH at the mating type locus was associated with mating type switch in four of six isolates.

LOH was also associated with a loss of pathogenicity to pepper and cucumber fruit. Between tests in 2005 and 2011, progeny isolates TN37 and TN47 became unable to infect wounded or un-wounded fruit (Fig. 5B). In 2011, host cells consistently elicited a strong hypersensitive response (cell necrosis) at point of inoculation, suggesting loss of a factor necessary for infection, such as an Avh protein. This is characteristic of *Phytophthora* Avh proteins, which evolve rapidly in a presumed host-pathogen arms race (Tyler et al. 2006; Whisson et al. 2007; Jiang et al. 2008; Haas et al. 2009). These isolates had similar growth rates *in vitro* in 2005 and 2011 even after substantial LOH (Supplementary Table 14). Indeed, the TN37 and TN47 genomes each had > 10% LOH and share an LOH tract on LG1 (17\_31,860 - 17\_870,195 and 105\_51,382 - 105\_63734; Supplementary Tables 13-14). A plausible explanation is that LOH changed the expression or expressed sequence of one or more *P. capsici* effectors in the avirulent isolates.

## DISCUSSION

In summary, the genome sequence of *P. capsici* was typical for the genus in organization and gene content. A prototypical, dense genetic map indicated the recombination rate of *P. capsici* to be 38.7 kbp/cM, an order of magnitude less than yeast, but 30-fold higher than *H. sapiens* (Li and Freudenberg

2009). SNV density and diversity among *P. capsici* genomes was much higher than in other eukaryotes and coding and non-synonymous variants were remarkably common. This suggests that germline mutation rates may be much higher in *P. capsici* than in *H. sapiens*, *Saccharomyces cerevisiae*, *Drosophila melanogaster* and *P. infestans*, or that purifying selection was less (Baranzini et al. 2010). The overall SNV diversity for the seven *P. capsici* field isolates was similar, but markedly different from the *P. tropicalis* isolate. The isolates from Peru and Argentina appear to be part of long-lived, widely dispersed clonal lineages where, unlike the situation for the North America isolates, sexual recombination may be rare (Hurtado-Gonzales et al. 2008; Gobena et al. 2012). Interestingly, the isolates from Peru and Argentina share the most polymorphic loci and may be derived from a common, invasive population or widely dispersed clonal lineage. The high level of SNV diversity in *P. capsici* has practical implications for research. The SNV's can be used to finely map segregating phenotypes in larger populations of progeny, conduct sensitive analyses of population structure and overall dynamics, and to track the fate of numerous heterozygous loci during asexual growth (e.g. tracking LOH).

*Phytophthora capsici* populations are often characterized by high levels of diversity and rapid adaptation (Leonian 1922; Erwin and Ribeiro 1996; Lamour and Hausbeck 2001; Hausbeck and Lamour 2004; Gevens et al. 2008; Hurtado-Gonzales et al. 2008; Lamour and Kamoun 2009; Meitz et al. 2010; Lamour et al. 2011; Gobena et al. 2012). In addition to elevated genetic diversity, *P. capsici* genomes also had a remarkably high frequency of mitotic LOH occurring more commonly in gene rich areas. Mitotic genomic instability was also recently described in *P. ramorum* (Vercauteren et al. 2011), suggesting LOH may be a general characteristic of oomycetes. Here we show loss of pathogenicity and mating type switches are likely phenotypic consequences of mitotic LOH. For the latter, the evidence for causality of LOH was strong: four of five progeny that switched from the A2 to the A1 mating type had tracts of LOH spanning the region where mating type maps in this cross. This was reminiscent of the mating type locus in the fungus *Candida albicans*, where a repressor suppresses switching to the mating-competent form (Morschhauser 2010). Loss of mating type heterozygosity relieves this repression,

ensuring that only mating type homozygous cells are mating-competent. An ability to switch mating type has important consequences, particularly in northern latitudes where survival of the winter or fallow months requires thick-walled, sexually-produced oospores (Lamour et al. 2011). It also provides a mechanism to introgress mutations efficiently into a population (Supplementary Figure 10). The fungicide mefenoxam, for example, is strongly inhibitory to *P. capsici* and has been widely used in some areas. Mefenoxam resistance is inherited in *P. capsici* as a single incompletely dominant trait (Lamour and Hausbeck 2000; Lamour and Hausbeck 2001). Mating type switches in a rare, partially resistant field isolate will double the chances for outcrossing. In addition to aiding introgression of a novel resistance allele by sexual reproduction, LOH could directly catalyze the conversion to full resistance. Using the SNV markers presented here, it should be possible to detect instances of LOH within naturally occurring isolates.

The dramatic expansion of repeated sequences observed in several pathogen lineages of oomycetes (*P. infestans*, *H. arabidopsidis*) and fungi (*Puccinia graminis* f. sp. tritici, *Melampsora larci-populina*, *Blumeria graminis*) was proposed to contribute to fast adaptation (Haas et al. 2009; Spanu et al. 2010). A clear correlation was indeed observed between the rate of gene evolution and the amount of flanking repeats (Raffaele et al. 2010). By contrast, the *P. capsici* genome is rather compact, with a relatively low repeat content, and yet shows remarkable plasticity. This plasticity may be due in part to LOH which represents an alternative mechanism for rapidly generating diversity, preferentially affecting gene dense regions. Previous studies suggest a role for LOH in adaptive evolution (Rosenberg 2011). It has, for example, been associated with oncogenesis and embryonic stem cell adaptation in *H. sapiens* (Narva et al. 2010), and fluconazole resistance in *C. albicans* (Forche et al. 2011). Here we extend these observations, suggesting that the co-occurrence of frequent mitotic LOH and high nucleotide diversity in genes may provide a general mechanism for rapid adaptation in *P. capsici*. In addition, LOH may contribute to the difficulties encountered when studying oomycetes in the laboratory (e.g. loss of pathogenicity and virulence) and the overall success of oomycetes as plant pathogens.

## METHODS

**Isolates.** Three *in vitro* crosses were completed to produce a moderately inbred isolate for sequencing the reference genome (Hurtado-Gonzales and Lamour 2009). Crosses include an F1, and two recurrent backcrosses (BC1 and BC2). An isolate from the BC2 progeny was chosen for genome sequencing based on growth rate and asexual and sexual spore production (Hurtado-Gonzales and Lamour 2009). The initial cross was between an A1 isolate recovered from cucumber in Michigan in 1997 (TN1) and an A2 isolate recovered from pumpkin in Tennessee in 2004 (TN2). The backcrosses were to the TN2 parent. Crosses were made by co-culturing the parental isolates on V8-juice agar plates, incubating the plates for 8 to 12 weeks in darkness, and then separating the sexual oospores from the subtending asexual mycelium and other asexual spores (sporangia and zoospores) through mechanical shearing and an enzyme treatment to destroy the asexual material (Lamour and Hausbeck 2000). The enzymes not only destroy the asexual material; they stimulate oospore germination. Germinating oospores were harvested using a 5 $\mu$ l pipette while looking at the spores under a light microscope. Once harvested, the germinated spores are placed onto V8 media, sub-cultured to produce mycelium for DNA and to conduct mating type analysis, and then stored long term (3 to 5 years) in water with sterile hemp seeds.

The progeny from all of the crosses were genotyped using AFLP markers, tested for mating type, assessed for growth rate on agar media, and assayed for pathogenicity and virulence on detached pepper (variety Early Jalapeno) and cucumber fruit (various varieties) (Hurtado-Gonzales and Lamour 2009). All fruit inoculations were conducted on two fruit and the experiments repeated twice. Pathogenicity was assessed by placing a 7mm plug of mycelium at both a wounded and non-wounded site. Wounded sites are distal and non-wounded sites proximal to the stem end of the fruit. Pathogenicity to pepper fruit was assessed in 2005 and 2011. Sixty-nine progeny from the F1 were further analyzed using a focused re-sequencing strategy (outlined below). In addition, the mating type was tested at three different time intervals: within 6 months of the cross, at the time of the focused re-sequencing, and one year following the re-sequencing.

**Genome sequencing and assembly.** High quality genomic DNA was prepared from the isolate selected for genome sequencing using a phenol/chloroform protocol. Aliquots from the same batch of DNA were submitted to 454 Inc. (Branford, CT) and to the Joint Genome Institute (JGI, Walnut Creek, CA) for 454- and Sanger-based sequencing, respectively. A total of 2,451,737 random shotgun genomic reads, 2,022,402 paired-end reads (2.3 Kb), and 833,606 paired-end reads (18.0 Kb) were produced using the 454 Titanium chemistry. In addition, 197,306 random genomic paired-end reads from a 6.3Kb plasmid library, 146,588 paired-end reads from a 34.7Kb fosmid library and 65,000 ESTs were produced at the JGI using Sanger sequencing. Additionally, 1,260 full-length cDNA sequences were generated by Sanger sequencing and cDNA sequence assembly.

The sequence reads were assembled using a modified version of Arachne v.20071016 (Jaffe et al. 2003) with parameters `maxcliq1=100`, `n_haplotypes=2` and `BINGE_AND_PURGE=True`. The output of this assembly was passed through Rebuilder and SquashOverlaps with parameters to merge adjacent assembled alternative haplotypes, and subsequently run through another complete Arachne assembly process to finalize the assembly. Prior to assembly, redundant 454 pairs (defined as at least 98% identical across their length) were removed and a single pair retained. An error correction step was applied to all 454 data that attempted to set bps to equal the Sanger sequence. This was accomplished by shredding the Sanger sequence to a similar size as the 454 reads and then aligning these shredded reads and the 454 simultaneously. Where the 454 read sequence had no support we changed the 454 read sequence to match the Sanger read sequence. This removed many of the 454 sequence errors (primarily indels and occasional bp substitutions) and coalesced the haplotypes if the Sanger data was all from one haplotype. Error correction was also applied during the Arachne assembly process by screening each scaffold against bacterial proteins, organelle sequences and GenBank using Megablast against Genbank NR and blastp against a set of known microbial proteins. Twenty-eight scaffolds identified as prokaryotic contamination were removed. We classified additional scaffolds as mitochondrion (4), small repetitive (6), alternative haplotype (17), and less than 1kb (1050). The final assembly consists of 971

scaffold sequences, with half of the genome contained in 29 scaffolds of at least 705.7 kb in length and contigs greater than 34.6kb. Scaffolds ranged in size from 1 kb to 2.1 Mb with an N50 of 705.7 kb (Supplementary Table 1). The genome size was tested using the approach outlined by Baxter with nt by nt coverage calculated by aligning back to the reference (Baxter et al. 2010). This resulted in an estimated genome size of approximately 55 Mbp. We also estimated the genome size by measuring the percentage of all reads that were captured by the assembly using a high quality 10,000 read subset (average quality  $\geq 35$ , length  $\geq 100$  and no missing bases) and extrapolating genome size if the assembly had captured all the reads. We extrapolated up from the genome size that doesn't include gaps (56.1 Mb) and 97.44% of the reads were captured leading to an estimated genome size of approximately 57 Mbp. Both estimates likely underestimate the genome size due to over alignment of repeat copies, possibly explaining the discrepancy between our gapped genome size (64.1 Mb) and these lower estimates of total genome size. Nevertheless, both estimates are similar to the non-gapped genome size (56.1 Mb) suggesting that the assembly is missing very little of the non-repetitive genome.

In addition, total RNA was isolated from different growth conditions (rich media, starvation, and sporulating), pooled, and submitted to both 454 and the JGI for Sanger cDNA and EST sequencing. At the JGI, ESTs were produced as previously described with the following modification: 2 cDNA libraries were constructed and sequenced and the size ranges of the cDNA library inserts were 0.6k-2kb and >2kb (Jeffries et al. 2007).

**Genome sequence analysis and annotation of gene families.** The genome assembly of *Phytophthora capsici* LT1534 was annotated using the JGI Annotation Pipeline, which combines several gene predictors: A) cDNA-based gene models were derived from 1260 full-length cDNAs and 11,090 consensus sequences clustered from 56,448 ESTs, and then mapped to genomic sequence, B) protein-based gene models were predicted using FGENESH+ (Salamov and Solovyev 2000) and GeneWise (Birney et al. 2004) seeded by BLASTx alignments of genomic sequence against sequences from the NCBI non-redundant protein set nr, and C) *ab initio* gene models were predicted using FGENESH



trained on the set of putative full-length genes and reliable protein-based models. GeneWise models were completed using scaffold data to find start and stop codons. ESTs, EST clusters, EST contigs, and full length cDNAs were used to verify, complete, and extend the gene models. Because multiple gene models per locus were often generated, a single representative gene model for each locus was chosen based on homology and EST support, and used for further analysis. This led to a filtered set of 19,805 gene models (including 2,682 genes with homology to transposable elements) with their properties and support by different lines of evidence summarized in Supplementary Tables 2 and 3. All gene-based analyses were done on the full 19,805 gene set. A total of 56,448 ESTs are available in Genbank under the title "DOE Joint Genome Institute *Phytophthora capsici* EST project". An additional 1260 full length cDNAs are available in Genbank under the title "DOE Joint Genome Institute *Phytophthora capsici* cDNA project". The genome sequence is available at <http://genome.jgi-psf.org/Phyca11/Phyca11.home.html>.

All predicted gene models were functionally annotated by the JGI Annotation Pipeline using InterProScan (Zdobnov and Apweiler 2001) and hardware-accelerated double-affine Smith-Waterman alignments (<http://www.timelogic.com/>) against highly curated databases such as SwissProt (Bairoch et al. 2005), KEGG (Ogata et al. 1999), and Pfam (Bateman et al. 2004). KEGG hits were used to map EC numbers (Bairoch 2000), and InterPro, KEGG, and SwissProt hits were used to map GO terms (Ashburner et al. 2000). In addition, predicted proteins were annotated according to KOG classification (Koonin et al. 2004). Protein targeting predictions were made with signalP (Nielsen et al. 1999) and TMHMM (Krogh et al. 2001). Finally, all proteins were aligned by BLASTp to proteins in nr and to each other; after the latter analysis the alignment scores were used as a distance metric for clustering by MCL (<http://www.micans.org/mcl/>) into a first draft of 2,483 candidate multigene families. The same method was used to group genes with those of other *Phytophthora* species. We used BLASTP to identify Crinkler (CRN) coding genes from the *P. capsici* gene model set (Supplementary Table 16). For this purpose, 16 well characterized CRN proteins from *P. infestans* were searched against the *P. capsici*

protein data set. Sequences with significant hits ( $E = <10^{-5}$ ) were retrieved and a non-redundant CRN-like protein set was created (Win et al. 2006). CRN-like protein sequences were manually examined for the presence of LFLAK motifs and C-terminal effector domains. To determine whether candidates are full length or pseudogenes, we aligned our CRN candidates with previously characterized CRNs. CRN proteins of at least 250 amino acid residues or more and that aligned with both the N and C-terminal domains of PiCRNs were considered full length (Haas et al. 2009). Finally, we used SignalP3.0 to identify predicted secretion signals for all CRN candidates (Supplementary Table 16). Candidate RxLR effectors were mined via the protocol outlined previously (Haas et al. 2009). In brief, all open reading frames greater than 210 nucleotides (70 AA) from the genome were generated and translated to amino acid coding sequences. Those containing an RXLR ( Arg - Anything - Leu - Arg) between 30 - 60 amino acids from the start, a signal peptide score greater than .9, and a cleavage site prior to the RXLR are considered effectors (Supplementary Table 17).

The CEGMA pipeline was used to compare the completeness and continuity of six Oomycete genomes (Parra et al. 2007). CEGMA checks the completeness and continuity of genome assemblies on the basis of 248 core eukaryotic genes. Here, we compared the CEGMA analyses (without KOG 69) for the genomes of *P. sojae*, *P. ramorum*, *P. infestans*, *Pythium ultimum*, and *Hyaloperonospora arabidopsis* to the draft genome of *P. capsici* reported here (Supplementary Table 15).

Transposon-like coding sequences were identified by searching the annotated protein-coding sequences of *P. capsici* against databases of transposon sequences with TransposonPSI (<http://transposonpsi.sf.net>). Nucleotide sequences corresponding to the coding regions of the annotated protein coding genes were searched against the TransposonPSI collection of transposon protein sequences using BLASTX. This included ORFs derived from mobile elements discovered in other sequenced Phytophthora genomes. In addition, the *P. capsici* protein sequences were searched against a collection of PSI-BLAST profiles corresponding to common families of transposable elements, including Gypsy-retrotransposons and Piggybac-transposons. Any *P. capsici* annotated coding sequence

identified by having a BLAST E-value of at most  $1e-10$  was identified and reported, yielding 2,682 candidate gene annotations with transposon homology (see: Pcap.annot\_transposon\_mining.maxE\_1e-10.txt.gz). Transposon family (PSI-BLAST) and top transposon protein BLASTX match are provided. Scaffolds, gene models clusters, and annotations thereof, may be accessed at the JGI *P. capsici* portal (<http://www.jgi.doe.gov/capsici/>) (Grigoriev et al. 2012).

**Focused re-sequencing.** Restriction site Associated DNA (RAD) sequencing was employed to identify and genotype single base substitutions in 7 field isolates (including the parents TN1 and TN2) and 69 progeny (TN3 – TN71) of the F1 cross (Baird et al. 2008). Briefly, genomic DNA was digested with the 6bp recognition restriction endonuclease *Pst*I or the 8bp recognition *Sgr*AI (Florigenex, Inc.). The digested DNA was sheared to between 200 and 500 bp and adaptors ligated which contained sequencing priming sites and an isolate-specific 5bp tag (Baird et al. 2008). Between 5 and 9 million sequencing-by-synthesis reads of length 72 nt were generated per isolate using an Illumina GAII sequencer (Supplementary Fig. 6, Supplementary Tables 5 and 8). The short reads abutting the restriction site are referred to as RAD tags. The RAD approach reduces complexity by focusing the sequencing to the regions directly adjacent (left and right) to a restriction site and the isolate-specific 5bp tags allow multiplexed sequencing. Reads were aligned to the *P. capsici* reference, covering  $\sim 2$  million nucleotides at a depth of  $\geq 30$ -fold (Supplementary Tables 5 and 8) (Kim et al. 2009; Baranzini et al. 2010; Bell et al. 2011).

**SNV discovery and genotyping.** Alignments of the RAD sequence and subsequent variant detection were carried out using the Genomic Short-read Nucleotide Alignment Program (GSNAP (Wu and Nacu 2010)) and the Alpheus pipeline (Miller et al. 2008), as described (Kim et al. 2009; Baranzini et al. 2010; Bell et al. 2011). Reads were aligned to the *P. capsici* genome assembly (version 11) and alignments retained that matched the genome with 95% identity or higher and that had  $\leq 5$  equally high scoring alignments. Reads with equally good hits to more than one genomic region, reflecting repeat

content or redundancy in the assembly, were not considered uniquely aligned. Four isolates were excluded from analysis due to insufficient aligned reads (Supplementary Fig. 6). Read count-based allele frequencies of bi-allelic nucleotide variants had a tri-modal distribution, with peaks corresponding to homozygous reference alleles, heterozygotes, and homozygous alternate alleles (Supplementary Fig. 7) (Kim et al. 2009).

Potential segregating SNV sites were identified in the parents and progeny using the following criteria:  $\geq 10X$  unique sequence coverage, an average quality score  $\geq 20$  and an alternate allele frequency  $\geq 20\%$  within unique reads. This pool of potential segregating sites was then analyzed across all lines and SNV genotyping criteria were developed based on a visual assessment of the distribution of alternate alleles at different levels of unique sequence coverage (Supplementary Fig. 7). SNVs were genotyped at the identified segregating SNV sites for all lines with at least 10X unique coverage where alternate allele frequency within unique reads was  $< 10\%$  (homozygous for the reference allele),  $> 20\%$  and  $< 80\%$  (heterozygous), or  $> 90\%$  (homozygous for the alternate allele). Our final pool of markers was limited to loci with 5 or fewer missing genotypes in the progeny. This approach does not enrich or bias for gene rich areas of the genome.

Nucleotide density and diversity was calculated for SNV sites in the *SgrAI* RAD tags from the *P. capsici* parents and five additional unrelated isolates (two of which represent very large clonal populations in Peru and Argentina) and a *P. tropicalis* isolate. Heterozygosity and homozygosity were distinguished by allele frequency cutoffs of 15% and 85% and there was no requirement for number of missing genotypes in the isolates. SNV diversity was calculated as previously described (Begun et al. 2007).

**Loss of heterozygosity and clonal isolates.** Loss of Heterozygosity (LOH) was assessed using graphical genotypes constructed by ordering the SNV loci according to (i) the genetic linkage of markers in the individual scaffolds and (ii) the genetic linkage of markers from all scaffolds together

(see below). The minimum tracts of LOH were calculated for regions with continuous, uninterrupted switching of loci to either the reference or alternate allele (homozygosity) in a way that is impossible by normal meiosis or clonal reproduction (Judd and Petes 1988). To avoid minor genotyping errors, LOH was only assigned for tracts where the switched loci spanned at least two different sequencing sites. In addition, the junction of LOH versus non-LOH in an isolate with good sequence coverage was analyzed to compare the coverage on either side of the junction.

Genetic similarity of the parents and progeny was assessed in JMP Genomics by analyzing a relationship matrix for our final pool of markers using a Fast Ward Hierarchical clustering at the default settings. Alleles were assumed to be identical by descent. Putative clones were confirmed using the graphical genotypes. Genetic similarity analyses revealed three clonal lineages. One clonal lineage contained the parent isolate TN2 and the (mistaken) F1 progeny TN3 and TN50. Two other clonal lineages were derived from true F1 progeny and included isolates TN56, TN57, and TN63 in one clonal lineage and isolates TN8 and TN11 in another clonal lineage (Supplementary Fig. 11). This was not surprising since occasional sporangia survive the enzymatic treatment used to destroy asexual propagules, and premature oospore germination can produce sporangia that appear to be discrete oospore progeny. A single isolate of each lineage was retained for genetic linkage analysis. Apomixis, which occurred in other crosses stemming from these parents, is another possible explanation for the clones of the TN2 parent (Hurtado-Gonzales and Lamour 2009).

**Genetic linkage analysis.** Putative segregating markers were analyzed using a Chi-square test for simple Mendelian inheritance (5% significance). A total of 20,568 SNVs were either polymorphic in the parents and had Mendelian segregation ( $\chi^2 \geq 0.05$ ), or were homozygous for opposite alleles in the parents and heterozygous in progeny that did not exhibit LOH. These were used for genetic linkage analysis (average marker spacing 3,111 bp; Supplementary Table 9).

A total of 3,141 SNVs exhibited segregation ratios  $<5\%$  by  $\chi^2$ -test. Some of these clustered in blocks and may reflect gene conversion, as described in other *Phytophthora* species (Chamnanpant et al. 2001; Cvitanich et al. 2006). An additional  $\sim 100$  loci were heterozygous in both parents and all progeny and may reflect assembly artifacts, copy number variants or obligate heterozygosity.

Mendelian markers were further analyzed using JoinMap 4.1 at the default settings for a CP type cross (heterogeneously heterozygous with phase unknown) (van Ooijen 2011). Initially, markers from individual scaffolds were analyzed to determine if they are inherited as a linked unit (expected if the scaffold is assembled correctly). If a scaffold broke into more than one piece, the pieces are referred to as scaffold blocks. Following this, markers from all the scaffolds, or scaffold blocks, were analyzed together to produce a linkage map. The LGs were further refined to include only markers with segregation patterns  $<95\%$  similar and to exclude isolates showing any LOH within the LG. Markers are named with the scaffold number followed by the nucleotide position on the scaffold. Additional information was included for the markers used in JoinMap 4.1 to designate the three possible segregation scenarios: *hk* = heterozygous in both parents, *nn* = Parent 1 is homozygous and Parent 2 is heterozygous, and *lm* = Parent 1 is heterozygous and Parent 2 is homozygous.

The SNV genotyping error rates were assessed for both parents (TN1 and TN2) at 95 polymorphic sites in portions of 30 genes across 14 linkage groups by Sanger sequencing of PCR products. Of these 190 genotypes, all but 5 were confirmed. The 5 genotypes that differed occurred on a single gene that switched to homozygosity at all 5 sites.

## ACKNOWLEDGEMENTS

Sequences, assembly and annotations are available via the JGI Genome Portal at <http://jgi.doe.gov/capsici> and at DDBJ/EMBL/GenBank under the accession ADVJ00000000.

This work was supported by grants to SFK from the National Science Foundation (05-512), US Department of Agriculture, and Joint Genome Institute Community Sequencing Program. The work conducted by the U.S. Department of Energy Joint Genome Institute is supported by the Office of Science of the U.S. Department of Energy under Contract No. DE-AC02-05CH11231. JM was supported in part by NIH grant RR016480. SR was supported by a Marie Curie Fellowship (contract 255104). RStam and EH were supported by the BBSRC and Royal Society of Edinburgh. LC, JW and

SK were supported by the Gatsby Charitable Foundation. RSharma and MT are supported by the LOEWE Initiative of the state of Hesse. KL was supported by a grant from the UTIA AgResearch program. We thank Paul Richardson and Eddy Rubin for JGI support in genome sequencing.

## AUTHOR CONTRIBUTIONS

Manuscript Preparation: KHL, SFK, JM, SK, EH, SR, IVG, AK, RStam, AKB, MT; Crosses, phenotypic analyses, and genetic analyses: KHL, DG, OPH, ASavidor, JH, and DS; Genomic or Transcriptomic Sequencing: JK, JA, EAL, SFK, JM, DLD, CD, OC, CSH; Assembly: JS, DP; Annotation: AK, ASalamov, IVG; Alignments and variant detection: NAM, BJR, JM KHL; Analysis: KHL, JM, SFK, SK, EH, DS, SR, LMC, AK, IVG, AKB, RSD, SF, ASavidor, DG, OPH, JH, RSharma, RStam, DS, MT, JW, BJH, CD, CSH, OC.

## References and Notes:

- Ashburner M., Ball C. A., Blake J. A., Botstein D., Butler H., Cherry J. M., Davis A. P., Dolinski K., Dwight S. S., Eppig J. T., Harris M. A., Hill D. P., Issel-Tarver L., Kasarskis A., Lewis S., Matese J. C., Richardson J. E., Ringwald M., Rubin G. M., and Sherlock G. 2000. Gene ontology: tool for the unification of biology. The Gene Ontology Consortium. *Nat Genet* 25: 25-29.
- Baird N. A., Etter P. D., Atwood T. S., Currey M. C., Shiver A. L., Lewis Z. A., Selker E. U., Cresko W. A., and Johnson E. A. 2008. Rapid SNP discovery and genetic mapping using sequenced RAD markers. *PLoS One* 3: e3376.
- Bairoch A. 2000. The ENZYME database in 2000. *Nucleic Acids Res* 28: 304-305.
- Bairoch A., Apweiler R., Wu C. H., Barker W. C., Boeckmann B., Ferro S., Gasteiger E., Huang H., Lopez R., Magrane M., Martin M. J., Natale D. A., O'Donovan C., Redaschi N., and Yeh L. S. 2005. The Universal Protein Resource (UniProt). *Nucleic Acids Res* 33: D154-159.
- Baranzini S. E., Mudge J., van Velkinburgh J. C., Khankhanian P., Khrebtukova I., Miller N. A., Zhang L., Farmer A. D., Bell C. J., Kim R. W., May G. D., Woodward J. E., Caillier S. J., McElroy J. P., Gomez R., Pando M. J., Clendenen L. E., Ganusova E. E., Schilkey F. D., Ramaraj T., Khan O. A., Huntley J. J., Luo S., Kwok P. Y., Wu T. D., Schroth G. P., Oksenberg J. R., Hauser S. L., and Kingsmore S. F. 2010. Genome, epigenome and RNA sequences of monozygotic twins discordant for multiple sclerosis. *Nature* 464: 1351-1356.
- Bateman A., Coin L., Durbin R., Finn R. D., Hollich V., Griffiths-Jones S., Khanna A., Marshall M., Moxon S., and Sonnhammer E. L. L. 2004. The Pfam protein families database. *Nucleic acids research* 32: D138-D141.
- Baxter L., Tripathy S., Ishaque N., Boot N., Cabral A., Kemen E., Thines M., Ah-Fong A., Anderson R., and Badejoko W. 2010. Signatures of adaptation to obligate biotrophy in the *Hyaloperonospora arabidopsidis* genome. *Science* 330: 1549.
- Begun D. J., Holloway A. K., Stevens K., Hillier L. W., Poh Y. P., Hahn M. W., Nista P. M., Jones C. D., Kern A. D., Dewey C. N., Pachter L., Myers E., and Langley C. H. 2007. Population genomics: whole-genome analysis of polymorphism and divergence in *Drosophila simulans*. *PLoS Biol* 5: e310.
- Bell C. J., Dinwiddie D. L., Miller N. A., Hateley S. L., Ganusova E. E., Mudge J., Langley R. J., Zhang L., Lee C. C., Schilkey F. D., Sheth V., Woodward J. E., Peckham H. E., Schroth G. P., Kim R. W., and Kingsmore S. F. 2011. Carrier testing for severe childhood recessive diseases by next-generation sequencing. *Sci Transl Med* 3: 65ra64.
- Birney E., Clamp M., and Durbin R. 2004. GeneWise and Genomewise. *Genome Res* 14: 988-995.
- Boutemy L. S., King S. R., Win J., Hughes R. K., Clarke T. A., Blumenschein T. M., Kamoun S., and Banfield M. J. 2011. Structures of Phytophthora RXLR effector proteins: a conserved but adaptable fold underpins functional diversity. *J Biol Chem* 286: 35834-35842.

- Chamnanpant J., Shan W. X., and Tyler B. M. 2001. High frequency mitotic gene conversion in genetic hybrids of the oomycete *Phytophthora sojae*. Proc Natl Acad Sci U S A 98: 14530-14535.
- Cvitanich C., Salcido M., and Judelson H. S. 2006. Concerted evolution of a tandemly arrayed family of mating-specific genes in *Phytophthora* analyzed through inter- and intraspecific comparisons. Mol Genet Genomics 275: 169-184.
- Dou D., Kale S. D., Wang X., Chen Y., Wang Q., Jiang R. H., Arredondo F. D., Anderson R. G., Thakur P. B., McDowell J. M., Wang Y., and Tyler B. M. 2008. Conserved C-terminal motifs required for avirulence and suppression of cell death by *Phytophthora sojae* effector Avr1b. Plant Cell 20: 1118-1133.
- Erwin D. C. and Ribeiro O. K. 1996. *Phytophthora* diseases worldwide. The American Phytopathological Society, St. Paul, MN.
- Forche A., Abbey D., Pisithkul T., Weinzierl M. A., Ringstrom T., Bruck D., Petersen K., and Berman J. 2011. Stress alters rates and types of loss of heterozygosity in *Candida albicans*. MBio 2.
- Gevens A. J., Donahoo R. S., Lamour K. H., and Hausbeck M. K. 2008. Characterization of *Phytophthora capsici* causing foliar and pod blight of snap bean in Michigan. Plant Dis. 92: 201-209.
- Gobena D., Roig J., Galmarini C., Hulvey J., and Lamour K. H. 2012. Genetic diversity of *Phytophthora capsici* isolates from pepper and pumpkin in Argentina. Mycologia 104: 102-107.
- Grigoriev I. V., Nordberg H., Shabalov I., Aerts A., Cantor M., Goodstein D., Kuo A., Minovitsky S., Nikitin R., Ohm R. A., Olliar R., Poliakov A., Ratnere I., Riley R., Smirnova T., Rokhsar D., and Dubchak I. 2012. The genome portal of the department of energy joint genome institute. Nucleic Acids Res. 40: D26-32.
- Haas B. J., Kamoun S., Zody M. C., Jiang R. H., Handsaker R. E., Cano L. M., Grabherr M., Kodira C. D., Raffaele S., Torto-Alalibo T., Bozkurt T. O., Ah-Fong A. M., Alvarado L., Anderson V. L., Armstrong M. R., Avrova A., Baxter L., Beynon J., Boevink P. C., Bollmann S. R., Bos J. I., Bulone V., Cai G., Cakir C., Carrington J. C., Chawner M., Conti L., Costanzo S., Ewan R., Fahlgren N., Fischbach M. A., Fugelstad J., Gilroy E. M., Gnerre S., Green P. J., Grenville-Briggs L. J., Griffith J., Grunwald N. J., Horn K., Horner N. R., Hu C. H., Huitema E., Jeong D. H., Jones A. M., Jones J. D., Jones R. W., Karlsson E. K., Kunjeti S. G., Lamour K., Liu Z., Ma L., Maclean D., Chibucos M. C., McDonald H., McWalters J., Meijer H. J., Morgan W., Morris P. F., Munro C. A., O'Neill K., Ospina-Giraldo M., Pinzon A., Pritchard L., Ramsahoye B., Ren Q., Restrepo S., Roy S., Sadanandom A., Savidor A., Schornack S., Schwartz D. C., Schumann U. D., Schwessinger B., Seyer L., Sharpe T., Silvar C., Song J., Studholme D. J., Sykes S., Thines M., van de Vondervoort P. J., Phuntumart V., Wawra S., Weide R., Win J., Young C., Zhou S., Fry W., Meyers B. C., van West P., Ristaino J., Govers F., Birch P. R., Whisson S. C., Judelson H. S., and Nusbaum C. 2009. Genome sequence and analysis of the Irish potato famine pathogen *Phytophthora infestans*. Nature 461: 393-398.
- Hausbeck M. K. and Lamour K. H. 2004. *Phytophthora capsici* on vegetable crops: Research progress and management challenges. Plant Dis. 88: 1292-1303.
- Hohenlohe P. A., Bassham S., Etter P. D., Stiffler N., Johnson E. A., and Cresko W. A. 2010. Population genomics of parallel adaptation in threespine stickleback using sequenced RAD tags. PLoS Genet. 6: e1000862.
- Hulvey J., Young J., Finley L., and Lamour K. 2010. Loss of heterozygosity in *Phytophthora capsici* after N-ethyl-nitrosourea mutagenesis. Mycologia 102: 27-32.
- Hurtado-Gonzales O., Aragon-Caballero L., Apaza-Tapia W., Donahoo R., and Lamour K. 2008. Survival and spread of *Phytophthora capsici* in coastal Peru. Phytopathology 98: 688-694.
- Hurtado-Gonzales O. P. and Lamour K. H. 2009. Evidence for inbreeding and apomixis in close crosses of *Phytophthora capsici*. Plant Path. 58: 715-722.
- Jaffe D. B., Butler J., Gnerre S., Mauceli E., Lindblad-Toh K., Mesirov J. P., Zody M. C., and Lander E. S. 2003. Whole-genome sequence assembly for mammalian genomes: Arachne 2. Genome Res. 13: 91-96.



- Jeffries T. W., Grigoriev I. V., Grimwood J., Laplaza J. M., Aerts A., Salamov A., Schmutz J., Lindquist E., Dehal P., Shapiro H., Jin Y. S., Passoth V., and Richardson P. M. 2007. Genome sequence of the lignocellulose-bioconverting and xylose-fermenting yeast *Pichia stipitis*. *Nat. Biotechnol.* 25: 319-326.
- Jiang R. H., Tripathy S., Govers F., and Tyler B. M. 2008. RXLR effector reservoir in two *Phytophthora* species is dominated by a single rapidly evolving superfamily with more than 700 members. *Proc. Natl. Acad. Sci. U S A* 105: 4874-4879.
- Judd S. R. and Petes T. D. 1988. Physical lengths of meiotic and mitotic gene conversion tracts in *Saccharomyces cerevisiae*. *Genetics* 118: 401-410.
- Kemen E., Gardiner A., Schultz-Larsen T., Kemen A. C., Balmuth A. L., Robert-Seilaniantz A., Bailey K., Holub E., Studholme D. J., Maclean D., and Jones J. D. 2011. Gene gain and loss during evolution of obligate parasitism in the white rust pathogen of *Arabidopsis thaliana*. *PLoS Biol.* 9: e1001094.
- Kim J. I., Ju Y. S., Park H., Kim S., Lee S., Yi J. H., Mudge J., Miller N. A., Hong D., Bell C. J., Kim H. S., Chung I. S., Lee W. C., Lee J. S., Seo S. H., Yun J. Y., Woo H. N., Lee H., Suh D., Lee S., Kim H. J., Yavartanoo M., Kwak M., Zheng Y., Lee M. K., Park H., Kim J. Y., Gokcumen O., Mills R. E., Zaranek A. W., Thakuria J., Wu X., Kim R. W., Huntley J. J., Luo S., Schroth G. P., Wu T. D., Kim H., Yang K. S., Park W. Y., Kim H., Church G. M., Lee C., Kingsmore S. F., and Seo J. S. 2009. A highly annotated whole-genome sequence of a Korean individual. *Nature* 460: 1011-1015.
- Koonin E. V., Fedorova N. D., Jackson J. D., Jacobs A. R., Krylov D. M., Makarova K. S., Mazumder R., Mekhedov S. L., Nikolskaya A. N., Rao B. S., Rogozin I. B., Smirnov S., Sorokin A. V., Sverdlov A. V., Vasudevan S., Wolf Y. I., Yin J. J., and Natale D. A. 2004. A comprehensive evolutionary classification of proteins encoded in complete eukaryotic genomes. *Genome Biol.* 5: R7.
- Krogh A., Larsson B., von Heijne G., and Sonnhammer E. L. 2001. Predicting transmembrane protein topology with a hidden Markov model: application to complete genomes. *J. Mol. Biol.* 305: 567-580.
- Lamour K. and Kamoun S. 2009. Oomycete genetics and genomics: diversity, interactions, and research tools. Blackwell Pub, Hoboken, NJ.
- Lamour K. H. and Hausbeck M. K. 2000. Mefenoxam insensitivity and the sexual stage of *Phytophthora capsici* in Michigan cucurbit fields. *Phytopathology* 90: 396-400.
- Lamour K. H. and Hausbeck M. K. 2001. The dynamics of mefenoxam insensitivity in a recombining population of *Phytophthora capsici* characterized with Amplified Fragment Length Polymorphism markers. *Phytopathology* 91: 553-557.
- Lamour K. H., Stam R., Jupe J., and Huitema E. 2011. The oomycete broad-host-range pathogen *Phytophthora capsici*. *Mol. Plant Pathol.* (online at 10.1111/j.1364-3703.2011.00754.x).
- Leonian L. H. 1922. Stem and fruit blight of peppers caused by *Phytophthora capsici* sp. nov. *Phytopathology* 12: M08.
- Levesque C. A., Brouwer H., Cano L., Hamilton J. P., Holt C., Huitema E., Raffaele S., Robideau G. P., Thines M., and Win J. 2010. Genome sequence of the necrotrophic plant pathogen *Pythium ultimum* reveals original pathogenicity mechanisms and effector repertoire. *Genome Bio.* 11: R73.
- Li W. and Freudenberg J. 2009. Two-parameter characterization of chromosome-scale recombination rate. *Genome Res.* 19: 2300-2307.
- Meitz J. C., Linde C. C., Thompson A., Langenhoven S., and McLeod A. 2010. *Phytophthora capsici* on vegetable hosts in South Africa: distribution, host range and genetic diversity. *Australasian Plant Path.* 39: 431-439.
- Miller N. A., Kingsmore S. F., Farmer A., Langley R. J., Mudge J., Crow J. A., Gonzalez A. J., Schilkey F. D., Kim R. J., van Velkinburgh J., May G. D., Black C. F., Myers M. K., Utsey J. P., Frost N. S., Sugarbaker D. J., Bueno R., Gullans S. R., Baxter S. M., Day S. W., and Retzel E. F. 2008. Management of high-throughput DNA sequencing projects: Alpheus. *J. Comput. Sci. Syst. Biol.* 1: 132.

- Morschhauser J. 2010. Regulation of white-opaque switching in *Candida albicans*. *Med. Microbiol. Immunol.* 199: 165-172.
- Narva E., Autio R., Rahkonen N., Kong L., Harrison N., Kitsberg D., Borghese L., Itskovitz-Eldor J., Rasool O., Dvorak P., Hovatta O., Otonkoski T., Tuuri T., Cui W., Brustle O., Baker D., Maltby E., Moore H. D., Benvenisty N., Andrews P. W., Yli-Harja O., and Lahesmaa R. 2010. High-resolution DNA analysis of human embryonic stem cell lines reveals culture-induced copy number changes and loss of heterozygosity. *Nat. Biotechnol.* 28: 371-377.
- Nielsen H., Brunak S., and von Heijne G. 1999. Machine learning approaches for the prediction of signal peptides and other protein sorting signals. *Protein Eng.* 12: 3-9.
- Ogata H., Goto S., Sato K., Fujibuchi W., Bono H., and Kanehisa M. 1999. KEGG: Kyoto Encyclopedia of Genes and Genomes. *Nucleic Acids Res.* 27: 29-34.
- Parra G., Bradnam K., and Korf I. 2007. CEGMA: a pipeline to accurately annotate core genes in eukaryotic genomes. *Bioinformatics* 23: 1061-1067.
- Raffaele S., Farrer R. A., Cano L. M., Studholme D. J., MacLean D., Thines M., Jiang R. H., Zody M. C., Kunjeti S. G., Donofrio N. M., Meyers B. C., Nusbaum C., and Kamoun S. 2010. Genome evolution following host jumps in the Irish potato famine pathogen lineage. *Science* 330: 1540-1543.
- Rosenberg S. M. 2011. Stress-induced loss of heterozygosity in *Candida*: a possible missing link in the ability to evolve. *MBio* 2.
- Salamov A. A. and Solovyev V. V. 2000. *Ab initio* gene finding in *Drosophila* genomic DNA. *Genome Res.* 10: 516-522.
- Spanu P. D., Abbott J. C., Amselem J., Burgis T. A., Soanes D. M., Stuber K., Ver Loren van Themaat E., Brown J. K., Butcher S. A., Gurr S. J., Lebrun M. H., Ridout C. J., Schulze-Lefert P., Talbot N. J., Ahmadinejad N., Ametz C., Barton G. R., Benjdia M., Bidzinski P., Bindschedler L. V., Both M., Brewer M. T., Cadle-Davidson L., Cadle-Davidson M. M., Collemare J., Cramer R., Frenkel O., Godfrey D., Harriman J., Hoede C., King B. C., Klages S., Kleemann J., Knoll D., Koti P. S., Kreplak J., Lopez-Ruiz F. J., Lu X., Maekawa T., Mahanil S., Micali C., Milgroom M. G., Montana G., Noir S., O'Connell R. J., Oberhaensli S., Parlange F., Pedersen C., Quesneville H., Reinhardt R., Rott M., Sacristan S., Schmidt S. M., Schon M., Skamnioti P., Sommer H., Stephens A., Takahara H., Thordal-Christensen H., Vigouroux M., Wessling R., Wicker T., and Panstruga R. 2010. Genome expansion and gene loss in powdery mildew fungi reveal tradeoffs in extreme parasitism. *Science* 330: 1543-1546.
- Tyler B. M., Tripathy S., Zhang X., Dehal P., Jiang R. H., Aerts A., Arredondo F. D., Baxter L., Bensasson D., Beynon J. L., Chapman J., Damasceno C. M., Dorrance A. E., Dou D., Dickerman A. W., Dubchak I. L., Garbelotto M., Gijzen M., Gordon S. G., Govers F., Grunwald N. J., Huang W., Ivors K. L., Jones R. W., Kamoun S., Krampis K., Lamour K. H., Lee M. K., McDonald W. H., Medina M., Meijer H. J., Nordberg E. K., Maclean D. J., Ospina-Giraldo M. D., Morris P. F., Phuntumart V., Putnam N. H., Rash S., Rose J. K., Sakihama Y., Salamov A. A., Savidor A., Scheuring C. F., Smith B. M., Sobral B. W., Terry A., Torto-Alalibo T. A., Win J., Xu Z., Zhang H., Grigoriev I. V., Rokhsar D. S., and Boore J. L. 2006. *Phytophthora* genome sequences uncover evolutionary origins and mechanisms of pathogenesis. *Science* 313: 1261-1266.
- van Ooijen J. 2011. Multipoint maximum likelihood mapping in a full-sib family of an outbreeding species. *Genet. Res. (Camb)* 93: 343-349.
- Vercauteren A., Boutet X., D'Hondt L., Bockstaele E. V., Maes M., Leus L., Chandelier A., and Heungens K. 2011. Aberrant genome size and instability of *Phytophthora ramorum* oospore progenies. *Fungal Gen. Biol.* 48: 537-543.
- Whisson S. C., Boevink P. C., Moleleki L., Avrova A. O., Morales J. G., Gilroy E. M., Armstrong M. R., Grouffaud S., Van West P., and Chapman S. 2007. A translocation signal for delivery of oomycete effector proteins into host plant cells. *Nature* 450: 115-118.

- Win J., Kanneganti T. D., Torto-Alalibo T., and Kamoun S. 2006. Computational and comparative analyses of 150 full-length cDNA sequences from the oomycete plant pathogen *Phytophthora infestans*. Fungal Genet. Biol. 43: 20-33.
- Wu T. D. and Nacu S. 2010. Fast and SNP-tolerant detection of complex variants and splicing in short reads. Bioinformatics 26: 873-881.
- Zdobnov E. M. and Apweiler R. 2001. InterProScan--an integration platform for the signature-recognition methods in InterPro. Bioinformatics 17: 847-848.

**Figure 1: Life cycle.** Thick walled dormant sexual oospores (**A**) are produced when plants are infected with both the A1 and A2 mating types. Asexual reproduction following infection rapidly creates very large populations of sporangia on the surface of the infected plants (**B-D, G**). Sporangia can detach and cause infection directly or, in the presence of free water, release 20-40 bi-flagellate swimming zoospores (**E**) that swim to plants and cause infection indirectly (**F**).

**Figure 2: Synteny and genome architecture of *P. capsici*.** Pairwise comparison of gene models from *P. capsici* to *P. ramorum* (**A**) and *P. sojae* (**B**). Sequences other than gene models were replaced with Ns. Maximal unique matches in all 6 frames were used as anchors for amino-acid-based alignment with the PROmer package of MUMmer. Scaffolds >450 kbp are shown (*P. capsici*: 46 Mb, *P. ramorum*: 36 Mb, *P. sojae*: 58 Mb). Scaffolds were ordered to maximize the center diagonal. There were some translocations, which possibly were assembly errors. A small region of *P. sojae* (top) had no syntenic genes in *P. capsici*. (**C**) *P. capsici* whole genome architecture illustrated by the distribution of all predicted genes according to the length of their 5' (X-axis) and 3' (Y-axis) intergenic regions, counted by two-dimensional binning. The color scale shows number of genes in bins. In addition, the 365 predicted proteins for which no homolog was found (10e-5 e-value cutoff) are indicated as dots.

**Figure 3: The 1654cM *P. capsici* genetic map.** The map contains 1,136 SNV markers and 18 linkage groups (LG's). Linkage groups are colored by genome scaffold.

**Figure 4: Ploidy for LOH regions.** (**A**) Normalized sequence coverage of RAD tags across 50,649 nt of a 850,537 nt LOH tract on scaffold 4 (LG10) at nt 86,143 - 936,679 encompassing the mating type locus. The 6 isolates with LOH are denoted by red dots. Normalized coverage was obtained by dividing the average coverage across the tract by the total unique coverage for each sample. Parents are in light blue and non-LOH progeny are dark blue. (**B**) Normalized coverage of tags across 14,143 nt of a

415,652 nt LOH tract on scaffold 35 (LG16) at nt 141,346 - 556,998. Five isolates with LOH are in red. TN58 had  $\frac{1}{2}$  of the expected coverage, indicating LOH to reflect a sub-chromosomal deletion. **(C)** Normalized coverage of tags across 22,124 nt of a 655,528 nt LOH tract on scaffold 1 (LG9) at nt 87,441 - 742,969. TN50 had LOH of this region.

**Figure 5: LOH in *P. capsici*.** **(A)** Graphical genotypes for LG10 in the region of scaffold 4 encompassing the mating type locus in parents (TN1 and TN2, black) and 59 F<sub>1</sub> progeny. R = reference allele and A = alternate allele. Red asterisks to the left of the marker names denote unambiguous LOH loci. Dots represent missing genotypes. Six progeny had LOH in this region (in red), including four that switched mating type from A2 to A1 and two that remained A1 following LOH. Group 1: progeny 10, 13, 15, 16, 26, 29, 31, 35, 37-41, 46, 51, 54, 59-61, 64-66, 70, 71, and 9. Group 2: progeny 14, 17, 19-24, 27, 30, 33, 36, 42-45, 49, 5, 55, 58, 62, 67, and 68. **(B)** Association of LOH with loss of pathogenicity of *P. capsici* isolates in wound inoculated jalapeno fruits between 2005 and 2011. TN1 and TN2 are the parents. TN31 was representative for all progeny except TN37 and TN47. In 2011, the TN37 and TN47 genomes had 10.4% and 11.1% LOH, respectively, and these isolates no longer infected wounded fruit.




Figure 1




Figure 2




Figure 3\_Lamour\_MPMI






Figure 4





Figure 5


## e-Extra supplementary figures and tables

### Supplementary Figure 1: Experimental design for molecular and genetic analysis of the


**vegetable pathogen *P. capsici*.** (A) Two parental isolates of opposite mating types were crossed. Of 69 putative F<sub>1</sub> progeny, one was backcrossed (BC<sub>1</sub>) to parent LT263. A second backcross (BC<sub>2</sub>) yielded a moderately inbred isolate (LT1534) for genome sequencing. A hybrid Sanger/454 sequence assembly was performed and gene models were annotated both *ab initio* and using substantial EST and cDNA sequences generated for this project. The *P. capsici* genome and gene content was compared with other Phytophthora species. (B) LT1534, the parents, five other *P. capsici* isolates and a *P. tropicalis* isolate underwent reduced representation re-sequencing (RAD, Restriction site-Associated DNA sequencing) by SBS of 72nt tags flanking *SgrAI* sites. Single nucleotide variants (SNVs) were identified by alignment to the draft reference. SNV density and diversity were calculated. (C) *PstI* RAD was performed on 60 unique F<sub>1</sub> progeny from the original cross. 20,568 SNVs had simple Mendelian inheritance and were present in  $\geq 55$  of the progeny. The program JoinMap 4.1 was used to test the inheritance of markers from the largest ~100 scaffolds and to generate a genetic map. 18 linkage groups included 90% of the 19,805 predicted genes and covered 84% of the draft genome. Graphical genotypes revealed minimally spanning tracts of LOH in 23 progeny that ranged in length from 299bp to >1Mbp and spanned more than 30% of the genome. LOH was associated with a mating type switch in 4 isolates and with a change in pathogenicity in two isolates over the course of the study.




**Supplementary Figure 2. Graphical display of CEGMA analyses using standard parameters.** *P. capsici* has the highest number of identified core orthologous genes among all oomycete genomes of the *Peronosporaceae* and a comparable amount of fully covered genes. The increase in fully covered genes towards the most conserved ones is a result of the algorithm used for assessing gene completeness in the CEGMA analysis. The high percentage of fully covered genes for CEGMA groups 3 and 4 (most conserved), supports the high continuity of the assembly.




**Supplementary Figure 3: Pairwise comparisons of gene models from *P. capsici* with *P. infestans* showed good synteny with some duplications and translocations.** Sequences other than gene models were replaced with Ns. Nucleotide sequences were compared using PROmer package of MUMmer, which identifies Maximal Unique Matches in all 6 frames as anchors for amino-acid-based alignment. Large scaffolds (>450 kbp) are shown (155 Mbp for *P. infestans* and 46 Mbp for *P. capsici*). Scaffolds were ordered to maximize the center diagonal. There were some translocations, which possibly were assembly errors. A region (green box) of *P. infestans* had no syntenic genes in *P. capsici*.



**Supplementary Figure 4: Dendrogram and cross correlations for SNVs from 7 *P. capsici* and a *P. tropicalis* (LT232) isolate at regions with 30X coverage in all samples.** Left side of the panel indicates isolate origin as abbreviated US state, Peru, or Argentina (Arg) followed by host designated as SB = snap bean, SS = summer squash, C = cucumber, P = pepper, and Rhodo = rhododendron. Branches on the similarity tree on the right side of the panel correspond to isolate directly across. Tree on bottom of panel is identical (isolate LT6503 on the far left) and correlations are designated by color legend on right.




**Supplementary Figure 5: Overlap of SNV content of 7 *P. capsici* isolates and one *P. tropicalis* isolate (LT232) sequenced by RAD.** SNVs were called at sites with 30X coverage in all samples if supported by  $\geq 4$  uniquely aligning reads of Q score  $\geq 20$ . Of note, LT263 (recurrent parent of the LT1534) had the fewest SNVs of all *P. capsici* isolates; the two clonal lineages (host = pepper) showed the most overlap; *P. tropicalis* (LT232) showed the least overlap. A total of 64, 537 SNV positions are included. Positions with at least one alternate allele per isolate are LT6503 (20,445), LT62 (17,914), LT263 (14,637), LT2135 (20,869), LT5473 (21,386), LT51 (18,527), LT6535 (22,431), and LT232 (25,308).







**Supplementary Figure 6: Relative abundance of RAD sequences from 69 progeny and two parents based on alignment to the reference *P. capsici* sequence.** The X-axis shows isolate ID's and Y-axis shows relative abundance.




**Supplementary Figure 7. Frequencies of alleles based on the requirement for 10X and 20X unique coverage and an average quality of >20 for the alternate alleles.** For 10X unique coverage (top) this includes 5,849,663 SNVs and for 20X (bottom) this includes 4,449,193 SNVs across 71 samples.






**Supplementary Figure 8: Gene-poor environments in *P. capsici* genome show reduced LOH frequency.** *P. capsici* genome architecture illustrated by the distribution of all predicted genes according to the length of their 5' (X-axis) and 3' (Y-axis) intergenic regions, counted by two-dimensional data binning. (A) Estimated SNP frequency is homogenous across the *P. capsici* genome. The SNV frequency was calculated across each individual scaffold (in SNPs per Kbp) and used as an estimate for local SNV frequency of each gene. The average of frequencies for genes in each bin is shown. (B) Genome architecture diagram showing only the 2072 genes affected by LOH in at least one re-sequenced strain from the progeny. (C) LOH frequency is reduced for genes residing in a gene-poor environment. The percentage of genes in bins affected by LOH in at least one re-sequenced strain from the progeny.




**Supplementary Figure 9: Comparison of the genetic map of *P. capsici* Linkage Group 1 (202cM) with the physical map of Scaffold 3. Two blocks of Scaffold 3 comprising 1.6Mbp contained correctly ordered markers on Linkage Group 1. However, an assembly error occurred between these blocks.**

### Assembly Scaffold 3




### Linkage Group 1



**Supplementary Figure 10:** Graphical genotypes for four progeny with co-occurring LOH tracts. Genotypes are designated as 1 (yellow) = RR, 2 (gray) = AR, and 3 (blue) = AA (R = reference allele and A = alternate allele). Parent (TN1 and TN2) and progeny (TN63, TN18, TN34, and TN47) genotypes span 38 markers and 53,404 nt on scaffold 2. Columns 4-6 list  $\chi^2$  test values (>0.05 in green). Column 7 lists “yes” if all non-LOH progeny are AR for an RR x AA marker. Columns 12 – 15 indicate gene context, the predicted reference amino acid (or “silent” if mutation is synonymous), the alternate amino acid, and the gene model. Note fixation of markers 2\_1447270 and 2\_1486458 for the reference and alternate allele and the three different composite haplotypes across the entire tract of LOH.

SNP ID	TN1	TN2	RR:AR	RR:AR:AA	AR:AA	Fix	TN63	TN18	TN34	TN47	Gene	Ref	Alt	Gene Model
2_1437332	2	1	0.58	0.00	0.00		3	3	1	1	C	Silent		e_gw1.2.451.1
2_1437339	2	1	0.41	0.00	0.00		1	1	3	1	C	Silent		e_gw1.2.451.1
2_1437367	1	2	0.68	0.00	0.00		1	1	1	1	I			e_gw1.2.451.1
2_1437372	3	2	0.00	0.00	0.49		3	3	3	1	I			e_gw1.2.451.1
2_1437398	2	1	0.41	0.00	0.00		1	1	3	1	I			e_gw1.2.451.1
2_1437400	2	1	0.41	0.00	0.00		1	1	3	1	I			e_gw1.2.451.1
2_1437402	2	1	0.41	0.00	0.00		1	1	3	1	I			e_gw1.2.451.1
2_1437403	2	1	0.41	0.00	0.00		1	1	3	1	I			e_gw1.2.451.1
2_1437404	2	1	0.41	0.00	0.00		1	1	3	1	I			e_gw1.2.451.1
2_1441337	3	2	0.00	0.00	0.59		3	3	3	1	C	Silent		e_gw1.2.451.1
2_1441385	1	2	0.59	0.00	0.00		1	1	1	1	C	Silent		e_gw1.2.451.1
2_1441919	3	1	0.00	0.00	0.00	Yes	3	3	3	1	C	Silent		e_gw1.2.451.1
2_1441939	1	2	0.89	0.00	0.00		1	1	1	1	C	P	R	e_gw1.2.451.1
2_1441973	1	2	0.89	0.00	0.00		1	1	1	1	C	Silent		e_gw1.2.451.1
2_1443263	3	2	0.00	0.00	0.49		3	3	3	1	C	Silent		e_gw1.2.451.1
2_1447270	1	2	0.89	0.00	0.00		1	1	1	3	C	N	H	estExt2_fgenes1_pg.C_PHYCAscaffold_20222
2_1452313	3	2	0.00	0.00	0.49		3	3	3	1	C	Silent		fgenes2_kg.PHYCAscaffold_2_#_197_#_4100895:1
2_1452392	3	2	0.00	0.00	0.59		3	3	3	1	C	Silent		fgenes2_kg.PHYCAscaffold_2_#_197_#_4100895:1
2_1452394	3	2	0.00	0.00	0.59		3	3	3	1	C	Silent		fgenes2_kg.PHYCAscaffold_2_#_197_#_4100895:1
2_1456984	1	2	0.58	0.00	0.00		1	1	1	3				
2_1457008	1	2	0.68	0.00	0.00		1	1	1	3				
2_1482757	3	2	0.00	0.00	0.68		3	3	3	1				
2_1482805	2	2	0.00	0.69	0.00		1	1	3	1				
2_1482817	2	1	0.41	0.00	0.00		3	3	1	1				
2_1482847	1	2	0.59	0.00	0.00		1	1	1	1				
2_1482853	1	2	0.59	0.00	0.00		1	1	1	1				
2_1482862	1	2	0.59	0.00	0.00		1	1	1	1				
2_1484820	1	2	0.58	0.00	0.00		1	1	1	3				
2_1486427	3	2	0.00	0.00	0.58		3	3	3	1	C	Silent		estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1486428	3	2	0.00	0.00	0.58		3	3	3	1	C	Silent		estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1486435	2	2	0.00	0.62	0.00		1	1	3	1	C	M	K	estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1486458	3	2	0.00	0.00	0.58		3	3	3	1	C	A	T	estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1487541	2	1	0.33	0.00	0.00		3	3	1	1	I			estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1487551	2	1	0.33	0.00	0.00		3	3	1	1	I			estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1487569	2	1	0.33	0.00	0.00		3	3	1	1	I			estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1487581	2	1	0.33	0.00	0.00		3	3	1	1	I			estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1487584	2	1	0.33	0.00	0.00		3	3	1	1	I			estExt2_fgenes1_pm.C_PHYCAscaffold_20199
2_1490736	2	2	0.01	0.71	0.00		1	1	3	1	C	Silent		estExt2_Genewise1.C_PHYCAscaffold_20980

**Supplementary Figure 11: Dendrogram of SNV cross correlations derived 23,809 SNVs from 2 parents and 69 putative progeny *P. capsici* isolates.** Isolate names on the left side of the panel correspond to the tree branches directly across on the right side. The same tree is reproduced on the bottom of the panel with isolate TN1 on the far left to create the cross diagonal. Correlations are designated by color legend at bottom of panel.



**Supplementary Table 1: Arachne hybrid assembly version11 (20 Aug 2010) of *P. capsici* LT1534 454-Titanium and Sanger gDNA reads.**

<b>Scaffold count</b>	917
<b>Contig count</b>	10,760
<b>Scaffold bases total (Mbp)</b>	64
<b>Contig sequence bases total (Mbp)</b>	56
<b>Estimated % sequence bases in gaps</b>	12.5%
<b>Scaffold N50 / L50 (# / kbp)</b>	29 / 706
<b>Contig N50 / L50 (# / kbp)</b>	397 / 35
<b>Number of scaffolds &gt; 50.0 Kb</b>	140
<b>% in scaffolds &gt; 50.0 Kb</b>	91.9%
<b>% assembly masked by repeats</b>	14.4%
<b># finished cDNAs</b>	1260
<b>% finished cDNAs that align with assembly</b>	97.1%

**Supplementary Table 2. *Phytophthora capsici* filtered gene models classified by prediction method.** Annotation v11 (20 August 2010) was produced by the JGI Annotation Pipeline, using a variety of cDNA-based, protein-based, and *ab initio* gene predictors.

<b>Prediction method</b>	<b># models</b>
Total	19,805
protein-based	14624 (74%)
cDNA-based	2920 (15%)
<i>ab initio</i>	2261 (11%)

**Supplementary Table 3. Properties of the 19,805 *P. capsici* filtered gene models, including genes with homology to transposable elements.**

Property	Value
Avg. gene length	1253 nt
Avg. transcript length	1028 nt
Avg. protein length	314 aa
Gene density (per Mbp scaffold)	309
Avg. exon length	467 nt
Avg. intron length	189 nt
Avg. exon frequency	2.2 per gene
Multi-exon genes	9861 (50%)
Genes with similarity to proteins in nr	14925 (75%)
Genes in LT1534 multigene family	15489 (78%)
Genes supported by ESTs	9981 (50%)
Genes with Pfam domain	9234 (47%)
Genes with signal peptide	3162 (16%)
Genes with transmembrane domain	2890 (15%)
Genes with EC number	2821 (14%)
Genes with GO term	8544 (43%)
Complete models (with start and stop codons)	69%

**Supplementary Table 4: Field isolates chosen for RAD sequencing (first 8 isolates)**

	ID	Host	Year	Mating type	Location	Species
Parents of sequenced isolate	LT6503	Snap Bean	2009	A2	Connecticut	<i>P. capsici</i>
	LT62	Spaghetti Squash	1998	A2	Michigan	<i>P. capsici</i>
	LT263	Pumpkin	2004	A2	Tennessee	<i>P. capsici</i>
	LT2135	Pepper	2006	A2	Peru	<i>P. capsici</i>
Clonal lineages	LT5473	Pepper		A1	New Mexico	<i>P. capsici</i>
	LT51	Cucumber	1997	A1	Michigan	<i>P. capsici</i>
	LT6535	Pepper	2008	A1	Argentina	<i>P. capsici</i>
Sequenced isolate	LT232	Rhododendron	2004	A1	Tennessee	<i>P. tropicalis</i>
	LT1534			A2	Lab (inbred)	<i>P. capsici</i>

**Supplementary Table 5: RAD sequencing statistics.**

Isolate	Reads	Reads Aligned	Reads Uniquely Aligned
LT6503	8.1 M	7.0 M (86%)	6.0 M (73%)
LT62	7.8 M	6.8 M (86%)	5.8 M (74%)
LT263	8.1 M	7.2 M (88%)	6.2 M (76%)
LT2135	7.4 M	6.4 M (86%)	5.4 M (73%)
LT5473	8.4 M	7.2 M (85%)	6.1 M (72%)
LT51	8.5 M	7.4 M (87%)	6.3 M (74%)
LT6535	5.9 M	5.1 M (85%)	4.3 M (72%)
LT232	5.0 M	0.8 M (16%)	0.7 M (14%)



**Supplementary Table 6: Single nucleotide variants (SNV) in RAD sequenced isolates.**

Sample	Nt with $\geq 30X$ coverage	SNVs	SNVs/kb
LT6503	1,761,096	20,445	24.88
LT62	1,714,370	17,914	22.08
LT263	1,829,566	14,637	16.87
LT2135	1,631,155	20,869	25.52
LT5473	1,760,096	21,386	26.04
LT51	1,903,934	18,527	22.30
LT6535	1,597,281	22,431	25.88
LT232			51.67

SNV detection required at least 30X coverage of that nucleotide in all samples and at least 4 uniquely aligning reads with Q scores of at least 20 to call the variants. The *P. tropicalis* (LT232)/*P. capsici* SNV/kb ratios were identical at both 10X and 30X coverage and in comparisons of all samples. These SNV densities are conservative because the regions had to contain the 6 nt invariant endonuclease site and sufficient reads to align at 90% identity in order to meet the 30X cutoff. Densities were increased to ~26/kb when the coverage requirement was decreased to 10X, and to ~33/kb when the restriction for 30X coverage in the *P. tropicalis* isolate was waived.

**Supplementary Table 7: Distribution of SNVs among seven *P. capsici* isolates and one *P. tropicalis* isolate.** Bi-allelic SNVs = 59,471; tri-allelic SNVs = 2,413; tetra allelic SNVs = 80; total SNVs = 61,964

# isolates with a given SNP	Number of SNPs
1	34,065
2	8,447
3	5,470
4	4,265
5	3,479
6	3,243
7	4,309
8	1,259

**Supplementary Table 8. Summary statistics of RAD sequences generated for the parents and 69 putative progeny.**

	Parents and Progeny	Parents	Progeny
Total	158,460,781	9,588,155	148,872,626
Mean	2,231,842	4,794,078	2,157,574
Median	1,655,467	4,794,078	1,646,382
Std. Dev.	1,602,718	138,864	1,563,741
Min.	594,851	4,695,886	594,851
Max.	8,951,606	4,892,269	8,951,606

**Supplementary Table 9. Summary of the markers for each of the linkage groups.** The parental isolates differed at ~25% of the 20,568 loci. TN1 had 5273 RR, 8632 AR, and 6663 AA genotypes, whereas TN2 had 8141 RR, 11767 AR, and 660 AA genotypes (where R = reference allele and A = alternate allele). The smaller proportion of AA genotypes in TN2 reflected its use in backcrosses that produced LT1534, the reference genome.

<b>Linkage Group</b>	<b>SNPs</b>	<b>RR:AR</b>	<b>AR:AR</b>	<b>AR:AA</b>	<b>AA:RR</b>
<b>1</b>	3003	1576	453	519	455
<b>2</b>	1277	625	275	264	113
<b>3</b>	1324	702	204	253	165
<b>4</b>	532	269	139	98	26
<b>5</b>	1621	807	264	333	217
<b>6</b>	839	448	122	156	113
<b>7</b>	448	231	51	92	74
<b>8</b>	1493	865	210	274	144
<b>9</b>	925	465	161	159	140
<b>10</b>	2940	1330	447	684	479
<b>11</b>	1412	704	138	219	351
<b>12</b>	871	386	108	279	98
<b>13</b>	933	493	94	198	148
<b>14</b>	547	217	50	63	217
<b>15</b>	687	319	242	104	22
<b>16</b>	1231	493	43	293	402
<b>17</b>	371	134	80	63	94
<b>18</b>	114	78	22	0	14
<b>Total</b>	<b>20568</b>	<b>10142</b>	<b>3103</b>	<b>4051</b>	<b>3272</b>

**Supplementary Table 10. Summary of genic and non-genic markers showing simple Mendelian inheritance.**

Linkage Group	Coding Silent	Coding				Non-Gene	Genes Per Linkage Group	Total Genes in Linkage Groups
		Non-Silent	Intron	3'	5'			
<b>1</b>	858	488	382	215	48	1012	716	2,271
<b>2</b>	384	218	107	82	32	454	309	1,016
<b>3</b>	392	187	160	96	27	462	382	1,146
<b>4</b>	176	89	26	24	14	203	140	648
<b>5</b>	450	286	170	97	25	593	371	1,392
<b>6</b>	274	144	43	37	17	324	152	646
<b>7</b>	111	66	44	21	4	202	91	467
<b>8</b>	427	238	114	77	18	619	365	1,087
<b>9</b>	277	157	96	80	16	299	242	1,076
<b>10</b>	800	492	355	196	47	1050	645	1,941
<b>11</b>	378	244	124	75	30	561	357	1,267
<b>12</b>	249	141	51	64	13	353	197	870
<b>13</b>	285	147	57	47	16	381	190	778
<b>14</b>	164	100	36	26	15	206	203	570
<b>15</b>	207	104	63	42	6	265	178	655
<b>16</b>	322	204	130	100	25	450	288	1,194
<b>17</b>	95	62	23	27	6	158	157	546
<b>18</b>	23	15	12	4	1	59	34	119
<b>Total</b>	<b>5872</b>	<b>3382</b>	<b>1993</b>	<b>1310</b>	<b>360</b>	<b>7651</b>	<b>5017</b>	<b>17,689</b>

**Supplementary Table 11. Summary for linkage of scaffolds breaking into blocks with LOD scores  $\geq 7$ .**

<b>Scaffold Block</b>	<b>Lowest Marker</b>	<b>Highest Marker</b>	<b>Total Covered</b>	<b>Linkage Group</b>
Sc1.1	1_53205	1_945508	892303	LG9
Sc1.2	1_1041839	1_1173436	131597	LG2
Sc1.3	1_1283380	1_2077147	793767	LG11
Sc2.1	2_113526	2_546537	433011	LG13
Sc2.2	2_731366	2_1916562	1185196	LG10
Sc4.1	4_87661	4_936084	848423	LG10
Sc4.2	4_953874	4_1526218	572344	LG12
Sc7.1	7_95189	7_945588	850399	LG13
Sc7.2	7_961256	7_1255438	294182	LG1
Sc12.1	12_27274	12_214345	187071	LG18
Sc12.2	12_711003	12_1052066	341063	LG14
Sc13.1	13_112552	13_176739	64187	LG11
Sc13.2	13_290642	13_1028147	737505	LG2
Sc14.1	14_454507	14_856026	401519	LG14
Sc14.2	14_893013	14_991161	98148	LG11
Sc18.1	18_98284	18_475978	377694	LG11
Sc18.2	18_597329	18_965332	368003	LG2
Sc21.1	21_96574	21_533490	436916	LG2
Sc21.2	21_630881	21_910293	279412	LG5
Sc22.1	22_56130	22_491901	435771	LG3
Sc22.2	22_536539	22_839077	302538	LG08
Sc23.1	23_45180	23_357600	312420	LG1
Sc23.2	23_653052	23_764546	111494	LG2
Sc24.1	24_9834	24_190368	180534	LG7
Sc24.2	24_227914	24_769629	541715	LG5
Sc25.1	25_17541	25_427916	410375	LG15
Sc25.2	25_657899	25_803448	145549	LG6
Sc26.1	26_63597	26_631721	568124	LG8
Sc26.2	26_641731	26_706136	64405	LG1
Sc42.1	42_26570	42_320442	293872	LG14
Sc42.2	42_349280	42_479514	130234	LG17
Sc48.1	48_22671	48_192342	169671	LG10
Sc48.2	48_212975	48_350345	137370	LG3

Supplementary Table 12. Summary data for linkage groups and scaffold blocks.

<b>LG/order</b>	<b>Scaffold Block</b>	<b>Scaffold Block Size</b>	<b>LG Total Nts</b>
LG01.01	Sc43	531,961	
LG01.02	Sc23.1	312,420	
LG01.03	Sc82	207,552	
LG01.04	Sc107	135,171	
LG01.05	Sc3	1,611,504	
LG01.06	Sc70	280,435	
LG01.07	Sc7.2	294,182	
LG01.08	Sc9	1,114,135	
LG01.09	Sc41	565,801	
LG01.10	Sc109	125,037	
LG01.11	Sc26.2	64,405	
LG01.12	Sc105	102,149	
LG01.13	Sc17	985,188	<b>6,329,940</b>
LG02.01	Sc13.2	737,505	
LG02.02	Sc23.2	111,494	
LG02.03	Sc172	15,116	
LG02.04	Sc11	1,076,090	
LG02.05	Sc18.2	368003	
LG02.06	Sc1.2	131,597	
LG02.07	Sc21.1	436,916	<b>2,876,721</b>
LG03.01	Sc48.2	137,370	
LG03.02	Sc95	141,949	
LG03.03	Sc30	669,438	
LG03.04	Sc65	307,771	
LG03.05	Sc37	577,888	
LG03.06	Sc51	529,628	
LG03.07	Sc22.1	435,771	
LG03.08	Sc64	301,055	
LG03.09	Sc102	120,866	
LG03.10	Sc560	6,948	
LG03.11	Sc800	3,230	<b>3,231,914</b>
LG04.01	Sc6	1,423,605	
LG04.02	Sc86	162,230	
LG04.03	Sc44	536,020	<b>2,121,855</b>
LG05.01	Sc10	1,190,366	
LG05.02	Sc63	355,987	
LG05.03	Sc68	334,182	
LG05.04	Sc24.2	541,715	
LG05.05	Sc50	475,612	
LG05.06	Sc21.2	279,412	
LG05.07	Sc52	444,141	
LG05.08	Sc80	185,445	

LG05.09	Sc60	366,873	
LG05.10	Sc67	292,061	
LG05.11	Sc112	78,237	<b>4,544,031</b>
LG06.01	Sc87	182,599	
LG06.02	Sc118	67,328	
LG06.03	Sc139	29,350	
LG06.04	Sc191	15,330	
LG06.05	Sc93	150,113	
LG06.06	Sc108	116,431	
LG06.07	Sc25.2	145,549	
LG06.08	Sc89	163,789	
LG06.09	Sc81	202,973	
LG06.10	Sc132	34,092	
LG06.11	Sc39	591,971	
LG06.12	Sc92	170,487	
LG06.13	Sc74	127,009	<b>1,997,021</b>
LG07.01	Sc24.1	180,534	
LG07.02	Sc106	144,267	
LG07.03	Sc77	232,015	
LG07.04	Sc16	1,020,712	<b>1,577,528</b>
LG08.01	Sc26.1	568,124	
LG08.02	Sc8	1,194,346	
LG08.03	Sc161	37,761	
LG08.04	Sc22.2	302,538	
LG08.05	Sc58	327,658	
LG08.06	Sc72	230,452	
LG08.07	Sc66	294,895	
LG08.08	Sc62	322,952	<b>3,278,726</b>
LG09.01	Sc5	1,593,284	
LG09.02	Sc100	129,988	
LG09.03	Sc103	136,111	
LG09.04	Sc1.1	892,303	
LG09.05	Sc90	152,720	<b>2,904,406</b>
LG10.01	Sc34	622,686	
LG10.02	Sc40	570,383	
LG10.03	Sc4.1	848,423	
LG10.04	Sc27	705,730	
LG10.05	Sc2.2	1,185,196	
LG10.06	Sc84	182,275	
LG10.07	Sc49	508,508	
LG10.08	Sc48.1	169,671	
LG10.09	Sc28	757,753	
LG10.10	Sc79	222,129	<b>5,772,754</b>
LG11.01	Sc1.3	793,767	
LG11.02	Sc32	608,388	
LG11.03	Sc97	154,197	

LG11.04	Sc18.1	377,694	
LG11.05	Sc29	707,326	
LG11.06	Sc31	686,815	
LG11.07	Sc14.2	98,148	
LG11.08	Sc13.1	64,187	<b>3,490,522</b>
LG12.01	Sc71	252,329	
LG12.02	Sc38	550,336	
LG12.03	Sc94	190,298	
LG12.04	Sc53	465,517	
LG12.05	Sc91	167,065	
LG12.06	Sc4.2	572,344	
LG12.07	Sc57	397,303	<b>2,595,192</b>
LG13.01	Sc36	679,425	
LG13.02	Sc111	91,577	
LG13.03	Sc2.1	1,925,921	
LG13.04	Sc61	347,729	
LG13.05	Sc7.1	850,399	<b>3,895,051</b>
LG14.01	Sc12.2	341,063	
LG14.02	Sc14.1	401,519	
LG14.03	Sc42.1	293,872	
LG14.04	Sc101	136,107	<b>1,172,561</b>
LG15.01	Sc15	1,032,281	
LG15.02	Sc25.1	410,375	
LG15.03	Sc46	525,601	<b>1,968,257</b>
LG16.01	Sc20	899,172	
LG16.02	Sc19	944,885	
LG16.03	Sc33	640,966	
LG16.04	Sc35	603,175	
LG16.05	Sc55	463,907	<b>3,552,105</b>
LG17.01	Sc104	135,144	
LG17.02	Sc42.2	130,234	
LG17.03	Sc47	556,112	
LG17.04	Sc54	427,428	
LG17.05	Sc85	206,069	
LG17.06	Sc73	348,431	<b>1,803,418</b>
LG18.01	Sc12.1	187,071	
LG18.02	Sc78	194,772	<b>381,843</b>
<b>Totals</b>	<b>125</b>		<b>53709626</b>



**Supplementary Table 13. Flanking markers and tract lengths for isolates with loss of heterozygosity.**

Linkage Group	Isolate	1st LOH	Last LOH	Tract Length
LG01	TN37	3_1774	3_901039	899265
LG01	TN37	3_956368	3_1023899	67531
LG01	TN60	3_1032846	3_1165737	132891
LG01	TN65	3_1032846	3_1165737	132891
LG01	TN37	7_960715	7_1232128	271413
LG01	TN37	9_76547	9_313726	237179
LG01	TN37	17_31860	17_976370	944510
LG01	TN47	17_29488	17_870195	840707
LG01	TN37	23_32662	23_422316	389654
LG01	TN37	26_642307	26_711717	69410
LG01	TN37	41_23637	41_340818	317181
LG01	TN37	43_20676	43_531378	510702
LG01	TN37	70_203860	70_279147	75287
LG01	TN37	82_27984	82_206524	178540
LG01	TN37	105_6822	105_76260	69438
LG01	TN47	105_51382	105_63734	12352
LG01	TN37	107_2162	107_50059	47897
LG01	TN37	109_25479	109_78466	52987
LG03	TN15	30_22501	30_610494	587993
LG03	TN31	30_22501	30_610494	587993
LG03	TN15	48_309043	48_463219	154176
LG03	TN31	48_203358	48_463219	259861
LG03	TN31	65_43166	65_189594	146428
LG03	TN15	95_68974	95_100010	31036
LG03	TN31	95_11127	95_120313	109186
LG04	TN25	6_517600	6_1330434	812834
LG06	TN45	39_45571	39_218172	172601
LG06	TN45	39_269905	39_467526	197621
LG06	TN45	74_57229	74_92332	35103
LG06	TN45	81_83924	81_172214	88290
LG06	TN37	87_72040	87_152869	80829
LG06	TN45	89_41061	89_116125	75064
LG06	TN45	92_10433	92_128655	118222
LG06	TN45	132_10333	132_22914	12581
LG07	TN60	16_155019	16_945332	790313
LG07	TN65	16_134053	16_974846	840793
LG08	TN3	8_159857	8_160156	299
LG08	TN47	8_148811	8_1163217	1014406
LG08	TN13	26_91745	26_340248	248503
LG08	TN3	26_142703	26_609109	466406

LG08	TN47	26_63564	26_620971	557407
LG08	TN37	66_126127	66_190579	64452
LG09	TN50	1_87441	1_742969	655528
LG09	TN50	90_44554	90_110297	65743
LG10	TN18	2_734379	2_1650759	916380
LG10	TN34	2_734379	2_1555552	821173
LG10	TN47	2_932367	2_1752644	820277
LG10	TN53	2_734379	2_1062403	328024
LG10	TN63	2_734379	2_1650759	916380
LG10	TN18	4_86143	4_936679	850536
LG10	TN34	4_86143	4_936679	850536
LG10	TN47	4_42590	4_936704	894114
LG10	TN52	4_86143	4_936679	850536
LG10	TN53	4_86143	4_936679	850536
LG10	TN63	4_86143	4_936679	850536
LG10	TN18	27_8619	27_697509	688890
LG10	TN34	27_8619	27_697509	688890
LG10	TN47	27_1128	27_697509	696381
LG10	TN52	27_8619	27_297350	288731
LG10	TN53	27_8619	27_697509	688890
LG10	TN63	27_8619	27_697509	688890
LG10	TN18	28_38583	28_704354	665771
LG10	TN18	34_47706	34_548650	500944
LG10	TN34	34_47706	34_548650	500944
LG10	TN47	34_27259	34_571709	544450
LG10	TN52	34_47706	34_548650	500944
LG10	TN53	34_47706	34_548650	500944
LG10	TN63	34_47706	34_548650	500944
LG10	TN18	40_53500	40_510721	457221
LG10	TN34	40_53500	40_510721	457221
LG10	TN47	40_53500	40_510721	457221
LG10	TN52	40_53500	40_510721	457221
LG10	TN53	40_53500	40_510721	457221
LG10	TN63	40_53500	40_510721	457221
LG10	TN18	48_66747	48_185568	118821
LG10	TN18	49_163203	49_500583	337380
LG10	TN18	79_90923	79_155337	64414
LG10	TN18	84_57519	84_178288	120769
LG10	TN63	84_57519	84_177335	119816
LG11	TN54	1_1282528	1_2051166	768638
LG11	TN54	18_96129	18_475984	379855
LG11	TN62	31_358469	31_633967	275498
LG11	TN54	32_50547	32_548375	497828
LG11	TN54	97_62889	97_123104	60215
LG12	TN64	4_1416514	4_1526252	109738

LG12	TN64	53_92504	53_418139	325635
LG12	TN64	57_52048	57_123257	71209
LG12	TN64	91_44469	91_134135	89666
LG13	TN63	7_132139	7_207249	75110
LG13	TN63	7_346854	7_427074	80220
LG13	TN66	36_95503	36_626762	531259
LG15	TN17	15_476066	15_890139	414073
LG15	TN44	15_476066	15_838906	362840
LG16	TN25	19_412214	19_765034	352820
LG16	TN37	19_412214	19_765034	352820
LG16	TN70	19_412214	19_765034	352820
LG16	TN25	33_58644	33_570713	512069
LG16	TN37	33_58644	33_570713	512069
LG16	TN58	33_508481	33_570693	62212
LG16	TN70	33_58644	33_570713	512069
LG16	TN23	35_141346	35_556998	415652
LG16	TN25	35_141346	35_556998	415652
LG16	TN37	35_141346	35_556998	415652
LG16	TN58	35_141346	35_556998	415652
LG16	TN70	35_141346	35_556998	415652
LG16	TN23	55_62577	55_381570	318993
LG16	TN25	55_25260	55_381570	356310
LG17	TN47	85_67570	73_215288	147718

---

**Supplementary Table 14. Summary of total nucleotides affected by LOH per isolate.**

<b>Isolate</b>	<b>Total LOH Coverage</b>
TN13	248,503
TN62	275,498
TN44	362,840
TN17	414,073
TN03	466,705
TN58	477,864
TN66	531,259
TN64	596,248
TN45	699,482
TN50	721,271
TN23	734,645
TN15	773,205
TN60	923,204
TN65	973,684
TN31	1,103,468
TN70	1,280,541
TN54	1,706,536
TN52	2,097,432
TN25	2,449,685
TN53	2,825,615
TN34	3,318,764
TN63	3,689,117
TN18	4,721,126
TN37	5,556,816
TN47	5,985,033

**Supplementary Table 15. Source and version of genomes used for CEGMA analysis.**

Organism	Source	Genome version	Reference
<i>Phytophthora ramorum</i>	<a href="http://genome.jgi.doe.gov/Phyra1_1/Phyra1_1.download.ftp.html">http://genome.jgi.doe.gov/Phyra1_1/Phyra1_1.download.ftp.html</a>	1.0	Tyler et al. (2006)
<i>Phytophthora sojae</i>	<a href="http://genome.jgi-psf.org/Physo3/Physo3.home.html">http://genome.jgi-psf.org/Physo3/Physo3.home.html</a>	3.0	Tyler et al. (2006)
<i>Phytophthora capsici</i>	<a href="http://genome.jgi-psf.org/PhycaF7/PhycaF7.home.html">http://genome.jgi-psf.org/PhycaF7/PhycaF7.home.html</a>	11.0	
<i>Phytophthora infestans</i>	<a href="http://www.broadinstitute.org/annotation/genome/phytophthora_infestans/MultiDownloads.html">http://www.broadinstitute.org/annotation/genome/phytophthora_infestans/MultiDownloads.html</a>	4.1	Haas et al. (2009)
<i>Pythium ultimum</i>	<a href="http://pythium.plantbiology.msu.edu/download.html">http://pythium.plantbiology.msu.edu/download.html</a>	Release 1	Levesque et al. (2010)
<i>Hyaloperonospora arabidopsis</i>	<a href="http://vmd.vbi.vt.edu/download/index.php">http://vmd.vbi.vt.edu/download/index.php</a>	8.3.2	Baxter et al. (2010)

Supplementary Table 16. Predicted Crinkler amino acid sequences and gene names.

Gene Name	Amino Acid sequence
>jgil104199le_g w1.9.417.1	MVKLFCAIVGEAGSAFVSVEVDETDSVDDLKTAIKAVNEDITCPPRKLQLFLAKKADGT WLDGAGAAAVTVDEADRVPMLMLDKHGNHHKFKMNP LLWIKNDQHFGENFRPVHV VVVVPDV AHAQTGLWLVTGFVKNALNTKGIRCKLYWMATLRIGY YDPARRTDKKNV AFWYEDTKLCFHVLFETKDAALLFETDLRIEPTLGSPLTNQVVETRVAPVNAVSTELQ RVFYGDYVPDDSKSPQNSVSSISLTTSGSNLDSSTDEFRRFORIEHEKFFLPYGKAESCHLV SRKQSRNHKREFAKYDRDSNSRLALS RDMHGWF DGM SIEVPIVNMLPGSVKENQSIGN RRKVVVEFVKVLDAGCTDRVFSRLKEGSTTTNDPLMMKTFVHVVEDPETFCLCMRWKH DDNAERWRSFWDMPAVD*
>jgil106435le_g w1.12.217.1	MLKLFVGVVAGDAFPVNIENETVGDMMKKIKHEEMYQFPASELQLFLAKVPKEKH DMAWLSSRSEDVKKLKKGEKTP LIDILTEEDQELQAEDPLDDVLRGMDPPSLCQIHVLV MAPPQDSLRSHTLTLSSVLLCHVLT KAPTPTDRNVDFKDDVCNFYGCYSPDESCVRC MLLNDAFPSELV VASHLFRCSNEDVSDVMMQITLS DIDDERNGLLLFKPLKYAFDHFQI SFIRDDTDVFR LKVFDP SILATPIVDLKD RKGKVLSTEQTQLLSRIENPCRNTQTTF GDVDDSA LTFGLERPFYRCLNLQARVARVMAL EKKWIDASYDFQDFWSEVSLDDKM EMFHRSILNS*
>jgil106457le_g w1.12.537.1	MKLFCAMVGMVAVGIIIEVDIDNNAYVTALRDAIATKNEEIKKSALRLKLFLAKKGNLW TDTEAAGVGGDLESLGFKLMKSVRL LKNPEYFGEDFQTGEGHVHVLVVVPEENMTVG EPVVDVDGVNIYVTSNMTLNPDDL VAFWRAFQAIDTKIEADSVIALPEGTFILGNPKVGS RIYIRPCYPQLWEVCWHIIHETPNL VILGNPGIGKTYFGYLLLLFLARLGKTVVYESRR TKRRFLFSRN VVIKGSQQDFDDILEQDTTYVVDAMEPREFQARTILVTSPDRDVWYTF NKISCQTRYMPVWTEQEIFSCREQVYSTIPKSVVQKCFYRWGGIPRYVLQYAQFDNHQ ALIEKALEVVD FDLWLMNAYGKLD DNN SQAHRLLHYRVNERFTCDYFGFASSFVQHEV YQHLHKKEKRKLL EFIGRSVSGDLSVLRDRLAE EHDHHCARTHKKLRK*
>jgil106668le_g w1.12.123.1	MVKLFCAIVGVEGSVFSVIGEGQTV EELKKA IKERNDDKIN VSWLGLQLFLAKKAKG DGDWLTEKDVQEGVYDMSDLQMLRAARAKLRLVKLS DNDVNEEQKVEGGKSVNLV VVLPLGTTTTIKVNERENNAL TDELA YYQRIGQEIQSN CQQHCGPILDKIDS IYEKKPYPM PFICVQSSGMGKSQ LAFALGGEGREHPRPWFY WTHGTVSDYDQRIYRFASIGSAFDS VVKQDEV RKEEEDDILNCTSVLYMTK KLVWYGFIIELLRYCSRSNVGAQMVRVENQTF YVTKSNLEDVIEVRSRMEKNGEVLPFFILDEMPPSRTK KLSAFQLNVFRACGLV VIGMG TDANISNLVGKPEHSRTDPH WMTVVS CFPPWQSIPFGDPAKEEVWQKVIELHPVVKH IAEHSRGLFSRCFVDAVVKFAMEEVSENETFALADLLDAAFKAVY AELRITKGMFTEE GRDAQLMALS YTIGSNKPPGTRPV TDS DSTSEPTPKRRKLDVDVGVASMR AHFANS YEGIADVDVLQGD LRFRTSDAWSPICQFP AIEKDVLLYLAVLGGK KFSYNDTSS TLD VFEEFLERNGNREESNALRRDFTNFIFEN VVAHALFCASRRNGARGIALYEF LSGLVSE FQDEYYQRDEFDASALLKEFDGLKEKFAEKKIPFLAPPNARWPDYILEAGGDCNFGHFE RMDGYVMVPGVDG PLFACDCQYWKDDLDSDAMK KIIAGLNGGATGCGDDQKPKW SNWSLALVFCRKL EEFESEQREDWEPSTGIATVDCKAWEVNWISKPEAGEKLVIVVQT GRVLCPL*
>jgil106736le_g w1.12.192.1	MMKLFCAIVGVAGSAFVSVEVNEDQTV EDLKTAIKNQNRMSVDANDLQLFLAKKKN RVEWLTQLDVVKGVMDANGFTHLQFADAKLRAVGLK SSELVEVNEEDVAVGKGHVH VLVKIDQTAPNVELMPFTSTCWLVTGSGVNALNTRGVRGQLYRLAHTELGYDPANV RTDTGNIPRAFWHENNDIQIHVLFKKEEHALYFQSHLVDDFSIPIKSFVSKAPCPTDLQRI FRDHVVADETVSPQLSMFSSEISVFDPSNPVFKYQRIEAERLFGSHGKAESAHLISASHCR NVTSYDEYDKDDNNRLALSREM HGAYDGINCDFPLVNIEVVSASDHPELDHRFKVELQ VSVYSHEYVFLGLR LKDGSTKTEDPLVMKTFVYVQDKNIFCTCIQWKYKNRQLREEF FTTNPRAT*
>jgil108643le_g w1.15.666.1	MAKLSLSCVIVGLMGSAFSDIDADQFVGD LK KIIQKKKNDLHNVDADKLQLFLAKKD KGWLPDKSEA ALELKKGEVHEDIQVLINGEEMEATKTLNYWLF EKNQMEEQLSSEQIH VLVVPEIRDGKKRYRSSLWFAESEPLKRRVKTDESEDEDDDDVSEERTFFQLCGCPPM AHPARKDSKLMERKAYTVIFAQLVEHV KDCFEFNRTSNNPGLSSNVVVTGNP GIGKSW

	FYLYCIFQLIRNREREDIKQLPPYELVMNYDDNFVKYDAARAEFVRLNKEDVDDLMDK PFVLRRLVDARSTKLMGWRGVSVLFAVPDAEDLHDFEKVPGPKFIMPAWSLEELQDCNQ VLPDDLKLADELVSRFDAFGGIPRYVFSKNKTAIENKLRAMASFSVKEILSYCKRGA AVKESDQSDCVLQMPSEANFRLKFYLDLSSDICEKIVFQAEGEDLTMLAKFAMGK*
>jgil110274le_g w1.18.174.1	MVKFFCAIIGVAGSAFPVDIDASLSVGLKNAIKGKNDDIKCTARELQLFLAKKEKGAG AWLTEDEAAAVSLDEGGHLQGFKMMKSSLYLKNPKHFGSNFQSDDEDQVHVLVVVPD QAQPQTGLWLVTASVENALNTKGIRCLYRLMASYLGYYPVRRRTGDKDTALWYED KTLCIHSIFKSEENALLFDNVLQDECITQTSPLDGHVSTNVAPVSRQLSELRRIYSRHYA PQDTESPQVSMLSISTNTSIVDVMTDEFKYQRIESEWFGDVGKAQSCHLMSRDHCRKC PSDRKYDNDPNNRLALSSAMHDWYDGRMYNVPVMNISVESVSERPVIGNRYKVNLI RALNARYAKWISLILKEGFVASEDSLEMHTCVYVQNPKVFCVCMEWKRKEIDKQWKS YYDMEPAVD*
>jgil112192le_g w1.21.161.1	MVKLFCAIVGAMESAISVEVGGLTVGDLKKAIAITDQKFDFAASKLQLFLTETEGGGW LSEDDAAIAMRTGAIPEQVKLLKDEIDPAEEIGDKFGSAPTCKTIHVLVVPEGVTVN TAATVFENNRKRREDDQPDFWMKAIEDDKVLTLPLTCEELKEHLQRELVPKIPLGGRL SQIVESQNVAGKMNSKLFDTPEARHSVTDVTVAILNGVIAPVWIGGESPTATYHFLWNE VIKVLMYVSDGTCSRNSSVFTSTGLFRPNLCFYNSANDKVCVFRGEEQARGEMTVPL TDLRQLTWRYYDDAPYVFGYAAVAQDVCLVTIRESSETNAPGEKRRKVEIIRYNLRDL RGRSLIFLALLNLSTLFRPVVGRIRPLGIAEYKTIIRPNGVKIAFGENCVVKTYPLTMPSD KIISDLRDLHWQMKENAVPNVVELKSTNMRKRSVELAPVGRQLPLENVHQLLMAMRD ILRALVALHTIGLMHRDLRWENVLRYPDEDKWFLLDFDEGASSPAVKVDHLKAETHAP EILSSSTHTTMVDIWSVGYLLETSHVHDLPALEDIKTQCLQENPSVRPTAQSLLAEVA LIAN*
>jgil113302le_g w1.24.271.1	MVFASQDNDFNRCNPNFFSQLPTAEETDEWLEFPSSLPLTRRRSLYIRPSFKSIAAQALLK VDSNRRKYAVVTGTPGIGKSVFLYYVMWKLKDKRMLFVTRPPIYFDGESVLDYCYQ LPYAGNRNFWSPDLWCLVDATNPCKIAGLPIHHCVLLASEPRDDYVRHFRKLVPTPQV FYMPIWTEEMEKIPLYPASAASVWRDRFETLGGIPRLVLQAVQTDQPEFMRVCFYSLEN CMRLVLFHSKTKTGFIDSLYTLEMPRHVHILSQEPYHEYTLAYASETAMRAVIDAKWIV NRAEMLHFLVMNLKSTDLSLTQTTCHCIFELYAMQLELGGTFSYRSLQAGVEQSSETLD EDENDIDIPMSWREIVDRVEADQNEQDLYVPKSAKDVAIDAWMPEVGGFQIALGKEQK IKSQADELALLGQGGNRLFFLVFPRDFDSFTKQEPLSIEQYALLIPYPEV*
>jgil114043le_g w1.25.260.1	MVMVKIFCKIVGEAGSIFSVKIDDSSEVEDFMRKIKDRCDGKIVAPWMDLQLFLAKKKD GVWLTKRDLVLEVTSELPLDDTLAPLNSVGLSEEDVRYRMTKEDIKAKKVPVHVLVV PTEDYLRSPATILLETILPHVLTHTTTLTEDNRDFRHNLCNFYGCYTREQSLVRCMLLD VPLPKSLVLASHLFRRSNEYLSFRMMQISDIDDVKNGLLLFKPLKYAFDHFQISFIRDDT DVFRLKLFSTIKETPLIDLVDHGGKVLSEEQTGELLSDVNNDTCLFDVGGKTFGDVDG CALAFTGIERPYHCLNLQARVALMVALKKGWIDESYDFKDFWSEVSLDDKMEMFHR SILNSVADI*
>jgil117630le_g w1.33.284.1	MIKLFCAIVGEERNVIEVDISDVESISALKEAIKTKMPITLKYVDANTLQLFPAKMPDDK WLRDDSAADDLMSGRIHDDIKAMIADSKILRPACRIRDELSAKKTGWKWSLPWSPITP KIKTKQIHVLVKVPDMMTGTLPLCGVAPEAQWRLWQSIVRVTSGTYSGTALVHRSSR NLYLLTNLHFWLAEEEEIEFFEHMSAGFKMVELYLKRNPRKKRSGKQKSDGGELQQ TFNGSPVVVDQLLPGHTTLEVHSFVFKSDACWCSSVDYDYAVFKVLAPPPRIQLLGV EPSVSHFPTNVYVFGFHDGHEEKKFGHSY AIVPARIKYHRYKCLILSLSTVSLPESGVICT SRGLSIGYLAGSTIDESGNEVNQWLELGGFFRIL*
>jgil128631le_g w1.77.29.1	MVKLFCAIVGDPSWSFEVDIDENVSSELNKAIKTKNKIKLKCVDANDLQLFLAKTDGP SGGKVLDRAGAAAVETDDLHRFTRMDSTLYVRNPKHFGSGFKPDEGQVHVLVVVP KWAVEAETIGQNVVERVGLPRTTALNDPKKYAEEIALLDDWGVNTVHQIPSIWEFMSLS GCTKTGELFWRLEEKQVASLLLDGWFRESSPGSINQFEDMKSIMLGPSPGIGKSTLLCVM AFHLVLKYKKNVLVYRQLKGENCLLYLGYEDDEVVYFTVKRCKADRAVSIYEELGYR QGFPNVWLLLDGFRYKEIPEGLETFRMLATSQQVSLKSQUESTDAYCCLLPCWSKKDLLS MGSLIYNFTPDEMEERFFYSGGSVREFTYATWEDIQRAMDVAVSGVEDYSKLLTTASC MFTDTSQVVRTFVENTNDRSHYFSSRYWEPMDVSEYAVLALSRLKADALHRIYTW KMAGHGLAGCAFEIYLHRLAIDNRLEL
>jgil129711le_g	MMKLFCAVVGEAESVFHVDIEPGETVSDLKDAIKEINKHDPVLKNVTAMNLQLFLAKK

w1.86.23.1	GGAWLSGDDPAVLELEEIEHPDILEMMDAKPMLDDKTLQFLLEFKNKLPQPSTNQIHV LVEIPAGARAIPYSNRPPKPFVSSSEGATWDFQNPDLNEQLSNAIRKHYDAWKRGYYDKI LHPLFTCWSGPGTGKSRLLDEFPKLLKDWLWLFAGKSENPD MIRLLQNAFTFNIAFDKETP HEAGSFSSAAELIGTRMLYQLQDTLKWDPFVQEKSRHSVPSDVMKLSKILGTRHKDM CVILCVDGMEKLSHENGKDCFEFYKVLTVLSYLIGTSKCWVIAICSATIYSPVKNFLLSS PQWAYEVPTAILS RPTVEGEDIFATFNGDQLIELLIDDMGGFGRALVHVM MRKARRK GSLEFMSVLTAVLAELRVLYPRIKKMASMQEAFLAVVARRPVDKYSRFGKLSLDDVI STGLVRREGRFLTCPYVLYLLDTPDSPWSKYKCYSSQETRENAPWQTWEAFNYKLR ALKSVACQGVKVDWRDIHRGARFGRGCYRVVIEEPRTYSLDVNRKTAKLDGFGEGNIFR CKYDPDQQGYFFEDAFTGVKDAESRAFHEIHQCKKIKDNL SLEDLLEEKKAAGPHDL FLLYCTSEVEGDIESLENCAVVDRTCWEKYYGPFARALYVSTVSPPDINTSAIQLQLV NGIGPAISKRIVEKRPYSSLEEAHEKTGVSMNILSQTSCRSKVDK*
>jgil131973le_g w1.125.9.1	MKLFYVIVGVAGSPFPVDIEPSETVGDLTKAIKKENKCRFKHVDAYDLQLYLAKKDKG NGAWLTEDDVATVRDDAVFQTYKLMKPTLFLNTEICGESINQCDVHVLVKAPMRLPT IHQLHYRHFTVGSVDIRTKKSMFTDPPPLVRFWRALQDRTEFKADAVLTLPEGTFLLG NPMLGSRIYIRHCYPRLWQVCLKMINDEAMNTPHLVILGNP GIGKTYFGYVILWLLRS GNTVVYESRVCHRRFLFSQDMVVVQGSKKDFIEILEQTTTYVVDGVPEPRYYSAKTILLT SPQREVWYEFNKDDCRSCYMPVWSRDEVLTCRELMYSDIPESVQDCFRRWGGIPRYV LHYATAGGRQWLEKAMENITLDSLMDACGDLYENPSEESLHLLHYRVTKEFNTDYF DFASQYVLEEVYRRLYNHNKKKLEFIDKSGVWGAAAVLRDHLFEVYTVAAASLTDED GDGVAVEQFKANKL*
>jgil20879lfgene sh1_pg.PHYCA scaffold_75_#_8	MVKLFCAVVGVSQGSAFPVDIDASQSVGDLKDAIKTKNKIKLKNIDASDLQLFLAKPKD GPWLRSDSDVIRMRSAGAIPEQVKLLNEQIDPAAGIGALFGDAKPTMEIHVLRVPDY DSDSEVNQQRKLT SFQKLRKESGATGELPVQGD FMKLFDLTDDDIGKVLDIKAIGDIVG FTGSEFYIRKEILTSQWGSARLLVAMIAQDNPNWKNIMGELGVINCTQLSLNNDTKV STTV DASQFIARNNQLQVLPDSD*
>jgil39322lgw1. 83.18.1	MVELSLQCAIVGQIGRSFDVEIDDGKKVSKLKEMIQVKNRETIKCDAKDLRFLAKMGP PTTTQLLKIWKKESTDGNSPFSPIPEFGEMVKLFYLNMF IQEEQMELPSTDQIHVLVVV PPPDV GSKRSADIEVAKVLKRLKMI EPKVLTEFIPLVPEKEFQLDNL SMVQQSDDPIVM TPTLHEFWKKFGEFPLYFVRMEEVFWKVIKLLFGEDRVVIVGSPGVGKSCFLMLL AFYLACIKRKKVLVIRRLK
>jgil506739lfgen esh2_kg.PHYC Ascaffold_21_# _111_#_Contig6 65.1	MVLVALTCALVGKTGVLGVKIDDSAQVWELKKAITVEKSNLKDVDADKLELFLAKM EGGTWLDGAGAAAV ALDERGHPQGC VQMDPTLWIKNSKHFGDNFKPGEQVHVLVV VPKDENDRSAAMALGVPSLPPTTFHRHPERLKRWAANEMIRQKNQDGNEKTGTRDTN KKRKNRDIDKSM PYSSLSWNDLEPILSVE DFLKASAVPPNVVEALRDRMLQVRKLYG DVYSGKEAKRQVFIVAIEAVCLMLGDATILVEEEVKGNV LVHGRFEFV LKRGKNRVS IVEAKRDDIPQGIAQNVAGLEALSDVEGLERTLGIVTNYLEWVFISDDDEKIRRMNTTLK VYGAVPSIQELTEIVGMIYGF LANS*
>jgil511381lfgen esh2_kg.PHYC Ascaffold_83_# _9_#_Contig727 .1	MVKLSLQCAVVDQAGSSFDVEIDDSAKVSKLKKVIKEENPATITCDAKDLQLFLAKKD DAWLDGAGAAAVELDEHGHPQGC VQMDPTLWVKNPKHFGDNFQPGEGQVHVLVVV PEGVVGSASETSKMD FVVVDKVS KLYEHSVLSKRTRYVHSEMSSSKGNKLVKELKIRVT PVDVAPFTGGSPTPVEEFWIKGRTEEQQSGRYRDYVEANIGDVL RNNKLCVFSVEKGA NILSVEVPGCDVDLAGRTDMIVLSAIVQKFPHYLPHLPVGMKLVIEVKREVKSA SEFQALS ELIAMDFIVDESVMALLTNLTNHWEFLWVSNKSNRPIAATTTLTPGEAFEVIRTL LAQ SSTADADIMLPCLAEPVKRRKLNQMLPFIGEASGDGIRESIERYYDIASCLGPDFDMARA VARQVTRSIPTLSYFS*
>jgil527369lestE xt2_fgenesh1_p m.C_PHYCA sca ffold_180095	MELRCGVYGEVSFVSVKIARDVKVSALQKKIASVLSTEQHTVFPRLLALYLARKKEGEE VKWLKDDRHA KDFLRGGTITEYEEMRPSWTLDDDEELFGPDFQPGQEEIHV LVELPKAA VESASLVKMEKQLDEMYERIAENKRKRYVHSEMSLIKGRALLQDLKMRLTVVDTVPFT TTDASPVQVP AFEWESICDGRGQNI ALTEEQQRVRYREYVENNIGDVLTTKKLCV LGVE KGM DILSVAVPGHDIDL AGRSDILM VIEVKRVLKSGCTFQALSELIALDFL VDDPVMAL LTNLTDHWQFFWVSDK KKKKHTLLAQSSSADAEINLPCIEEPV KRRKLAEVLPSVSEGG ESNGVREAIERYDYDIASV LGPDIEMARAVANQVTRSIPIYSSYPS*
>jgil540976lestE xt2_Genewise1P	MTIYCAVVGENESAFGIDIDEGKSV DQLKQAIKERNEDIHVPSHRLKLF LAKKSGVWLT EIDVMEDVSDTTDLELLEAGRATLRSVGLSDEDVGEVDEADAAAGEGPVNVLVVPIPEL



lus.C_PHYCAscaffold_50927	YNVPSVMALFNVMLPHVLTQVPTTESDVVIEFKMELCKFYECYSRHRTWVRCMLLD VAFPKSLVSASHLFRCCNAFMAPLTVQLWDIDDMRNGLLLFKPLKHAFDHFQLSFILDD TNVFRLLKFDPSIYNTRLLDLKDCDNENVLSMEEMGVLFYNTSLTRNPCEFDQTTFGD VDGSALVFTGLKRPFYRCLNQARLARVFALKKHWIDESYNFTDFWSEVSLDDKMDM FHRSILEN*
>jgil556686lestE xt2_Genewise1P lus.C_PHYCAscaffold_940014	MVLVALTCALVGKTGVLGVKIDDSAQVWELKKAIKEKSLNKLKNADADELESLAKK GAGWLSIEDLAAIQKGEDVPGFERVSLVDTEDEAYSASIRDVLKTNMGPPPQTRQIHVL VVVPKDENDRSAMALDVPSLPPTTIHRHPERLKRWAANEMIRQKNQEGNEKTSTRDT NKKRKNRDIDSSMPYLSLSWTDLEPILTMEDFNLEASAVPQNVVEELRDRMLQVRKLY GDVYSGKEAKRQVFIMPIFEAVCLMLGDATILVEEDVKGKNVHVHGRFEFVLKHGKKR VSIVIAKRDDIPQGIAQNMAGLEALSDVEGLERTLGIVTNYLEWVFISDDDEKIRRMNTT LKVYGAVPSTKELREIVGMICGLLANST*
>jgil558527lestE xt2_Genewise1. C_PHYCAscaffold_11463	MMKLYCAIVGVAGSVFAVEIGEDKTVYDLKDAIKTQNKIKKVDAGDLQLFLAKKKKK GKGMWLTEKDVQKGVNNTSDFNLLGTVGAPLKFVGLLKDDVEFEPTLKDVESMNTPV HVLVAIPQQWTISKKTDAKRLEKEENIPLEMLWQYSEMEITTFQPDELSSLLQRPLPFQ LNLQKFLTPKTIKIFDPSGPFVVCNELSALIDGFSYSCDYRDPMASENTWQRMVDQLLDIS YRLCRAHGFDVVSNRN
>jgil559084lestE xt2_Genewise1. C_PHYCAscaffold_21063	MIWLYCAIVGKAGGVFKINKGDQVWELKKKIKDENQATITCDANELQLFLAKKDG MWLPEDELVAVDLENGTIHPDIDKMMNAEQMQDNKTLQFWLFEENEMPKPSTDQIH VLVVVPKQDGLTNETSVAQTPLQDEEASAYSFSELNSAMRDQIVRKMRLENVDPVKE PEDTSIGGYSWIPKIEENESQRAGYMAYLQQHLKTLIDRGDFLLDDIADDKSVLDIVDP RPFAMSGTADVLLINRTSKNPLIKLAGVSLVIELKKKVEPDHVPQAIGQLVSCSMKAPL NCYPLSLLTDLNDRWHFSWFSNHTLTQVTLKYPKNAFRLIEAAVLRRTESVSLPSPFIP GPFKIKVDDFLLQPDDGYAEEMMERYELMADVVEPEFLMARRAEYAQHLVQSMPMY AHTFK*
>jgil563460lestE xt2_Genewise1. C_PHYCAscaffold_120265	MMKLFCAIVGARSAFSVEVGEDQTVEDLKLAIKNQNRNKLMSVDANDLQLFLAKKDK GNGMEWLTQLDVVKGVMDANGFAHLLFVDAKLRAVGLDSELGKVNKDVAVGGK HVHVLVVVPKTVGSKDGRSIQKFSAPIEFSEMEHEGGVPSTFRTERKDTVAIASLLDR IPVVFRRAPPLSGKTAMCHLLYNHIVFSKPDALVASVRANRMARNETFAEYFKKMYGC DFEEFCAYRCRVLIDEAQITYNDEQLWRGFVKDTLESQIPGLRLVLFSSYGSFVYRK QERPGTPILVPTDNTFGLNVTPSKPGLQLSRVELEEMVLNSIGASVSDLIWVLCSGHIGIA RAVLVFLRWKFGSTTPNAEDVEMELRSEELLQYVRASYRGIPTADAFQIRVKNNDLSEE TILKMSEVLNGVASGKVTSLHDPDGGQTPRSQTAVELLTKFGFLYEDQAKQLQFASNM HLKIWLLSSRTDPIGYMVKDISHGDFIVACVQRMSASRLQKFATENTTRVARERQIQME LYGATTSCLPKGVLTPEWRTDDGKGFIDLVRGSGILWFWELLVNGDDAVCHSKRFE TGGTNYGSLTRNCRYMLIDFRQNMGVKRKRDGFLYVSFADSFTKAHVFLDKPTVSVSE LLS*
>jgil567378lestE xt2_Genewise1. C_PHYCAscaffold_240430	MVNLFCAIVGVAGNAFEVKIDDGASVAALKKEIKQENNIKLGVDAGDLQLFLAKKDG AWLMSKDLLRMWNEETPEEDERDYMSERLDDPTVRIKEKFPSEYPDRSIHVLVQVPRE LLYNQPKPRDSSNEWLAEFFNHKVEPRSLPFVGLKSSFVTQPLPAKIRVKQEWLNEWAL SPGLQEKMFVLDLDDAPCMEFTSLIFNKRTLNPFRGKTENAFISMWDSIFRNVLDVLF QAHIDRDSCNGSSTRQKRPDFLVDQVCVFRGEEKPPDVNISVPTTEELCSKLWAYGS VPYVFGYAASGYDIQLHALCPLDPLNVGGVVTKNIGTFNLEVKEHLFQIVLVMNLSSL FQAIADCEPASGRDEFDRITRSSGWPSKPLQTMISGKNFSTNVGDKRTTTLKRASVNV DRLTNLHFQKRLAVFKPRGTMVRPSNLLDLFGALKDVLQALVALHRLGWHRDIRWSN VIRQRTGNSWFLIDFVDAATNPQQYPSGQHLVVEEHAPEIFVENGVHTTAVDIWAAGFL IETSGVEWLDFAGRSLYRRLIAKDPAARPNAAEEVLAELKALEEAAKSEKEACENSRRS ETQCRKRKLPDS*
>jgil570403lestE xt2_Genewise1. C_PHYCAscaffold_370147	MEVVKLFCVIVGEAGSAFSVKGQDQEVDDLKEAIKDRSDGKIDVPRPDLQLFLAKNG NAWLSSDNDVVKALKEGVKTTLIDELTQKEKELQGESGLKQVLAGMLTPSTDQIHVLV VIPDQSKSAPSVSFEGLDRCRDSFFLQLPTAGEDDSWLMFPQPLPLTERQKLYIRSSYK SIAAQALSKMDPKRRKYAVVTGTPGVGKSVFLFYVMWKLIEKKRVLLMAEPAIYFD GESMWEIQQLPYSGNRTFWSVDLWCLVDSVDPTTIAGFPIRKCCVLLASTPRRDCIGEF NKLEPTPDVFYMPLWTKEELSTIAPLYPNAQDQWENRFEGGGVPRVLKDLKVTPE LLQACSNCLDGDQFEDQNGSDSDSHPQP*

>jgil573037lestE xt2_Genewise1. C_PHYCAscaff old_510047	MVTLFCAIVGIESDAFAVEVNENDSVYALKQAIHARKMYEFSADKLLLFPKTEGPAW LSNSEDVVKLEEGEKTPLIEALTTKCQELQAEPLVSDMLKEIDPPSLSQIHVLVVLPLDK KRKRGGTTRLSDLLETCSKEGSLPTEGDFLQMFWDQDCGKVKDITAIGDIVGFTGFR FFVRKEILCVLENLKHFKANFDRGEVGDQFIFLGSFGTGSVCLALLCFYVAATSHPV LWYRSVQYGREMSFTCLFYQKKYRWNNGAEVKIYDRLYDEV
>jgil573801lestE xt2_Genewise1. C_PHYCAscaff old_550284	MIKLFCALVGAQGSAFPVDIDASQSIGDLKDAIKDQKQNDLKNVDADKLQLFLAKKGD GWLASKDLPSIQRDMASPTIFEKLPLVDPTCSIQEVLTENELPDPQTRQIHVLVNVVPQVH VLGKRTRADEWFQIGMKSRVIVDGNETDRITRYFEMAGFPPLAHPKAEYRKILERN AYIVIFTELMKKAKLSFEKGADCSLVVTGNPGIGKSRFYLYCIFTLFFALTWKLRSPPSI
>jgil96357le_gw 1.1.1010.1	MIKLFCVFGAAGSAFPVDIDASQFVGDLYAIVEKKKEDPNLKSVTAKNLQLFQTKTE NGDGWLSDDGAVIAMRTGAIPEQVKLLKDEMDPAEQIGDKFRNAPTCKTIHVLVVV PPAPENERKRKRMEDEVAPDAWIKAIKDEPVTTLPTCEGLKHLLRALHVKIPINRFL QIVSAQNSTGELFTVLEKLFEPQPRNVSDITGAVLRPIIDPLPSGPTTKSSYHHFWDCVI ATLLKVVTGNYHRSTNASASTGAYRPMCFYSRKSNICVFRGEEKANGELDVPMAEL HEKLTWRYDDAPYIFGYAAVGLLVCLVTIQKDEKTSRAKAEKIETYDLGNLKDRLFL LALLNLSTLFDPVVDLIRPLGIPEYITRERTNGVRIEFAEDCVIKTYPKNMPSDGIIRNLKS LHRLMKEHSVPNVVELKNANKKKHVKLAPIGIDRRPVNVQQLMALCDILKALVAL HAINVMHRDLRWENVLKYSTEGDKWFLIDFDEGRLSAATVTHLKAESHAPEILSSSH TVKVDIWSVGYLLKTCCLQDLPPELKRISQCLQTDPSRPTAKSLLAGIESLIES*
>jgil100678le_g w1.5.1392.1	MVKDIKLRGAYGEGSVFSVKIKQADVEALQLAIVNARKGVNRFNVDPSTLTLYLA GKQEGEEIKWLKDEDSLDELRGVYPKQYMKMRSSRILDEDYFGENFQGRHDVHVL VELPEKVSSVQSVVRAVFWLVTGLVENALQTRGVHRLIYRIADAQLGYDPANMLPDN KPRAFWYTNNDLQFHVLFKEGECVHCTCWC*
>jgil102004le_g w1.6.669.1	CVIGVAGNAFVSNIDENLSVGHLLKAIKGENVNDPTLKNVAAKNLQLFLAKAEGGARL SSLTDEASEDATKVKKGEWLSNLTDDVKLKKGEKTPLVESLTHENKGLQGESGFKRV LGPFLAKRKEWIWL*
>jgil106201le_g w1.12.351.1	IKLSLQCAIVGQTGSSFDVEIDDGEKVSCLKEMITEKNKQDPNLKNVAAKNLQLFLAKK GDAWLPDDDPAAQDLEEGKIHTKALIDGNMKKEAWTIEDVLVDNNMTGEGRAPKS RQIHVLA VVPGILTTIERERVDENQD*
>jgil108281le_g w1.15.479.1	MKKVSLQCVIVGIGSSFDVEIDDGEKVSCLKMRAIKDRKPLTITCEADLLQLFLAKKGN WLSSTDDVKALKKGEKTGFIDELMHEKEKMEEEYPLSDYLANMNDPEVKQIHVLV VP
>jgil108895le_g w1.16.149.1	MAKLSLQCAIVGQIGSSFDVEIDDGEKVSCLKDAIKTKNKDDPILKTVAKNLQLFLAK QGNAWLPDDDPAAQDLNEGKVHTEIQALIPDEHRAALKLVNGESDDYINALTAGEQIL ASKTIETWLYEKIKMEEPSTAQTHVLVVP
>jgil109378le_g w1.16.566.1	MKLTLQCAIVGQTGSSFDVKIEEGQTVGDLKEAIAVDQKFGFAASKLQLFLAKQPVEDD DGKEVVPVYHPCAEGMKKESFKWLPDKHRAALKLVKGESDDYINSLTAGEPILASKTL TIWLYEKNMEDPSTQQFHVLVVPE
>jgil113678le_g w1.24.344.1	MNRLERYAALNEIVQEKNQAENGKTSNQDTNHRKCKKALDNSVPFSSLSWDEIEPVLQ LNMFLHTAKPVPDEFVRKILAQLADLHQLYGDVSTGKEEKRMFTMTVLEAVCLHLG DVMIFVDEELTGTKIHMHSIEFVLQRGAKRVPIVIARRDNVEQGMACVACVEVLAD AEGLETFGIVTNYLHWIFIRDEDESIELIDQPLNASMPSFESLKVILGMICGMLESE*
>jgil114206le_g w1.25.261.1	PLDDTLAPLNSVGLSEEDVRYRMTKEDIKAKKVPVHVLVVPPADSPATILLETILPHVL THATTTFTEDNRDFTHNLCNFYGCYTREQSLVRCMLLDVPLPKSLVLASHLFRSNEYL SFRMMQISDIDEVKNGLLLFKPLKYAFDFHFQISFIRDDTDVFRLLKFDSTIKDTPILDS RYGKKVLSEEQTGELVSVADNGSCLFDVGTFGDVGDCALAFGTIERPYRCLNLQAR VALMVALKKGWIDESYDFKDFWSEVSLDDKMEMFHRSILNSVAEF*
>jgil117855le_g w1.34.341.1	MVTIFCVVAGPGSVFAVDIGITQTIDHLKQIKENKPNMIRFDADLLKLYLARDGGAWL NSNDDDFKALKRREVPARIKNLMQEQLLDETAKLNDDDYFGKHFPGDRDIHVLEVEL PEDPTEVLHYKSELVCGDCFLAELLVVTNSFRL*
>jgil120859le_g w1.42.251.1	MVTVFCIAVGVPGSVFVKIDENESVAELKKAIKKETPNIFQCNAMEDLQLYLTKKGNV WLTEAHVKEGLRDTSLGLKLLNSMKTCLKFLGRDENDEEGEEEEEGMGLVDVLV
>jgil12221le_g w1.47.236.1	MVTVFCIAVGVPGSVFVKIDENESVAELKKAIKKPNIFQCNAMEDCLSDDEGGRRVAD GGSCERLERHQWVEAVGFNEGETKSSGVEERKRRRR*
>jgil124124le_g	MGEELYDPTDKISAKFPSQIPGGTIHVLLVVPPEGGRHLSNEWFTESFHPLKRRVGED

w1.52.167.1	VNKEKRFFDMRDFPSLLEHPKVEFKTIVEREVYVVVIFSQLVQYAKTCFEFVPTSASEPDG KSKPGKDSNIVVTGNPGIGKSRFFLYCIFQLILREREDVALLPPYELVNNHKTNYVKYDA VSKEFVELNKKDVRALQRKPYVIRLVEATSSSELTGWRGVSVLFASPGVDGIDNFSKVDG LTFIMPTWTFEELEDYNSLLSDELKLAEDELLSRYDRFGGIPRFVFSQIMDQTEAKIQSAI ASFSALDVISYCRKNDVREKDYSHCVLEMVPTKADFRANFYLDVFSMHIAEAVIDKV HGDSLAKVSEFAV
>jgil125925le_g w1.60.118.1	MTELKLFICALVDTQAVFYVTINGEKTVYDLKKAINEKPNLEKVDTAMLQLYLAKK CDGLWLTENDVKNVGSSTAGLTLNAAQAPLQDAILGEGLEHPSKEDKVAGNGPVHV LVSVPESVG
>jgil127207le_g w1.67.186.1	MMKLFCSSVGVAGSAFPVDIASDETVGDLKEAIKAKKMYCFPADELRLFLVNTSVKNP DEEEKKAH*
>jgil127255le_g w1.67.176.1	EDEDSSIDPYPWESDLAEDHEGQRKGYMQYLKDNLHGVLSEGGSTTIPPGTSTSGQPKY HLKDTSRMTSLLTCKASSLPFGLKGTADLMIIGEV AHSRNDIFADLQFVIKIKKNQC ERKELLELVAANWKSYSAPICGLLSNLNDYWFYFMWFTTDRKIARMKLSCPANGLKA M*
>jgil127347le_g w1.68.101.1	MLNLLCAIVGAQGSVFPVLIGESVGDLLKAIKMKPLTVTCKADRLQLFLTKTEGGG WLSSKDEVVLATRKGGEPIEINKMLIDEIDPAKEIADVLGAAPTMMVIHVLVVVPRGLY TIHGDHVTARTDGWQSFSPTKLRLTRCRLLEV*
>jgil12764lfgene sh1_pg.PHYCA scaffold_1_#_21 6	MLLNCAIIGGGDVISIIIEWKTVALLKDAIKEKPKIKLNDVDAGDLHLFLAKKDGAWL MSDDLQMRREDGKGERGYMSEELKDPVAKISAKFSPSELPGSIHVLVVRFRIEDVIDIL AELEKIDDVKNMTVILCVDALQQLVNDDAKTRNGQFRRSYHACSDDMAAI*
>jgil128012le_g w1.73.136.1	MKVSQYVVVGVAGSAFPIDIGKNLLVGHLEAIKEKHDDIKCPARDLQLFLAKAGGN AWLANSTDHVKKLKKGEKTAYIEALIHENKELPRKDPISKYLERMDEPQMEQIHVLVV VP
>jgil128338le_g w1.75.57.1	MVKLSLQCAIVGQIGSSFDVEIDNGEKVSKLKEMIQVKNRETICDAKDLRLFLAKKGD AWLPDDDPAAQDLEEGKVHTAIQALIDGNKMKKEAWTIADV*
>jgil128353le_g w1.75.129.1	MVKLFCAVVGQGSAFPVDIDASLSVGDLDKAIKTKNKIKLKNIDASDLQLFLAKPKDG PWLRSDDSDVIRMRSGAIPQVKKLLNEQIDPAAGIGALFGDAKPTMEIHVLVRVPDYD SDSEVNQQRKLTQKLRKESGATGELPVQGDVFMKLFDLTDDDIGKVLNIKAIGDIVGF TGSDFYTFARPN*
>jgil128403le_g w1.75.131.1	GSAFPVDIDVLSVGDLLKAINVEKTIKLKNVDAADLQLFMTTKTKDGQWLRSDASDVI NMRSGVIPEQVKKLMNKWTRQMKLANCLVKNHQRRQFTCWWRLQRLI*
>jgil129581le_g w1.85.127.1	MVSITLCCVIVGVVGESEFDVNIAGKSVHQLKEVIKAKNKKLENVDTRELQLFLAKTA DGTWLSLTDHAVNSLRNGIIPTKVKALLKRE
>jgil129660le_g w1.86.101.1	LWNDEVIVAARIPREKVLMMHERISRGGFGEVYVGVYNGRKAIAIKMLLPEIRKRIQSVNE FLVEVKLMAALEHPRIVEFIGVAWDSLTDLCVVSELMERGDRLALLSQFAENHPHGF DHDKVKIALHVAHALTYMHSFPPIVHRDLKSKNILLTNEFDAKLTDGASRERVDRTM TAGVGTSLWMAPEIMAGEKYDEKADMFSFAVVLSELDLHVLPYTKLRQETRASDVAIL QLVLQGKTQIDFSDACPSSIAALGMACAADKPTARPTAAQALYELQQTLSNEFY*
>jgil129685le_g w1.86.155.1	MVKLFCAIAGIAGSVFLVEIEEALEVDLKNAIQKEKPLTITCDAHQLQLFLAKKDDGK GAWLTEVEVKNVNDTTGLKPLDAVRAKLNKLVLSDSVGGVDEADEVAGKGPVNV LVML
>jgil131615le_g w1.108.42.1	MKVSQCAIVGQTGSSFDVEIDDSEKVSLLKKAIEKQEKISFKDVAVDLHLFLAKVQK DMTWLYSRSEDVKKLKKGEKTPLIEALTMERHELQGEDPLENVLNGIDPPSVRQIHVLV VVPKG
>jgil131976le_g w1.125.17.1	MDVRYESVAHYFKPINGTRVLKSIENCGEDFEPDEGRVHVLVVAPVTVLMQLDPPYCH FVVDGVNIPITDNMAFNPLPGLTGFWKAFQEVDTIEIANTAIKLPEGTFLLGDSNRGSCIYI RSCYLQLWEITQKVQDEVKATNLVIDGNSGIGKTYFGYVMLLYLARLGETVVYESY GTKKRVLSSHNVVVEGSQQDFSDILNLPFTFYIVDGVEMPHYQAKTIFLASDLHTLWYT FNEKRDQIRYIPVWSWDELSTCREVLYSDVPESVVEGCFHRWGGIPRYVLQYAAQSEEK QILLEKTMEIADFFWLLNGYEKLKANNPEAHRLLHYRVNDHFKEYFDFASPYVQQEV YDRAYKKDKRVLLGFIGGGDGWKW*
>jgil133238le_g w1.380.5.1	MQFLAKTEGKWLDPNEDLDTLLTLHRICTCSHPTSWKLSNPDLFGPGVSLGEDVVH VLVVLKDAEAGVASVELSALPTVKQRHPERLKRWAANEMVRQRNQRNEKTSTRDT

	NKKRKNRDIDCSIPYSNLSWVDLEPILPMEEDLKLEECRPSKCSSRST*
>jgil13996lfgenes1_pg.PHYCA scaffold_5_#_210	MVKLSLQCAIVGQIGSSFDVEIDDGEKVSCLKAEAIRTKKHLTITCEADQLQLFLAKQPVEGDDGKEVVPVYHSSAEEVKEESFKWLPDEHRAALNLVNGEPDDYINSLTVGKQILGSKAIATWLYTKNNMELPSNEQIHVLLVHHLTQFK*
>jgil15135lfgenes1_pg.PHYCA scaffold_11_#_121	MMHNLHGEAGNLKLTAELESPTRLVTDVVTQWLASMDMRDEEAAPGRTSPKTQMEKSKDEERDEEVQKKRPKRKFRKSTINVRKEEK AHLLEELSGIAYQDGGDQSSSICHIHALMSEYYLFNSPARGKMKTLTCAIVGVAGSAFPVDIDANKLVGHLKDAIKEK KMYQFPAD ELQLFLAKKADGAWLSSKDPEVISMRSQDIPEQVKTLMNVEVDPTDDIEDVFEGAPT KTVHVLVVERR*
>jgil15224lfgenes1_pg.PHYCA scaffold_12_#_49	MSDMVFLMLLFEHIVICVLSLSSIFFDAITEKNKDPILKNVTAKNLKFLAKTESGWLSYDEDLVNKL LLLNRVDTSNVTATIVDEEREKFDLLSEKKGCLNVLFICATKYGDNLQEA FGPAKSVIYTEAMQSTEEKATTQYIHEVILLDLTTPQNRAAFFGLAWDDTLQTRLENV IHKAGGGNTAE*
>jgil20945lfgenes1_pg.PHYCA scaffold_77_#_13	MVQISLQCAIVGHAGSSFFVVGIDDGAKVNKLKKAIQRENPLTITCEADQLQLFLAKDGHFGSGFKPDEGQVHVLLVVPVCAVAGSKAETIGQNVEMNGDGEAGVDIFSL*
>jgil34764lgw1.83.9.1	MMKLFCVIVGEAGSAFPVGIKPEDTVGDLKEKIKGKNTMTITCDAKDLQLFLAKTHAGWLSDNEDLDLTLQSEIDSSYL RMRASWKL SKPNLFGPGVSLGEDVHVLLVVPVPEG
>jgil49590lgw1.51.244.1	MLELLCVIVGVTEWAFSVEVDETKSVDNLKGVIKNAKRNALTGINASDLQLFTAKTTD GKWLESNDPDIKMTSGDIPKQVKLLKDVDPVKDIGSVFQDAPTTMTIHVLLVVP
>jgil502542lfgenes2_kg.PHYC Ascaffold_1_#_2_#_Contig261.1	MVSSPLPSSTLDALAPPFYPSMTWYPSITDDYLERPHSPGKSGFVIADPVEPMAEIPDEELFDPAFYPLSAMEMQELEQVDEINEILAE LDMESHQELHYKLSKTRRELRSSSDVDAE IYSMMAKASKAKNFSKQHVHLKNTSFHSKRNMR SALHQPRSVK*
>jgil505958lfgenes2_kg.PHYC Ascaffold_17_#_43_#_4096633:2	MAASPNK KIREASQLDQLKQFTTVVADTGD FEQINKYKQP DATTNPSLLFKAAQMEQY SALVDDAVAYGKGLSPDLSESERLGYVIDKLSVNFGL EILKVPGYVSTEV DARLSFDT EGTIARAHRIELYEKAGIKDRILIKIASTWEGIQACKHLQKEGISCNMTLLFGFAQAVG CAEAGATLISPFVGRILDWHKAKTGKSSYESHEDPGVSVTKIYQYYK KYDYKTIVMG ASFRNTGEITELAGCDRLTISP NLEELTKSTAKLDK K LDAETAGKAYTGEKLSYDEKDF RLSMNEDAMATEKLAEGIRGFSADIVKLEQILKAKLSA*
>jgil508616lfgenes2_kg.PHYC Ascaffold_36_#_69_#_Contig4695.1	MVKLFCAIVGVTGGAFEV KIGYTKSVDHLKDAIKTVNKITLKDVDAPDLQLFLAKPKD GPWLRADNSDVISMRS GAIPEQVKKLMNEEMNPAARIGDLFGDAKPTMEIHVLKVKSVSS
>jgil50894lgw1.79.118.1	MLKLFC AIVGVAGSVFAVEIGEDKTVYDLKNAIKTQNKIKLKEVDAGDLQLFLT KKKK KEGEMWLTEKDVQKGVNDTSDFNLLGTAGAPLKFVGLLKDDVEFKPTLEDVESMNTP VHVLVAIP
>jgil509061lfgenes2_kg.PHYC Ascaffold_41_#_57_#_Contig1845.1	MGQGQSSIPTTEVAALVELYDALSGDRWRRRDGWKQPTRDPEQWFGVEVAMGHVVA LELPANELSGCLPVASLARLPNLRVLDLSKNQLRGEIPAE LGQLTALKRVDLSCNDLSG AIPRQIGACNQLQELNLYQNSLSGTM PKELGKLQSLRTLQLQHNNLCGALPETLCELTQ LTKFSVRGNCLTGRIPTDIGRLQSLVFLSLRNNELTGVI PPSLGCCCKALEFLNLSSNQLSG PIPETLGELEDLEYLYLFDNALEGRVPGSIARL KFLKESDFRDNRLRGELPNFLDGCSSLE AVMTKWKNRKASYRHAILGDPMPSPDTPPTSSHQFLQTLEDPPSNSSATFLS QSFDHKG SEGLGDGAPEDDPANNSHLVAEFSRKR VFQLPDSV VQAK*
>jgil509444lfgenes2_kg.PHYC Ascaffold_46_#_29_#_Contig2750.1	MFWSAALDLKTQRAPNRLSYGSFNRSASNSSFHIPQSIPEHQPVSQFTSPLPKRREEYV ERPDTAFARTRASLQLSEHTQTALKMLLQGEREFKPSLGRTIENKPKPKFAQDMYSMS KISSYSAHRAPMKELPERTPLLKPIARAHGQEEP NPQENSNEHNYWMQELERRRAGLRR SRRRTCTPM SERATTSPLKGVVVMCSVPLVVLVGFVLFIFLFGGSDASSNVMDVMNN LLGIGRGDDAETIARHAQRDRDIAS T FARPPEKIQLEESIVMQLDVSSDHQKL RGSQKE KAGE*
>jgil509452lfgen	MESVVPCDLLDEL MHGVVILHHEAALVLGTTQFSVETFFPLLAYVLVHCRLPIIHAQLH

esh2_kg.PHYC Ascaffold_46_# _37_#_4103400: 2	LLENFAITADNANGEESYYVYCVHAAVEYVCNAAGLSGSTNPLGPASSASSAVTTPGG CGLTPVAPMSSTSPPKQAAFSLDLELEMENELDVKVLGLSRDSGEEQPEESGTSALQ*
>jgil511091lfgen esh2_kg.PHYC Ascaffold_75_# _1_#_Contig233 .1	MKLFCAIVGVAGSAFVSVEVGEDQTVDDDKDAIKVKNDDIKCPARELQLFLAKKDKG
>jgil52465lgw1. 36.563.1	MVELFCVIVGVTGSAFVSVKIGNTKSVDDLKDVIKTKNKITLKDVDAPDLQLFLAKPKDG PWL RADNSDVIRMRSG
>jgil52481lgw1. 67.119.1	MAKLFCVIVGVTGSAFVFLVDIDQAESVRRLLKAIKAKKMYQFPSNELQLFLA
>jgil530721lestE xt2_fgenesh1_p m.C_PHYCAsca ffold_750003	MVKLFCAIVGVAGSAFPVTIDEGQSVGDLKEAIQVKNRETIKCDAKDLQLFLAKQPVEG DDGKEVVPVYHRSAEEMKEESFKWLPDEHRAALKLVKGESDNYINSLTAGEQILASKT LTTCKST*
>jgil532971lestE xt2_fgenesh1_pg .C_PHYCAscaff old_90155	MSISEACTCSLQARLHQVENARSREMKAHGTLVQSLEIELESRRICEGESRLALAKLRGV NCKLEAELQAAHGKARQLLEQLEAQRVETSKCEERLKVFEESDCQLRAAREKSDNLM EEKRQLNVEVSEVKACLEKAKAENKVLHAKYEEKISEANAKTADIVQLTSQITDKQEI EVATERSQLLLRELTTRYVQQLAQERIKLLEKDVNRTMVTRNRLNWRKRQELWE NQFISHRIFLNWKLRSAAQAKFQSAAMARCNDTRSLQLIEMNVAQCSSAKEELNR VRQACINECVQMQLRREICQTELPKLLTIVRNHQRSDNQRHLEMQLVNRQESFERE RERLNMSRQDFEHCVQKAIEEKRLFQKRQHMHAMFQVFTSKKKWELHRRVFGAWKEFY LRSIVGHATHAMVFQSQHLRASTSEVSRPIRRGESHQWTMPAPIRRGESHQWTMPAPI RPISLASQHWRRIDRASS*
>jgil533583lestE xt2_fgenesh1_pg .C_PHYCAscaff old_150061	MMSEEQAATLSEDDGQLQRLETEKRELIDKLLKAVVAGKAMKKQLDDTRAENVLMD EEKQDIVVKLQEVVTRYQAIQQELESKEGELMLAQSKVEAFQVELQAQQEADAKAIKE LTTKFSQEEARVMVFQEENNRLTSQVAAMLEDKQQQEKETQTLMQDNQSLQNKVDDL MQQVAGARQLQEDTEQNYLEVASKLNQVLENDELKNKPGTDASVELQSQLRAVETE LAASADKWRQEQLEQQIETLTAVNKNNTTELADVADIREKLLVHV GIDLTYASIESL LDTKNNEIQMLTEQLAAAEAPQEIQIIEADKTVEDLRAELERVAEEHSLSLVTMENEYR LACEELKTEAEKLTGQLDAAQTQTQQLNDDFSVERIHKSEENRLLVEKLEECEAALKA RASEIEKLVARARTASSDTDKSGSSEMAACKAENLRMIFEVAKTADSVSKLKL DHEELL EAHRKKSSEVDTVLVQLASLESANQTLESDLKKKSEELHNHLETCSMQKEDFESV VAN LNNAVIAEKEKSKIKRDLEDKMTENDVLEEQISELHVAETKTEPDESQEKDREVEEL RSSLVQAKVDFLEQKQQLTALEKLLVAVSKSSGPTCTVNSTSLDAERREFEAALIEIE MEKKLQVAYEAKQGLESTLQERMEAKTDLETRLIAEDKITELEQQLEQKVALIATIEE QLSRGKLEEKAIETFETKTTNMLKDESRFLNEIALLKDKIAKSEVQKAAMADSQELA NEELEEQNLADRIAIEIAEKQDLLARLDET VYRSEEDIHQRLRERLYMLEEEKSGLDDE NFKLERTIEHLESKLD SLEEQAAGLEAANEASSQQLSLEERVEKATSEIATLSAEKDSL VELQQSLEENVSVLQEDKVKLEQTLDETSSKLRDELDRVTEQMESFQAQLAQSTAEKE EVTIALAELRERSEADKLASGEVTAKLEAQAENQTLENKISVLKQMAEKALQSLQSSR DELSEAEARASVLVEERDAVKVLLQEKQTA YEQLKTQREELQLRVEQLSSELESSQKRR TEEAIAAEETIQTLKLTEAKL TESLESVKHDLAEAESAVMVLVEERDAARKEITARDLKI EMM TSQQGELDLAAQKLESELSILRSKSSADSEATKEMLRDLEESKAQEETVRS LQGS SAQAKESLQSIQEQLAESELRVATLEKERDARTSLNENMSTQETLSALQEDLQKKVDA LEAELKELRETSSAELAAANETIENLNKNAEAEAEETLAALRQELAEAEAGCVMVLVEERD ATKKTLSKRDLTLEVLSSHEGELQLKSQSTTTELENLRSKSAADAQAAEEALQSLREEL KRATESLESTQNELAESESHVAALTAEYDMVTKAMADVQSERDLSGLNEELKESVED LKNEMENRQKQFSSELESABEAIKTLTSEVKMTASLDSVEQELCEAKSSASLTAEYNS ILATQKEKEAGISKLTSEIDSLQERIQALESELQELRNQRETEAQTAEETIRSLKESESQTV ETLEAIRVKLSETEARVVSAD EEREAAASKALSEMESHRAQSTEVESSLQERIQALESELQ ELRNQRETEAQTAEETIRSLKESESQTVETLEAIRVKLSETEARVVSAD EEREAAASKALS EMESHRAQSTEVESSLQERIQALESELQELRNQRETEAQTAEETIRSLKESESQTVETLE AIRVKLSETEARVVSAD EEPLEIGSLQERIQPLESELQELRNQRETEAQAEEETIRSLKESE

	SQTVETLEAIRVKLSETEARVVS ADEERE AASKALSEMESH RDAQSTEVE SLQERIQALE SELQELRNQRETEAQTAEETIRSLKESEAQKVVELDSVKKQVLLSESSSSALD LASLR EQVVAKDESHAADIASKDEVISTLKSLEEVM AAYKRLKGHLHELQDRLTQQTSTNDT LKASYEELSGQKIAAVEELEALKIELASSEHSNTMAEELRQAEKVAVAEAQRESQME NFKKRVLAYDDELAQMOKQHAVALQE QKETLLKTS AVREEAAATKLLEQKHDQAGT SHEEASQKHEAERMELESQ LSSANETIEKLR LASVTSVGLEKEIAELKLQVETETEGANA ARAALETYKKRAHTALKKASSENKLN LKKTSEATAKLEKELISAKSRVNTLETELEDTR KRMAEVESAGDLLAQSTREAVESEKRSLEVTLRLEIDSLKAEVNRLEEALENDRQPLEA QINQLSERNAALNQDVITLKEEIRSQTESMEQEVHTKEEEIRDLSKQLQAALAAAASLAT NEAGRRYSPTYSPTTEKERRSTASSRSFSDGNN SFLHRSSIEEQSEHMAAAVADSCPIP LASKMAPANGVNSQTDDEDEV CRLKLQ LNELETASHLFQKKYEDTSALLEEANQQKQ RLQELCDGSTQAINIEYLKNVIMKYIESQVPSEKEQLVPVISTLLSFTPEQQKVM AVHR PNDEGAGLFGGVFSLFGGAAAAPPKPLAAPLNFKPSPTTAMSNTTGAALGSKDKNG VLSFGSDPSDDEEFATPLNPF AA*
>jgil537103lestE xt2_fgenesh1_pg .C_PHYCAscaff old_740004	MTVKLFCAVVGFGNIFPVDIDMTDTVEDLKYKIKEKPNAIYFDASLLKLYLAREGDK WLNSTDEAMRAVKARQCPDRIK NMQEHL LLDAMNFQTPDGVIHV LVEYPREDELG SFLNWFPCWSSLQSLFSVEKEKRA*
>jgil537210lestE xt2_fgenesh1_pg .C_PHYCAscaff old_790005	MRPDFLLHYLGMVLLRGEEKSATTEIDE PVKELTAKMSW WNP MFYGDLPYILGYATSG ARLRVVMIDRHLHSDAILEFQSIFQQR AEVIKLFYNL AFFFHKMSVLAKRTCPSSLM PFT PDVNRKRKIELMDDVIVRTIKRNQCRDRVDFRRLADIYATLQELNNRVRERTHLQIVRK LRLKRLRLRVQLSPLGTVRPPMNVD EVRVWLQGMLTALKYWHSCDYCHGDLRWSNI VYIPVSSDSGFVVLIDMDESRSNTTTIDWNHEFQGYTLIFEHDLFQLGQLMNSFTFSLP SDLEDVQKALLTAVHTPAGDLPTILLNQLHD*
>jgil537308lestE xt2_fgenesh1_pg .C_PHYCAscaff old_830012	MKLFCAIVGVAGSAFPVTIDEGQSVGDLKEAIQVKNRETIKCDAKDLQLFLAKQPVEGD DGKEVVPVYHSSAEVKE DSFKWLPDEHRAALKLVKGEYDDYINALTAREQILASKTI ATWLYTKNNMELPSNEQIHVLV VQGKRIEDVIDILAKLEKVDDVKKMTVILCVDGFQK LVNDGEKTFGSTNADQETVDAVDRVCLNKKSKIAKIIRGMYS DLSDEENL FSEP*
>jgil537717lestE xt2_fgenesh1_pg .C_PHYCAscaff old_1080013	MFEKTMKGFGTDEDALSATLVRYHGV LNDIRPVYKKKYGKELRDRPVYKKKYGKELR DRIHGETSGKLLLALPTACAIVGQTGSSFDVEIDDSEKVS KLKKAIEKQEKISFKD VDAV DLQLFLAKVPKEKQGEVERTEE VKDEVQEDMTWLYSRSE DVKLLKKGKETS LIEALTM ERHELQGEDPLEDVLSGIDPPSVLQIHVLVVVPKGEDV VLA*
>jgil544930lestE xt2_Genewise1P lus.C_PHYCAsc affold_160416	MPEPPALQTLDIVDEDGQHQQVVLVGGIEGGKQTVEIANEYGGFTTEEVTAVKTSEGEK LVIEDAQGQATVVEVHELPAEVAATVTEDSQV VNAV TADNQQVQIVVEGEPEHGEQT VQLIDEHGDVTVEQAKAIETSEG VKLEIKTDQGPVS VVVAEVP EEIKEEVIKEQEEHQPG EFGGNPFTEEEPAVLQTVDVVADNGEHQQVVLVGGIEGGKQTVEIANEYGGFTTEEVT AVKTSEGEKLVIEDAQGQATVVEVHELPAEVAATVTEDSQV VNAV TADNQQVQIVVE GEPEHGEQTVQLIDEHGDVTVEQAKAIETSEG VKLEIKTDQGPVS VVVAEVP EEIKEEVI KEQEEHQPG EFGGNPFTEEEPAVLQTVDVVADNGEHQQVVLVGGIEGGKQTVEIANEY GGFTTEEVTAVKTSEGEKLVIEDAQGQATVVEVHELPAEVAATVTEDSQV VNAV TADN QQVQIVVEGEPEHGEQTVQLIDEHGDVTVEQAKAIETSEG VKLEIKTDQGPVS VVVAEV PEEIKEEGPVSVVVAEVP EEIKEEAAEDSMQGSKFMTKPEFREWIRKHYEDRLES LKVEE QKLEDEERANAGR VKGLEDCIEQASNKFGY YGVYEQAPYYQNAVDWVEEECWTAQQ WEPESPYEHPNLRR*
>jgil547387lestE xt2_Genewise1P lus.C_PHYCAsc affold_240409	MSERLDDPTVRIKEKFPSEIPDRSIHVLVQVRREFLYNQPKPRDSSNEWLAEFFNHKVEP RSLPFVGNLSSFVTQPLPAKIRVKQEWLNEWALSPGLQEKMFVLD DDDAPCMEFTSLIFN KRTLNPFRRGKTENAFISMWDSIFRNVL DVLFQAHIDR DSCNGSSTRQKRPDFLFLVLD QVCVFRGEEKPPDVNISVPTEELCSKLVWAYG SVPYVFGYAASGYDIQLHALYPLDPLK VLTKNIGTFNLEVKEHLFQIVLVM LNLSLLFQAIAD ECPASGRDEF RDITRSSGVVRLSP TFVEKIFPDISTFGHLELVYGH LKRASVPNVDR LTNLHFQKRLAVFKPRGTMVRPSNLL DLFGALKDVLQALVALHRLGW IHRDIRWSNVIRQRTGNSWFLIDFVDAATDPQQYPSG QHLSVEEHAPEIFVENG VHTTAVDIWAVGFLIETSGVEWLD FAGR TSLYRRLIAKDPAA RPNAEEVLAELMALEESAKSEKEACENSRRSETQCRKRKLPDS*
>jgil563418lestE xt2_Genewise1.	MVKLFCAIVGVAGSVFEVDIDDGASVAALKDAIKNQNPKNLMNV DANDLQLFLAQKD KGNVVEWLTEKDVQGGVSDTSDLKLLARARARLRRVGLSGEDIVEVDEQIEAEGGGPV

C_PHYCAscaff old_120143	NVLVELPPGTNRAPLSDGTDLWLSRFHHARISVLPTLGDLEGEYIEHLSL*
>jgil576078lestE xt2_Genewise1. C_PHYCAscaff old_830005	MVTIYCFAVDVEGSSFDVEIDDVAKVSKLKEAIATNQKFDFAASKLQLYLAKKGGKGG VWLTEKDVQEGVSDTNDLKLGAAGAPLNLVGLSEKDVKFEPTLEDVESMNTPVHVL VVIPSPDVGPKR
>jgil576081lestE xt2_Genewise1. C_PHYCAscaff old_830013	MKLFCAIVGVAGSAFSVEVGEDQTVDDSKLAIKNQKPNDLKDVDREKLQLFLAKQPVE GDEGKEVVPVYHRSAEEMKEESFKWLPDEHRAALKLVKGESDDYINSLTAGEQILASK TFTTWLFKKNMELPSNEQIHVLVVVDPSSNAALEYKDPMSNLRKRGAEVMTDVMM EDDAFVAEENRVRVNRVRCIIVGIAGQSF CINIESNARVENLQGAKKSRQRQLKDVEA DDLIFLAEKADGAWLSADGAF
>jgil577802lestE xt2_Genewise1. C_PHYCAscaff old_4740001	MVELSLQCAIVGQIGSSFDVEIDDGKKNLKEMIQVKNRETIKCDAEDLRLFLAKKGN AWLPDDPAAQDLEEGKVHTAIQALIDGEKMKARTIADVLDDNNMTGEERAPKSRQI HVLVVVPPQWTVKRVTKPDDLSRAKRARIVRLEVAYQGPVPTDFYSVPAETIDTYQQ LKEAFLSHERLVRPLCLLYGPRRFGKTTIGHRLVSLDAEPSILVIYCSLTPLSVESEEAF WVALGEFIGEHTRSFQEF
>jgil59630lgw1. 67.177.1	DEMDSVAPYAWMETNEAVHDQRNAYMQYLKDNLHGVHLHQDGSTTTPHAIRQPRYH IKDTSMKTLNCTPEALNHGLKGTADLMIVGETAHRMNDVFTDLQLVVEVKKGQCK AYEQQLTLELVAANLCKEKRCAPIKLLTNLNDYWC FMWFTPDSKKARLTLSCPANGF KAIKDFLAGAVDA
>jgil60673lgw1. 22.466.1	MVKLSCAIVGVPRNVFTVTIEDAASVSALKEAIKTEKKNV MANFAAEDLQLFLAKK
>jgil70314lgw1. 16.564.1	MVKLSLQCAIVGQTGSSFDVEVGESQTVGDLKKAIKTKEPLTITCEADQLQLFLAKQPV GDEGGKEVVPVYHPSVEEMKEESMKWLPDEHRAALKLVKGESDDYINALTAGEQILAS KPIATWLYTKNNMELPSNEQIHVLVVVP
>jgil70333lgw1. 32.357.1	MMLSLQCAIVGQTGSSFDVEIDDAEKVTKLKEAIQPKNRQTIKCDAKDLQLYLAKKGN AWLPDDPAAQDLNEGKVHTEIEALINGNKMKEAWTIADVLVDNKMTGEG LAPKSSQ IHVLVVVP
>jgil71308lgw1. 16.631.1	MKLFCAVVGAGQSAFEVKIDNTESVSFAFKEAIAAELRYKGRPDMLELFLAKTESGWLS NDDDLITKLLQNRIDTSKLLKALWPTWKLNRANKNPQLFGRDVS LGENVVHVLVRF
>jgil71310lgw1. 13.804.1	MVKLFCAIVGVAGSAFSVEVDQDQTVDDLKDAIKTKNKIKLKKVDASALQLFLAKKG KAWLSNDKTGDTV LQSEDVASFEQMRG SWRLNDPKLFGTSVLLTEKVIHVLVVIP
>jgil72559lgw1. 33.407.1	LVMVSLQCIVGKEEC SFNVKIDDGANVSKLKDVIKEQSGGLITVPPPTMQLFLAKTGR EGWLTGDDATAVVSDDLNHFTLMDPTLFVKDPKHFGEFGKPREGQVHVLVV
>jgil73233lgw1. 1.815.1	MVKLFCAIIGEEGSTFPVDIDKQTVGGLK KKIKEENEDDPTLKTVA AKNLQLFLTKTES DRWLSSNDSVVIAMRKGDVPEQVKKL
>jgil73236lgw1. 1.816.1	MVKLFCTIIGDGSV FVV TIDEGQTVGDLKVAIAAALS YTGRPDLLQLFLAKTEKNAWLT YDKDLVNKL
>jgil73237lgw1. 12.699.1	IMKLFCAIVGVAGSAFSVEVNEDQTVEDLKTAIADNQKFNANSTLQLFLAKKHEGAW LTQL
>jgil80099lgw1. 10.758.1	MVKLSLQCAIVGQTGSSFDVEVGEGQTVGDLKNAIKTKTKLKTVA AKNLQLFLAKQPVG DESGKEVVPVYHPSVEEKKEESIKWLPDEHRAALKLVKGESDDYINALTAGEQILASKT IATWLYTKNNMELPSNEQIHVLVVVP
>jgil81603lgw1. 5.1157.1	MVKLFCAIVGVAGSAFSVEVGEGQSVDDLKEAIKNLKRNDLKGVD RDKLQLFLAKK NGKGVWLTEKDVQNGVSDTSDLNLLGTMGAPLKFVGLLEKDVKFEPTLKDIESMNT VHVLVVVPPKRTSTAIVSEEK
>jgil81615lgw1. 2.1184.1	MVKLFCMIVGEVGTAFSVDIADGDSVDDLKKAIAENQKFGFAASKLQLFLSKKNDTD EWLTEKDVQGGVIRDTS DLKPLVVARQILSTATDVEVKIETKAFEAE TSPVNLVVVPE RDSTA
>jgil83070lgw1. 12.944.1	MMKLFCAIVGAQGTAFSVDIDVSQSVGDLKKAIKHK NEDIKCPHRDLQLFLAKNEKDE WLSSKDPDVIFMRNG

**Supplementary Table 17. Predicted RXLR effector amino acid sequences and location in reference genome.** Location is scaffold followed by the direction of the first nucleotide based on the reference genome (R = reverse, F = forward).

Location	AA Sequence
>scaffold_1_R31 4	MKTATAFATVLALIVATNAAQVPPNPTLRGLRPTADTPSVEDDKEDRKDHHHVKKVKKIAIPVVPVVEVPQ FIPVVPVSPSTVVANSNNAVVGPPSTNVAGPGAAAPGAPGAVTPAPTTLNGRPAATPAATSTTRSRTPT APTNFAGARASGAQLPAAPVQAGAPGMTGFPNSAGVGDNTNNAFAGAGIGAAGGFPMAGNLAGGGFG GNPMNRFGGANGMGSSGIFGGAGTGPMANGFVGGNFGQSMGFGMQDSNGLGGFGGQGMNTNFG QAGNNGFGGGQGGFGGGFNRERRL*
>scaffold_63_R3 81	MVNAMTMAIVLCTIVLRCCSSRLRAALKQEVRLRADAAQAAQTASNISGLGTRLNALIARVSDLEKAFQAS QASHHP*
>scaffold_22_F1 619	MGPLTGISLTFVACSRGSLGSSAFLLISLDSTAAASWSRVASRQRNKKGNACMRISKRLRLSLKTTKTMSY PTS*
>scaffold_52_R1 150	MRLGLFLLVALAALFASCDASAARPVNDLPSGRFLRGESFKESLKILPKTYVKELVDDGDKLKAALQSWSDMK LSRKRLAKSLELSTNRICKLRKIANRHKVNEVFILDQYVVKHLKQLKRSRPLRVVE*
>scaffold_8_F31 04	MSLIWRIWFVAAILLAGCNAFSDAPSHLTLTESALMLRLIDTPDHIGSRDTGKRFLRRDNDDEALDFDTEEG KSSHPKMDKAVISPSIQGLSGQIPTALYNFLKLI*
>scaffold_438_R 9	MRLFPLFVAIATFLIATDAFLMTGDSNQISNVDSPPGSRQRLRAHAEVDFEKEAKEMMRMMKMKVTKED FAKKLIAEIEDDIINKRAPGMHEFMQTVKYKRYANYMNFNDMAKTSEYGLVKEIKAKSRAQVALKTFRK PTTSQSRWQSILASLKGKRIGK*
>scaffold_87_F3 00	MKSIYRVLLLVTFALLCGLSNAVNSGGRLRVVDSTDERGGFPSYKDSFTKWRINSKIKSWVKKQKTDEYVLS KLGLSTLTGKDLVKAPKYSQFQDFKVGMMWLKEATPTTTFVNTLGLNKVEGAVEKADDFGTYYVYVMALGEK ADDYPLVTWRKLFGGGSLEQLELKRKILLVCRDEIDISVMLG*
>scaffold_29_F3 65	MRFAVVVLAFAVAVASTDSAVASEQAKLTSVVVAENSPHSLTAEQEQRLLRAASDGESEFMERTKFYY WYAMGRTPSYVYEDFFKGMDSIAENPNYKVVWERYKAYYKRRKAN*
>scaffold_10_F6 08	MFCPLCVVYLPGLLCSDDCIIPMYSSVQESAERLPLENRRRYPYRNRPTSITILEIPQIGRQVDRHLRLP*
>scaffold_52_R8 22	MKILRSLTFLLIGTVAQAENSSKLLRGPDPNYDVAGLFPADTVVDTPTKEFEPEVDEPVIPTLLNELDE NSVERLVTEVTTYDDYTSEYNRHLRSVNDPAFQGGIQLAEPHHPKEHMIPSPHDDQVPLNRGWT*
>scaffold_27_F8 34	MQIRVIALALSALGSVAAVQTTDRSLGTLVGCPAVRSKSPCLWAGENGVEVDSRALRELFLERHYVAHSD REAYGRNLQEHMTYIEGEDDKAFIGLDTVY*
>scaffold_623_F 5	MHLGHLLFVTIVILLASSDGMSTQNAKKPIEDTVVGPSNSNGIKKTRALRTDNGSEERGFLSNLVKEAKVR WWLETGKSESQVKAQLLELDELGKAFETNTKLFQKFKAYANKLNKWLQDDATTYSVWKILKLENVSSKQ LKSSPAYRTYVDYVNFQDELQRKWGAYKLPPEMVGSSKEMMAKSSIWGEAKRYEAYVKMALDMEGVTG KALKEHKNYAYNNFLEALKGN*
>scaffold_25_R1 072	MCVAPPTICLIFQLCQGLAEILNDQVCRQNHPARQQLAISIGYMLDAARAVAYLHSFPAFVHRDINPSNFL VDAECNVQLSGFGESRSTVKRNGRALRPKMKVPELEAKYFTLNATVASPLGTTTRQLDSPCTHMEKNSAEYI APELIDGLSEPFYGEAADVYALAITLWDILHPNGDKYPQANDDYVQVHVFEVCLQGLRPRINSNPLKLCSSII ERAWQQDPGLRPSAQIVKSLEDFQDDL CARLVLDLISDFHDCSSGSLRTTEDLHVRYTYGAFIVDRMIDRR FVRCPAEAIIRLGNALMDSVLHGHANHSTSFENNSASRYFDVDEAQLALPIDSHIERSVRSSSSLMNESSIA MLNVGHNDAPRSSFVGRTRSEPPCRCRQLGQRLINRSTHFHRVQVQLTALEPTVDGNTLTALLGGDE ASPQNSYNGLDMTPGIAATMA*
>scaffold_25_R3 36	MYRVLLLVTFALLCGFSNAAKSGGRLRVVDSAEERGGFPSYKDSFTKWRINSKINSWVEKQKTDEYVLKKL GLSTLTGKELVKAAYRQFQDFKVGWVWLKEATPTTS
>scaffold_68_F6 89	MRLNLVLAAVITLVSRACTAVSAASSTNQINLSNLNQLNMQNHAGDGNRFLRSKIVNDDIDSDDDIDR DEEERGGKTWAEKFAKWHARGESADDVYARFALEPVVRQAYKYGGQIGRL
>scaffold_24_F4 44	MRLSFLLLTATFVLLSSGIVASPTTKDESIPSPNQVLSEGRRLRVHKSSIDDVEERGFNPEKFNRLMNERGYRST RFSNWNKNYTDYVYNLLRVDSPNYKRIFNYQTYLENFAPRLISS*
>scaffold_11_R2	MAVWIVIAAATALVRVSGGGRILVNCSWIASICVLPRLRLADVDMAKMAARRRVFNGLAALYDCLTSS*



784	
>scaffold_50_F8 48	MRFFYFLLLSAALLSNSNATATVSGEGHVMTSADAPARALETNNGKRSRLRYATDEDEVETDKYDQKNGKY DNDDEEERNLQRHNSPNGLKRRRAGSRRIGRREYESDGGGR*
>scaffold_46_R1 328	MRLSQVLVIAVASFVFASDTVAVATSNQAKISKMEQSPSQRLLRSNHYPVKEEEDSEDSVDFEERGFTTPDE EDLEERSPLSSATVKKLENIAGWGTTYSSVAMGTSSVSQTKAKALLALRDAYISIGIKSEKNAAKMAILMANK S*
>scaffold_24_F1 432	MRLFAVVLILAACLAADVPALNDAPSKRLLRSTVRVDEEEERGAWDTLSNKFVKVILKPNQFAVRNMDDP KVAKAAKTLLKTFKSVDPQKFNVENFFRGKAFNNLENYVLRNLKQDINKQTSVAKVLSTGLGDEKAFHFL TATQSSDRAVKKSGKFFRDQLLTQWAVEGKTSAEVTKLFPKGLGANYYLHLENKYSGILMDLARDSQKRATR LAKLERARAAAT*
>scaffold_25_R1 150	MCVAPPTICLIFQLGQGLAEILNDQVCRQNHPARQQLAISIGYMLDAARAVAYLHSFSPSFVHRDINPSNFL VDAECNVQLSGFGESRSMVKRNGRALRPMKVPVLEAKQFALLGTVASPLGTTMTQMDSPCMHMEKNS AEYIAPELIDRQSEHFFYGEAADVYALAITLWDILHPNGDKYPQANDDYVQVHVYECVLQGLRPRINSNLPLK LCSIIERAWQQDPGLRPSAQIVKSLEDFQDDL CARLVLDLISDFHDCSSRSLRTTEDPHVRYTYTGAFIVDRM IDRRFVRCPAEAIRLGNALMDSVVLHHAHSTSFENNSASRYYFDVDEAQLALPIDSHIERSVRSSSSLSMNS SIAMLNVGSDAHPPFSVGRMRSEPPCRCRQLGQRLINRKSTHFHRQVQFLTALEPTVDGNTLTALLGGE EIS PQSAYNDLDVTPGIAATMA*
>scaffold_6_R18 84	MRVLSLVTLFAVSAQLIAANADQTGIAAVDSNTALLPRVLGVESKRTLRRYDPSEFDSEEAVDSDEEADPVE VADSDEEVVSEGEERVGIPGMEKVASKATKADDMPVNAAGAMKWKILVQKNMGQLVETAKLVKLLKVG SFYSNVELEKMSLSALRQLDDIQQKADIKSNVFGTKATANGMRRKMTRTENMKLPPEQFLVSHVGRGA QRLGENGQRLLSAAVISKGGDINSKVLIISSSDTKKGFLLPKGGWDHGETIEKAVLREVIEEGGVNGQLLHL GEYFPKKGATAYAYMMKASTVYDDWAESIRYIWRVTEMLWKY*
>scaffold_10_F2 067	MRLSVILLVVAAFVAALDPATAANDANTVVAVPNVHESIATGRFLRAHLEDDYPVKDERDEDDNEKDEER MFSFFQEKATALSFAKNLVSQSGDDLVEAVSNLTKEFVALFNQGHTHMAKMVPGFHPGMSLDEFGAVVR AAGLSDDMKNALMVGYGKYLALHMD*
>scaffold_58_R5 67	MVFKCWRLTFVVLVTAPEILKGEYGTAAADWWAFGAVLYELLTGLPPWYSENAREMCKRVLRTPLSVPEY VSTEAKNLLQKLLTRNPYERLGSLLGGPEIKEHPFFQHIDWEMLSRDAPAPIQPCATSDTVVRPVIIPYVDF VSNFLPCL*
>scaffold_13_F2 050	MVSVSSVYLSAVLAFATLQGTATSLSLDPYTTCTSYENFPGRDTDIKDGGCTVIVPEDPSTSTSKRKLWV DGNDIADLEAHFGVPMERKLRLPTSTHSSPPWSSGNWLVNVD SINYVWDQGGQPSAAEKYATAFGLDV KTFMDDVSAQNGIDSVQNATECTEDKECYEDLICAKRAGKSSGRCLPTWWGMGNAAAAATLEKEPKCP VTFNGVTFQPMDIKALVTDIYDSANVSIVFTGSRVNGYEDSIDDYGRHTDASYRDLNPGFLHIAATNMLGLL NTTFIVDKDPDYVWNQPVVGFVREQMNMTPAEAAKLYGLDTPWNVNASSIVVNSYLSWVTESLN GPIVTLNNTTETGNITYLLELNDDEEIIIGGEWLYDSNDYHPDFLWLEAKPAPDTATSFGLSYTNVTMLLEKATE C*
>scaffold_12_F1 755	MQTIRAIVTLATLAVAGDEGATRTRLRGAMADNSELDQLEGSGSNNSILWVNASKPEERRPIRPNYHHGH QQLVCQINFPKNCWYVDIFDQ*
>scaffold_81_R7 5	MRSALVLLSTALLACIAGVSTTNPFKVTVTETFRKSDPKTNEERVIGGSLTSKVGDFIGSTKLQYKLRWKT LQLDDDLKSVLKSPQVEKIAKYNLNKASGSQVSMFRRIAAYSDDILARTLSIERSADDNPALLAMVKQLRE DQIANWLKKNKETVPRVSKLKLGSDESIFRSKALDVLDFIKKYNTARNGDESLLKLTITTYGGESELVTMISRA YPYAQLNPQSVEKANNIENQLISKWRSENRPDFSVMSKVKFGDDINEALSSGKVRVFFKYSASKTMALKRLN AKYGEGEVAVAMARAKSTLSGHDVAVVQKQMTGWLSNGYSMERVFSILRFKEADDFVYKLDALAEYVK LLKSKNPQDTTNILQVLRKGFNGEEDKLAIALSRPLSEEAKGYQALLFKDWMARDMDPMSVAVSVFKIPEAD VAAGFSKEITPIMKQYTKFYNGAADIQPLPPAVRNGRS*
>scaffold_81_F1 03	MLLFRLLLLVAIGTFLVSDSVLAASDDSTFARRFLRTDDSEKINLSGLEQSASLKVGLKIDNVWDWIKLQAKS DTAFKLLNLDQAGEKAFKSPQFKTWSYMSISSEKYPEAIMSTLAARYSDETLVKMIEATKKFEGMEGIAMK MQEAQKKNWMSQSGKTADDLFEVLKLDKRSMENLLTNPKLDIWSGYLNLFNKYSKPGKETTAVNTFVTFYGD EVVAKALEAAKKVPNTKEKATELQALFTQWLMEGAKPHQIWKMLQMEKATWMRNPDANIWREYLAFY KLHK*
>scaffold_47_R6 72	MRLAFALLVLGAVLLSISVSTASTQADKEDDVVPSGEDTRFLRGLTDDSEERWGIRDLFGRKKFEQMLLNN WDELNKFVDTVISKLGKTYGAELLYLNSRPKAVRAAAK*
>scaffold_17_F1	MGVTVLVLSFSVSGGKSSMCPHSDCIFDLHELMYNLQISAIISFGGMQQNGSMLTRAVSQRNSNPTFM

914	CVPSLSRMLRILSGKSYREK*
>scaffold_31_F1 334	MRLLLWALLVTLVAFVSSINAEFTADSKVTQDSKEEINALTRLLAVDSSDAAKRFLRGDAKDLTTANDDSKELS AEGEERGLIPSSITNLVSKVKTGWANWKAKALEKAFQHMVKNGENPTTLAKRLDIGRTVEGRHHRLYEKFTA WWINYHTVAGT*
>scaffold_143_R 10	MRASIVLVAVIAVFRSGLASASNTAQLQQTVPGATNKVENAEGGRFLREGLKDESDDLSEERGIWGDLPK KAKPYLNGDIMYARLFKKSNSQLWRREITPDELKSMVIHLEKAGWSGEKQLQKDKSHGYEKYFYTPIKD*
>scaffold_40_R1 065	MAFSSFLKFLAMATLLMVQINAEPSSQQRNLRIQSDDLPEEQARRLGNWVKALIINVKNNPGVSDGVVNL KKADFVTGTSKKIKEVKDTAGKVKDKVTGK*
>scaffold_51_F6 03	MQLTNILWMATVILFSCNDAASRPELPTISGVDVAVQLNPVNQRFLRSDYNSEERAVTLPFAKLDVAVAKL TTKLFNTEKLAALGKTKAEYNAREALFKEVNAVNPVRAFLAKLAKSGDYNWLLPYWLGFKLKGIRKVVET EIKNAVRAGNAVS*
>scaffold_2_F40 6	MVVVGVGVCVASSATYAVPTDPDCAIFSSPQGVWNKYTGILDIPYGRVWNGRCWAVRPIKRPAKLRKR RSRNQQRHSRPRMLRLNLWLEPLVKTAKARAMTQMKFNLLTERRRSRKRDPVPRQRPQYAPGTARSVEEK AALRPVGVQVICYACSKPGHFAKECPDAEANARNDAYLASRIQRSAGKYNERSL*
>scaffold_107_F 190	MRVLSLVLFTFVSAQLVAVNADRTGIAAGDLNTALLQGVLAVERSLRRLRYPSEFDERESEEEADSDEEVD SEDEERQIGLPGIEKLDLDAVSKFTKDDVVSQAADDDVEKAAKASPKWKALMLKTWMSLLRPEDW*
>scaffold_1_R39 4	MKTATAFATVLALIVATNGAHVSPNTPALRGLRPTADTPSVEDDKEDRKHDDHHVKKVKKIAIPVVPVEVPQ YIPVPSVPSVTVASSNNAVVGPNSTNVAGPGAAPGAPGAPGAVTPAPTTLNNGRPAATPAATSTTRSPTP APTNFAGARPSGAQLPAAPAQAGAPGMAGFPNSVGIGDNTNNAFGAGIGAGGFPMTGNGLAGGFG GNPTNRFGGANGMGSGGMFGGAGPAMGGRLNGQSMGFGMQGGNGLGGFGGQDMMANFGQTGN NGFAGGQALTQGGFGGNSFGGGFSRQRRR*
>scaffold_17_R1 815	MKACKFLVLLPSQALANHAVLHVCCDRLFRYTAIQRELRKLVGDYVSMRTEMNQCQQKWLALRHEHTT TLDRLEKIETRLDSLVEAATISMNKLQ*
>scaffold_11_F1 315	MRIGYVTLTATTAILASFGNVSGDSDLTHTQVAKVASLDAVLPINTNRFRRRENYDDEEAATEERSAFEALA AKLDKSVLPAPFLKIANVKDSERAFHILQQYPISLEKRLDILALHGLSKSDRKKVLLLIQ*
>scaffold_14_F2 398	MQPTLVIFVNVLLLLVGLIGRSDAVHFDETAQASPSDSTIESKTATNERFLRGNDKTIRTTEEDRDITVGS ASAKAVNMRNKINIMLARGLSPTRVLLKLVVMSDKNFNNFARFYARYLDKYSRKKPNLPKTAEDVIVLPK MKDWLAQKLLPFQVEQNLKDLASRNVNRYMQLYFKDADNIIILPRLERWENQKLLPSHFKTNLIEIGV KDTT KYM EWYMRNGGEQVVKAKLQKWL RQ GIDPREIGAKLRKIGVTD TAKYVAVYIDAPVVTKLKTWVNTGLR PPQILDELIRAGVTDIQRYYNTISVIYQQRQVRLYRKNLP*
>scaffold_53_F9 3	MRFTYFVAVALTGLLASNDLVVASTADKTVVHDQVLSRELIDTGLNDNEKRSRLRTNEDLEDDSEDLKKSDEE RFSLIQLSNQPRYYVWFEDEMTPKDVRRKFLTRHSIKLVKRSIYRGYVYKYDEHCSYFENRKKDFCRAQEY*
>scaffold_18_R4 67	MRLNLVVLATVITLVSRCATAASAASSTNQTNLKLDQALGYQVGTMQNHAGDGNRFLRRAKTVDGSDDDI DSDDEERGGKTWDEKFAKWHARGETADDIYGRFFLEPIVRRAYKTANIGSLKQHEYYQKWL DYKAFKAKE K*
>scaffold_25_F8 10	MRITYILAVTVAATLHSSVTAIPSVKSSKATENGAVPAVIDSTHAGAGRMLRWVKEYEEDLDDSDDLDDDL DDDLDDDLDDDLDDLEERGFDTLKKANPLKLVKKGTKLTAEQAAKVKALKDAADYQKMIENANKLIRS D*
>scaffold_6_F39 33	MRFCFVVLATV FALLSSETPAIATAEKHSEALS FINGNNYGGTANRSLRSHDKVNAVEEERAIADKLVKLLNP DDIAAALKNYDDEVLFTRWWQHEDDVVNKLMWPNRMKNMPILTKFNDFRSTSMHYDQVLTWPWLSTK DLDEVATALRASKMNLAKEQFNVWHKSGVKPAEISAAIEKVNPLKRKGYGALNGLYKMYVSGEAKKTARA AAKKT E EFAAKRAQAKKIAEAAA KRAQEIKTQKETAKKIADAAAKRAAELKAKAAVAA*
>scaffold_193_R 7	MSKATPNLLGISWLLGSLVGSYHLLNRPCLCAWNGRLNWPPRLGVGLRFHQQRRTLIYLEMHRRYLLLLQL TPCFLPPTLHWRHLRRQRSTKT*
>scaffold_686_R 5	MRFHALLAAFLAFGSGND AFELTADGAAAYSRLR KSEPKTNEERVFEGLTSKVDLIDTTKLQYKQWLS KLQLGDDLTA VLKSPDVAKIAKFNLRASGSQVSMFQRITAKYSDDLARTLVSIERSADDNPALLAMVKQLR DDQIANWLKNRETVPGVVSKLKGTDSEIFRSKALDVLEDFIKKYNTARNGDESLKLTLLTIYGGSEELVTMVS RARATYPYAQMNPQSVDKASNIENQ
>scaffold_5_F19 44	MRLSYALPATIIAVTFLSSGNAVATT DGGTMDLSAMTSPNAVASIDA AVGGGKRSLRYHNKDPEDSDDEAL LEEEERKYTNMFSTTKLDEMLDGTMMMSRFKWKKEKGYNTYNLPAETQGD KYTWIRQKYRDYLYHN*
>scaffold_2_F15 74	MGLHLLLAATT FVACTNAADQLEMPVKRGLRANEERAFGAGVTEGLSNWVARAAPKLLTDNELEHLA MKVSTDKVFKMLKLDGLDILRNPNLKAFASYIRKVHATNPDQVLITLITRYGDDTLAKFLFEAKQVRRTE

	ESAKMLQAAQFIKWFDGKTPNQVFNLLGLKHLTAYEDKFHKLWWEYVVAYAHLASKLKKPLPVEL*
>scaffold_24_R7 96	MRFTYFLLVATAALLASCNAAAATSNNQNKLSTMTSTDAVVSALSSNDKRFLRSYRKEDDGDDSDDEEERS VMTAEQVAKWTKKVERWVKKGHTPSYIKDKLTALDGTMNAKNREKYRMFGAAWGRANPHELGRM*
>scaffold_10_R1 115	MRLSVILLVVAASVAAVGPTAAANEANTVVAAPKLPTARFLRAHLEDDYPVKDERGEDSDDENDEERMFS IFGEKATALKAFKKLVSSEDDDLVMAVSALSKEEFVALFNQGOAAMAKMVPGFPRGMSLDDFATAVSSAGL KPDMQNALMVGYGKYLHQMG*
>scaffold_3_F29 10	MATLVVCASNFALASTVADDLHQEAEGNVDRRLRAAAPANKDNVAKIAGGFLTKEGKSTLTAEQMIKNA NGDEAAVKKAILLASTAKESAKMSDESIAKLSAMITTAUVVKDPKSWPRLQKFKVKTLAGVGGALALYGAYKLL FNKNSSSGPVTTTTGSADLVAASTSGSGSA*
>scaffold_26_R1 068	MLLCVILAFNLTVILVLCPRIGRVFVSFSTVAAVWFDAGDTVLSPLVAPSSWFVIRLAAAFSGEWILGEDS RDLRPDDMDSRSLVTILTEELAEVGGVEAEGRFCSWLVGFLLPASIVDCEDRMIFELLPWGRFDTSVSLATC R*
>scaffold_8_R11 92	MWLLLCVGFVAFVSVCDVAVRLGSRVLLCPPSSPPYRTPYCPQQFSHPRPRYEDTPQRGLRAFGAPALDGFVLR CRIVPRSSRLTLQPVLLTV*
>scaffold_93_F9 1	MRVLNLTMLGAIAFIVNMSAVSSADKPQLAVAGALPISRFLRTHYTDDEERAIGNLLPGSKKISSFMTDKKLSK PQEQRNRNRRRFQQTARQGRQVREPEIPRLGSIIRGRFQPETPDPELDASHACATVWR*
>scaffold_24_F5 45	MQSAAYIAAFAAMLAAVKAESGSILQGRQVLRGQLRVHQCADHALGHRGRQAVPAVHEGGRRVLRHLPG SVPVLLHVEDGLPVH*
>scaffold_2_R11 64	MHFHSFIFLHHTSMTTSAASCSEAAASRTIELLAPVYEDVCCAIKGGSTTVPVTLERTADDWIQLVFPQT NVRKDVACVNGASGCRDFVRLLRALLTLTEQLVVKVAATYVLAHRSADVATLEMRVQVHEEARRGTSLRD FDLVLCHLQATVLSVVSRSKGKKIEARHEALESARSSSCHVVGCRLLHPWDASSGQFNPSIN*
>scaffold_214_R 4	MRLAIKTLVALAAVLLATSTEAAKAVQTGGDVNVVQSSHILPGENKRLRSEHDEGKLEDEEEDDEEERKY GANLFSTAKMEKMLGNDWYRYQVARRWKRDGYTWETLPKDVVPDLVRYFKGFRERHG*
>scaffold_7_R12 23	MVKVVRVAVVGAVFMASVDATSMKCGTTQATPLGAPMND CNPAYGGEIDPNCMPEVAITDAEGCEHAT GPAMDEIIGSITGASAATRSLRRMEDASNSDVADLETYFGESLELSFTTLKEQYSSASVPTTPWPGSYWPTYQ DGINVIWKTGDVSASEKYAIAFGDPTDFMKNISAKTGIDSRSSSTKCTADTDCYRNDGVSACKRKGVESGY CVPTWYGICHAWAPAALLEAEPQCDVVKNNQTFHVLDIKALMTDVYDGSISTVFTGARFNGPDIPEEMDA YGRYISAPRRDLGPGFFHIAITNILGKHKPFILDVTAGSQVWNQPVRSYQVQTMELVDANEASQKYFGVSP YPFNSEMVFLAYVKTTSWIVEAYADGPLVSSGQVDAYTVSNQYVLELDANYAVIGGEWVEGSKTDHPD FLWFPTEKPDASTITSTGLSYAHVKELLELSLACGSSGGTSENASASTSTGGSTASISGSASSASKSTNESTSS SNTYSNSASASSSDSSASAGSSASTSTSAASASTGTSETASASTSSASGSQTTSSSGYTSSASTSSGSTSS NYVAPGSTGSGSTKTEAPSTAYPSSGTNEDGFLSMGSDGSPARSASGEESAAGQGSTPASGSAGTTDATST YTLTGSTVEDTGASLPSGKDALILTPSTSPSTTGEESTPATTAAPIGVGYTTPPTSDGQDLADVLDTTSPID SRAAVTDEPSEGESTGTTALAHRS*
>scaffold_568_R 2	MRLVIKTLVALAAVVLATSTEAAKAVQTGGDVNAVQSSHILTGENKRLRSEDEGNLLEDEENLLEDEE RKGGANLFSSAKMEKMLGNDWYRYQVARRWKQYGYTWETLPKDVVPDLVRYFKGFRQRHG*
>scaffold_81_R2 17	MTVRDIVFLAAVLLVQAQALSVPTDSSTRILRTSVDTEDLDFEQRAGLAESVIKKATAALRPNVTPPELANW LNKGKSVDDVFARLQLNKASDKILDNPQFATWLTYTDDFVKKNPNTETSAISTLTAHFGTEALTKMIQAACK VDGTEAIAATKLEAAQIQKWLSSGKSADDIFILKLDQVDDSLASPFDANNYRKVFAQDNPTNLHKPSVR VLEFVPEPLQQGPTS*
>scaffold_81_F2 24	MHLQIALFLVVVSLVNVEAVPAKAQSDSVVSRFHIGRLLRDEREERGVSANAVETITDAVESKINTAQLKSW LESGESADDVFKLLKLSAADKVLGHAKLDEWIEYMKLFNGQKSKTTLIKTLTAHFEDDGVARMIQKALQ VDSTAKMAKRLQFEQIQRWLGHEKTPPEVLTLLKLDINRYDLFEKPELLTWVKYLLDDWNKMYPDRQTTLFA RISPLLEEGILANLLIKAKSVASTEKIALRIQAEQTASWLKAEKTPDDLFTLLRLNRAEDSPLENPIFDAWVKYA DDFREMYPKVSFDPIATISEHYTAAQVATMIVEASKSPSTSSIAHRLNTEQFRDWLNTRQSPVRVFKLLKLE AGDKLFQSPVITWLNATFYNTKREKVSITLLRKRFGDEVLAGILTEAQVQVATKEATKLLTSLVGRWPKS RVHPDNVYKWLVRVQGREKTDGFRFLFYERYAAAYKAARNG*
>scaffold_37_R1 044	MRVASLVLLAAVTLASREVVCATTNTLAKADTDTINAIPIDARPLRNLKKTTSVGYDAEERAAEEELVDV ELLDKVISDHAYAKQVFLSWLQNGQTSQDIENRLETGLVQDKYKVVYQYAHYLTLEERSA*
>scaffold_18_R1 184	MRFSFIVLLAAISSLVTTSHALPALPHEQSTVSKVSTNPDQSDTGAQPSERRFLRSAGVSGKMLKSESFKDAK FAEWLQKQLSSFTVFESKLGLEKRYGLYDEYAKLHKASGQYP*
>scaffold_175_F	MWRLSCWAMAETLSVPSLVCSFAVPAVLELPSEVPAAVIVRGRSQVCLRGHRRHRHRRHLRWNCCSSLR

27	RLRHPFRLRRASLVVLVESSLPS*
>scaffold_13_F2 21	MTALSAWCTAVNSVDAGKCCLLVLMLYCAAQRLVNPSQLLPTGVMGVCRLHRWNHWISRRDRTLQASDT LQDAAYATGVSACEVTKLCELLSSGRSRGDAGSRLCPV*
>scaffold_81_R2 28	MRVHSLVLLAIAIISATDAVAAQSLPEEQNVSRLRTNKAKETDSEERVNLAGFELKIGFVDDIIEKMHLSPTEFK ELLANKGDAKKAFKAFHVDDVADDVFQSAQWKEWAEYVYVAVKKNENADEALAAAMSVAYNPDGLSKL LAKAAQNPNTKDIATVLENARQSSWINGGFTPGAIFKTLNLDKADDIFDTPAFATWTNFKAYNEKHPKKA MTEFEVFSVYGGQKFAKLLASADDGKYAQAMKKELVQSWIDDGVHPTNMFALIKLDKVDLLTNPVNL WVRYMKEFNELYPKQATTMIKFTQSYGDEKVALMIQEAAKSSDEKVVFAKNLQTAQINQWMVDKKT EMLTVLGINSQTLTENPLGNVWRAYNKEYTKKMANGDFAFQP*
>scaffold_50_F1 228	MRLTCILLMTAAALVGLDASAATTGNSVVANAAMVISPLAPESQGRSLRLVYDDEDDSADEKDEEEESA DEVDEERGWFSDKVALTSLASKFVGKSTDEMGEVIKGLTPAQINTMFESGEDSIQQILPGFKTGMDFTKFDE LVQKLPQEQQALVMSAYTKYLHNNKIL*
>scaffold_38_R2 61	MRHNFAKVLVAIAFVVTCSAEAEYHTTKSDPLALTLSLRGGVPRTRSLRSDKYAGNEERAAGTSAVESLVKAT TNVDDVETWLKRGDTTNKVFALKLQKAGDNLDPQLPTLMRYLRLFNEANPTKKTSLLATLTHYGNHG LTKIIEAGLASTSKKTVATAKHLQTEQIQYWMARGRSPESVFGVLKLDKLLPFTWISSDLFEKPLKTWIRYLD EFNAENPKQKTTLISILSKRYNDKTLANMLIAANKAESTSSIAKRIQSEQLTQWLSKGGKPEDIFTLQLEKAGD SLFQNPFPWIKYADDLRYSETDLATMSTLINHYSDEAVAKMIMAASEDPNTKMLAKRLQSELQKDWV FSGQTPNDVFIMMNLDKLTKLENPLFDIYQYGLFVNKMSAKANWNPITALLRITYGSEKELSGILMAALK QPSTKAMASKLLQIT*
>scaffold_13_R7 93	MRLSQVLVIAAASLLFASDTIAVATSNQAKISKMAQSSPNQRLLSNKYSVKEEDESEDSVDFGKRGFATNDE EDLEERSPLSNAIVAKLDDIAAGWGTTYKIAMGQSSVSEAKINALLAMRDAFISNNKKEKELARGMLMLAN KS*
>scaffold_29_F7 71	MRLALLFLVIATLVATGNTLAVEHTEGKITSSDTLLQPTAISNPDTTQTRRLRTPESPNDGEERRLVNVDLAIK DAVHEVRKLTWKLQFAVWVWGLKKSPTKLIQEWGMKYPYTS DPRWAKILAYKAFWVGKGLPKYP*
>scaffold_25_F1 705	MQRMMSTPFFLMITTIGDAQGEVEVVMIPADNSPLIKSDNFSRNCGATRRTWATGVALPTSMSQTAPRA AGGRAFPPIRRCLRFQMICLNRSICSGVLPASSIWISSILTSSVVALTSGRMAI*
>scaffold_102_R 91	MQQHLVFCVKVANFILSTVLFRRVALPATHADLNFQSQHEQQLRPLTSSVLDQTRA AVARGRHSQRLRRRRLRG WR*
>scaffold_83_R2 91	MSFTIGVCLVLLQSEVHIICRTHKKFSKNSFVNFLVIAPKEGYGQPYGLHHTQVLRRLGRVLLRRGRERHF YILDSN*
>scaffold_3_F32 92	MRLTCILLVAVATLVGLDASAATTGNTVVANAAMVNSPLVPESQGRSLRLVYDDEDDSADEKDEEEES ADEVDEERGWFDTKMALSSLASKFVGKSADEMGEVIKGLSPQQINTIFDSGESSIQKLLPGFKTGMEFDKFD DLVRKLPQEQQGVVMSAYSKYLHNNGRFS*
>scaffold_81_F7 0	MRLHCLLLAVALASVDASPLQLNQQSISKANGFLSKRMLRTAESSEDEEERMNMPGLDVTNNAISSTV TKGKMKLWLAKGEDADDALKLFNLDNGIEKLRDATNFNTYASYVRQYNAQNPDPHEVSMIAAIAARYGDDE AAKLLHTMRHASTQAVATKLSQEQVDLWMAAKTPKEVFALLKLNQNVDDLSSPALYSMDDFLNAYNR QHKNQHTSLMKVVLGSYDNAKAKALQDGLSASTKSRAWELKERQFDDWIKAGIKPEN*
>scaffold_46_F8 62	MVMILIFIILETGEFVDPDGNRHYADTNSAQLKQTDIGEMREQGASGKEIIQKLVENSSTWETKTEFSKQ KYLKQKQKQYMPRVRLRCTAESLCRTYRLKNPAKICNLREDSLGQMLVYGNIFAGGQVLVVDTCMGLVTG AIAERQGGSGRIICPYEQQPAADILRRFNFGTISSFCEQNGWIVANFLFKNR*
>scaffold_6_R31 68	MRLAIKTLVALAAAILATSTEA AKAVQTGGDVHVQSSHILPGENKRLRSEHDEGKLEDEEEDDEEERKY GANLFSKAKMEKMLGNDWYRYQVARRWKREGYTWEGLPSNVPAALIRYFKGFRERHG*
>scaffold_93_R2 83	MRSSFLVLLGATLLQSINSTSLAETHITSNVQLHSEDIVRRLRFAPEQVEERGLTVPKFQDIVNNQQLAWWLK RGKTTDDVF AKLKLNLGSSIFENPKFVAVIKYVDDFNSKHNGISAIPTLSKQYGGDVLAKMLQKARQDET TKATATRLQTEQMGIWRSQGISDVTVFATFKLDEGIANLLANPGFNWARYLTFEFPNGKKTIFKTFLEDHFSQ NILSQLLIAAQKNPRTEKFATSLQNVQLQGFLERGESPTVVFKLLQLDKGADNLFANPQYKTLWNYATSQKT KSDAAPAPVIDTLTAHYTDISLVKMIATAKATEGTKNMATYVEKSLIGKWATDGKEPTYVSKLLWASATDKKT LEAVYLEQLIIHSTVKVSSNLQLEQISLWVGKKEPTDAVFKLLRLNKGSENVFKRPQFDTWLQFANKFKTQNP EQSKSVFATLSAHYDDLPLATMIKTAKEDVNTKKIAEYVERGLLPKWAADGKAPAYVLNKLATDKQDKERVL TLFMKEIRIVEDKITRAES*
>scaffold_118_R 15	MQTRYRLLLLVLLAVFLASTRASGASLQETTATSENPRPDGPVPTRSLSRESGAVRLLSPSEERMVKEAIG WLWHVVKMKLKIWFYLRGTTPEQVLEKLVVSKTDENYKYYARYFRYYVYKYPNMPKNAPTKTADAIMK

	ARLQDWLDKNLSPPQVFKELGFSGTFASAQGHDPDYKYFEQYAKMWSDLQVRISSGHA*
>scaffold_31_R7 46	MAIFVACSTVATAESVALTLGDNEVRRRLRNQNIKAAGDLISKSKEATLTKVINIAKTANGDEAAARRAV MLAAGAK*
>scaffold_8_F29 12	MIAPLFLIHCILLTVCRGRHPPFGLVVVVLQLEQRRRDVRAQVRNLRIHIVTAATNNNQRYAVLDNIISIN ELTA*
>scaffold_18_R6 89	MSSSTGSQVPSSFLLGSLAGVPPFALIAGTHARPLRAVTVAAANTVPVVSVMNSPRSPFAATAISMVTA FAGICALPAIRAGAVVRPASASLVRNGITIVRPFSPYFTSLRSKSIFAFLSVRKSTPSRNSSVQPEMTHASTQIVS PNTFWNWKRQTPRTSSRNPPIPSTYSTGASRGLFPYCIHAVPATEYLAQLSSLMNFCSPSIITHAVGNPSSAS TYCTASPPGSPCRCTSLTRANSVSVPLSPHFRRSCRCRNCSSASVACFSLTASRVSSKVRFTSLTRSSLERA RRTRLRFLILFLRRLRRRACCNCFSGPSSLPVSGLSLSTNSASSPILSGSAASPSEIACCTSSFAGVVRLLPPS APTPPVASCCAPSPDRASSRTRCSSLAGRCR*
>scaffold_3_F37 06	MPRATSPSLVLLSLYNSIGLGELEPNRSWISVSVGIHAAQKLWWISARRDERVILARKLRPGSVRGLFAGAT RLLGWVVVRVFGRRHGGGGFFLELPIFSRIVERILFRVGVSEVLLRGMILLVESMVLGDREVTLCRETGSSSA NGHCRGCACCRGSRRLRVRWRERGLERWRVHSEMDSVLPET*
>scaffold_2_F13 82	MRFFWVLLTVIIVLAGVDTCTARGQSKLSSDFVRPFVKNAANTQLESKATRLLRTDVTKYDNDEERAILPS GLSNMISNVKKWFSNFISKIKLSFGEKRLNAWLKQKGTPEVFEILNLHKGTKGLLANKNLRTWSVFMTRY NRKNPTKMVNMLGLTLTKYYGNEAVAVLLEVSQKTRPLANRLQTQQLHGWARNGLNTDVFNLLRVGE GSVKTLAQNRALNVVYFRQMNFNKNGWEAELTKLLTVYDDIPMAKAFVAKTDPGTYISSQLQRFQ FKKWLADKVEPATLLEKLMKDKTKLSFEPTVEVYVAYSSFYKAYSKTVR*
>scaffold_60_F7 08	MSWMICWICLVTKTISLMQCIRDQCRLHELERTRNLRQLSFKLVALKSSTDFFRHYLRCSHDPLLFGAPK Y*
>scaffold_24_F1 319	MRLSFIFLLAVTFSSLVATSHALPHEQSTVLKVAATNPDQSVAEQQT SQKRFRLRSAGLGSQMLKSESFKKSKF DELLDDNVSSFTFFVDMLKSKKKYRDLYDEYAAIRKARGAYP*
>scaffold_18_F2 148	MRPNLVVLAALVSRCTAVSAASSTNQINLSESNQALDTLQNHAGDGNRFLRSANIVDDSDVDDIDSDDDI DNDDEERGGKTWAQKFAKWHARGETADDVYKRFKLEPFVRYAYKHRQIGMLKENEYRKYWSITWPS*
>scaffold_5_R12 81	MQFTYVLLALCIAITASAQVQDNEYQAVVSPFAKRSLSVDTGTESDDEEERGIIPSSLKDIVKKGTSKVSQDW SLLRKYKSLQKAGRTDDDIYKLVWRQRKNTDQIYTRWIRLGKSEEVSQLFLKHGLNAEVLYNLSRQKGSMD DIYSLWKKLLEPGQIYNIWLKSKTDDQIFSAWYKAKMDPEDIGHVLRGKDPNTKRNVPFWEKYSEFYRAK KYRTS*
>scaffold_81_R2 13	MHVRLFLPVLVLLVGS DTSADKSVPTTRLLRSQKLLQITTKSECESTSDPSTTSSKTGSLNRGYPRRSDPTK HDTNESNILFYLMK*
>scaffold_7_R22 62	MRLHRTLLAPIAVFLAWNCFDPTTNAQVVAQDLSKAFANTNALRSLRSQKSSTSEDDPIINEETRNTMYT QLFPAWYAAGKTPEDA FEELKNPSTGDENWPIYKNYKMYDYTYKTMG*
>scaffold_39_R4 58	MRTPSFLVLAALLVNADAASSRHLANPNVQNLAHVNDNWLDTKRFLRVHVEGEERGISAPSVKMLQGW VERGLISDEAVKLISLGDKADDLLSASLLNAWFSYVKVFNKENPSDKMNMIKTLTARFGDEALSTMIETAKRS SKTSAMAELQAKQLANWAALKKNPDDIFALLHLNSAKSLLFDQPSVNSWLKYMDDFTLKSSSVEFSAISTLR KYYNDETAEEMIIVALKSSKTSEAAKRVETELLRTWLNSMKSSTDVRRLLNLSTAPQSELSIWRNYVALLNKV DPKFKTEMLQAVVKKGLITDDTFRLLTLGNAADDLLNGSLLSAWATYIKVFNQNPTEQLNLIIVLTARFGD EAVSTMLEAAKVPYHTIANRVQTEQMKLWLDAGKLPDHIFVALKLNVTKLFQDQPLNTWVVYLDEFN KANPNSKTTLFSTLQTRYSEATLAKMLLVAKQPNLES LAVRIQGEQLQFWIKANRRRPGDIFKMLRLNILGSD LMRNQLFTAWVQYTD FRKLNPGTKLTTLATLRKYYSDETLVTLFLKASQSPNTAKMGKRMESEMLREWFS AGTKPTHVPVGFALLNLGRTGTVFESPLYNVWNTNYVGFMMKAGAFRGDTITLLRGIYGDES LAKVLIAGK VQSTKNVANTLEKELFALWKAARVHPTQIHKLLRVENVSRSNPIYKFGDYVLAYTRA*
>scaffold_129_R 17	MRLSFVLLAAAVSSLVATGHALPHEQPTVSKVTATNPDQSVTEGQTSEKRFLRSAGIRQMLKSDSFKKT FDEWLADNLSFTV FIDKLGKKEKYSLSYNEAALHKASGQYP*
>scaffold_73_R2 12	MRLLYLAGVAILSFAADATGAKVLVSDDSNHNGAQAASAVVSTTRLLRARSVIDEERAGGISASASDKLAKL FKSSKVTAVAQQGENCGKCLLSHESREHSLEYGI*
>scaffold_46_F1 215	MRLSQALVIAAATLLASDTVAVATSNAQAKISKMVQSTPSQRLLRGNKYPIYEEDESEDSVDLEERGFATPD EEEEERSPLSISQVKKLEGYARRWHTTEKVALGRSSISEDKVQALLALRNAYISGVKSEKNAAKMLILRAN S*
>scaffold_15_R1 282	MRLSQVLVITVASLLFASDTVAVATSNAQANLAISKMAPSQRLLRSNKYPIKEEEDSEDSIDVQERDFTA DEEDLEERSPLSDAVVKKLNTIANGWGTSYSSVAMGRSSISQAKASALLALRDAYVSGDRGAKAAAKMAILR

	ANKK*
>scaffold_77_F1 29	MRLSYIFAVVVLVAILQSSGTAHPVYEDSKQIVSAGAGDATKVDSGRLLRGVEEKMEAEEERLFKNLGTYLKKI PQKIKDSWEVKKAKEQLERSRNRKWIREQNAVPTS*
>scaffold_244_R 1	MRLTFVLLAVAASVLRTRTDATPATYGEVSTSTIESPNRSALKNMAETLKERRLRRPRCPSTIYRKKSAQTFSETR CSGPACPQSLSRGPSR*
>scaffold_5_R34 48	MMRWRLFILHALMATLTLPSSCWTVQILTRGPRTRKLRCLSTLPRRDNTEVFDCLYEGNATLQRRIATVTW RRKKLVMLKL*
>scaffold_107_F 161	MRVLSLTLFTFVSAQLAAVNADRTGIAAADLNTALLQRVLGVESKRTLRRYDPSERDSEGDADSDDEDEERI ITIPGIEKLDDAVSKVTKTDDMVSKAAKASTKWKALIQKNINELAETGKLVKTLKANVLYKDVELEKMSLQGLR QLDDIEQLRKVDIENKVKGTTPDGMRRKMEHTANMKLPPAQFLESHIGRDAQLVGESGQRLLSAAVVS GDDVHGKVLIISSNPKKGFLLPKGGWDDGEAIEKAVLREVIEEGGVKSQLI
>scaffold_10_F2 271	MRLSVILLVAAFVAALDPATAANDANTVVAATNVHESIAIARFLARDEDDYPVKGERDEDDSDNDKEKDE ERMFSFFQEKAAALTEKATALSFAFKLVQSQGDLDLTVAVSGLSKSEFVALFNQQAAMAKMVPGFPRGMSL DEFETVVRSAGLSDDLLENALMVGYGKYLALHMPK*
>scaffold_73_F3 95	MRFGFFLLAAIALFGLCESTVLNTQQKRNLRSTTNDNEERAIGNISKVDDVADDASKNFAFMINMFKEWDE LSQAQIARMFKQTPDEFAAMWIMYKVYQKLGADDLIKTLKAKAK*
>scaffold_6_F17 3	MRLFIKTLVALAVAFLATSTEAAKAVQTGGNVDDVQSSHIVPGENKRLRSEDEGNLLEDEENLLEDEEEE RKGGLNLFSTAKMEKMLGNDWYKYQVARRWKRDGHTWEHLPQHVPADLVRYFKGFRERHG*
>scaffold_52_R9 85	MRFALLVAAVSLIASGDALSTQADATSRHLRSHHTNTYDAEEEERGLDKSIVKSLPEQFNMYKPSNM ENVLESWRTGLQSVDDAVMYMKSGLMDFDAISHFVDAYRKHINKKGLPY*
>scaffold_78_F7 7	MHFISFIAVALPFNVLAEEELAWELDCSVPLGFGPGLRLGVDFDRAVTFLEFAIGFSFELDFLEWPRCWRRLVLL GHLSSNLRCWRVSSLRCVLPGRRRQLRRSFTSAEIAICIGEPGYTS*
>scaffold_26_F3 00	MEAQGLFACLLWIRSVFPAGRATVFGDSTIVINQALMLNRCQAPSLRPWVGAIKALGTGRPAFYLQHVRRRA YNTASDALCNWMMDTLPASDVILRVPSGLVRHRTRRLRALPR*
>scaffold_431_R 1	MKIQLLHLHVLFLVQSLDVLHVLGRGYHAILREVHPVPLGLLPDANNHSLQRPLREILVTRISINRTGRPENHYL AQRRLLLQHL*
>scaffold_6_F13 9	MPLPVAVLAELEWLDTVSLYHVCTWSTAIERQQVRPNGFVRSVGLRSLRWCRRLHCKLRFHIAPVRRQT SVAIPYPLSCQLLSCSCQCFAPGIYCCLLRYSREFVRIPVHEDHFSLSIVLYHRHTAEIAFNHASSYCWLLDHV KRGVLMHPCKTKEILVTMREFEAVKEIRKVECEVG*
>scaffold_30_R7 9	MRLKSLKVLALSACANRVTLQFSPAGTCASAVSALKHYGRAPARVPFVGHPLRHCKCFESRQRRPQQRKLR KTRLKWRMSSDINLE*
>scaffold_11_F1 229	MKIYTVGAMLFVAATVSYALESRQLRSQQQTGARIVAGDGEETAGDDWNVLLSDRKRGAQAGTLVRD SGKDEERLVADSRRTQTYPPVQ*
>scaffold_10_R2 236	MALGTVVVAHTTLFTHASSACLHFGCPAVKRTAVEDFDSRYSGASTSPPRVRLRRKRAKREISYGVWRL HQMTAHTRGMRWSTGFCGSPPLLVPFHLVFLATYVIRCSSAPKPSKR*
>scaffold_29_F6 61	MRLNCFVVAALVASTNAAASSIQNHVSQTTPDIQAATQTDVVKRSLRYVKDEEDSIDTKDEERVQGI NVKELNKILSAKRIEIPANIEALSKAQRDLVHTFKGQDLTKKMFATKLGMRDVEDVANRHYPPFEKWEHLF RPGKKEKVPPEMLIGNHEYYY*
>scaffold_46_R9 61	MRLAHLFVLAATFLVSSGALAATNTDSVIKTDSYVKGSKPATHRALRKYKADFEDDDDDDDDEEERGIKDI PLERLQSLGRKVGVSADDVLSAAGVMRTMSESIKQWTKGLNKLKQLYKKAKSPRISDY*
>scaffold_46_R7 83	MRSFVLLVAVVALLFRIDAASGSSMKLRSGQLIPSTETRETEQIGRVLRGEAESDPESEERGITDLAKLLGK SKTMFDNNALATIVRLKSQFATADDAVQAFMTRNINPDVAVYKWLKLYKANNQVVKKTGDAPEYLLWIRY AKEYKDAHPKWVSKLPKGA*
>scaffold_29_F6 55	MRLAYVVVVAVVALFASQDAVSAEADVQLGNLNVNSESTTRFLRVESTIEAEDEERALPSSLTKISEKLPVG DKVKPLTNKVAPLTKLTDKTMIAIVRLKPIADFTGKLPKPIADKLMPIKPFKAAKLSAPVVQKIEKFKTFAEK IKNYKVGHTLSERYTMAKFENWFKQNKSPDDVKTLLKVGEGATVNTKNYDLSVQYNAFFQWATRDKEM KAKAAAAATA*
>scaffold_710_F 2	MRLTYITIVATAAILACCDGKSAVGDSPKPLAVPQSHVQTGNANRFLRVHDDEEERIGTQFITSLDKFASAA DKLTRSKSLNSISKVDDIAPGRAGKTLGEVLKIDDVAYLKAAGKWSKNLDDVEDAKLVSELSKLDHKEALRVLD EKNAAAFKSIEDMGYSPDGMFKMKELGKDYFDPFLKHYTRYWMAKHPTWTSSL*
>scaffold_2_F16 79	MRISTLSLLLATVAVVLSCLASKGEDPSQSIANVDNIRGAGRFLRAQAQVDEERVNLKLSPESEKWLGLAG KSAAELEKAAQAPKNVNPEKLLAMMKANAEHFMMNLAKSGVTPKIMRKEYNIKRMKRVLSKDALMRNAN

	YQEYERFKEFWNKLPKCLKREFLAKAASLH*
>scaffold_225_R6	MVFSVFFSAILLSVSASFNYNVNLETPRVQYRGWPTTWFRSPIAKILWERYLRNLADSIDIPLNPDIRGWHMS NPPLEVCNRYLLIYPFVEQRIVHSLGQFCSAGDLLRFV*
>scaffold_237_R14	MQRRMSTPFFLMITTIGDAQGEVWVMPADNSPLIKSDNFSRNCGATRRTWAIGVALPTSMSQTAPRP AGGRAFPFPIRRLRFQMICLKRSICSGVLPSSASSIWISSILTSSVVALTSGSMAI*
>scaffold_614_F1	MAFSSFLKFLAMATLLMVQVNAEPSQQTRNLRIQSDDLPEQARRLGNWKALIINVKNNPGVSDGVVNL LKKADFVTGTSSKIKIEKVKDTAGKVKDKVTGK*
>scaffold_44_R818	MRFSYVLLVAATALLATANAIEADPTSRSLRAHKSHEKSQDEERAFTYTFNFSLWDDLFNLSLPEQFQMRKE PWYLRRIFRSWRSGMGTSDEAVAFMKSQGLSQKAIQFEDAFLKYRAHKLAKGK*
>scaffold_29_F663	MRFLNILLIIAAVLTAAVSASEDAKPIQIKGANNPNEVSAHRLRAHKSDELDAEERVIPDVYHLSKLEKVAIYP KIVGWRLRKFVNAAMADLGMAREVGTKNMAIRWYQKIVKNGGFKHTPKGKYITQRK*
>scaffold_111_R171	MDSTASTAVLIAMTALVDAQRLRSEASTATDSTVSTADFSTLSSGSGFTPGNVEAQSNGFALDKEGSTGGN RPSGSMQGGAGRGFGGSGHNGMQNVGSGEGLAHGSGSFGGHHGGFGRHGGHGRDEGSFSGGDFAGSF GGHDFGGSGFGGNFDRSNGEMPSIGSGEVPTSGSGEAPTAATTTSSSTSSVTASSA*
>scaffold_443_F6	MRLSVILLVVAAFVAALSPTAAASEANTVAVPNVHESIATGRFLRARPEDDYPVNDERDEDDSDDDKEKDE ERMFSFFQEKKTALKAFKLVSESDDDLVMASALSKEEFVALFNQQAAMAKMVPGFRPGMSLDEFETV VGRAGLRDMEDALMVGYGKYPAYVM*
>scaffold_29_R1159	MFPRLYAIALIVVALISTCGGTRMDEKQPLALLTTRSSRHLSIDDRPRDTKTEERGNIDIMISDAAKKVKKAT WWKVKFAVWKHLRDKPHDVRGILGMRNMGREALQHKNDLAAFWNFYGGKPLKYD*
>scaffold_52_R3	MRICFALLAVTALTAVVSGSVNLRASQKIQSGDVAQYKTSGRELRGDLNTDEAAEERVNFGFLKPDPLKSF AKQQMKYAYNERIFNDLLKFFDDPDALYTTLNLKMKNL*
>scaffold_57_R893	MAFSSFLKILAMITLITFQVNAETSQRARNLRIQDDDFPEQARRLGGNWKAILINVKNNPGVSDGVVNLK KVDFVSGTSKKIKIEKVKDAKDKVKDATEKVKDKLTGN*
>scaffold_592_F19	MRLNLVLLAAVIALVSRCTAVSAASSTNQINLSNLNQLNMQNHAGDGNRFLRSKIVNDDIDSDDDID
>scaffold_73_R384	MRLSYIVLVVAVSFAYCEGASSVSDSERLAVPQSRVQAEQNSNRFLRVHQDDEERAGVEKILTQSASKLRT VSNVDEGGLISKLWSIRKDNDAFHFIETVMRLDPDGMLLMRDQGNIDLKLLKHFTKYWAEKYPDWVSKL P*
>scaffold_18_R458	MRLSLVLLAAVIALVSRCTAVSAASSNQINLSESNQVLDTMQDHAGDVNRFLRSANMVDDSDVDDIDSGD AIDDEERGKTLTFAWWNALGKTADDIYKYNLKLPLVRDAYKYNQVGEKNNKNYQKWAAYSAYLKDRGL N*
>scaffold_16_F1314	MSLLLSWRSRLSLLCLLSLNVSVLCLHGFDIVDFTRCLRLLWFFGHCCFSGRHLRFLSCLNRSFLVHVLNVNF NLRFLNCSLHFFHRLNFSFRVNLVRFSGLLDLRFLVNCIRLHPFRKWESEGFQPVVKVFKHRLPFRIVEKRVEISV EHLKLLVTGRQSVVKDLRQFQTRDLVVRHHHEHRQFA*
>scaffold_63_F287	MKLCHIVALTVALLVACVDPASASKSKLATQGDNIPTKRLLRTTEDEERGISVSLGLEKISNAFTSGKTEKFN LVKAGQSADDSFANLGLGHVNLFEKGGEVRTKMVAKFFTSDFKAWSKYTHKMNQKQDADSAMLALGTRA YGEKNAAVIILLGKDSLSSHTVAKKLETAQFTKWYTVDKIPNADELVKKVLDVPRSKLRKYPREMSIWDNYSK FVGKYVLNPRPGPPVRK*
>scaffold_25_F1242	MRLSFLPVAMIAIYCATCNANVASNQKLSMLQARLNDEAGGTRLLRVHHEEEEEADREERGLTDLFKTEK AAVKKMAKAIMADPSKADDVYQKWADKGYTLTQLSDFLKSCTRKGKYDRVYNGYMYTYRDYV*
>scaffold_12_F708	MRALKLLLVTVLLVSLDATSGYNKLQGTNTEVVDGTQRGVNSERLLRGHPSTVDKVSADDEERASLPTFLKK STSGATNWLKDKKLAALKLRALPMNLKSVQKTMKDGDIPDRVFTLLNLQKSNRKNINGFRTGEYNLWKE LTVEWTKTYPNWVSNISKKPK*
>scaffold_25_R673	MRLSFLPVAMAAIYCATCNATADSDQNKVSMVQSLDARLNGQADGTRFLRAHHEEEEESDREERGLTDL FKTEKAAVKKMAKAIMADPSKADDVYQKWADKGYTLTQLSDFLKSCTRKGKYDRVYNGYAIHLDY*
>scaffold_74_F614	MAGRLCVMAITITLVAASVTPPSQSLTERQENDTSGRFLRVASTLKEENDEERAAAPVEAVTSLIKNKNVA NAAVEAVEKKYPLVIPGVTDLIKARMKRWFWRKTLPTKVFKKLGLRGHSEDRLKNHPFRKFYAEYLEKWKD AQAHNLVDWGKAPAALPGTITTTGNTVLKT*
>scaffold_1_F5431	MKTATAFATVLALIVATNGAHVSPNTPTRLRGLRPTADTPSVEDDKEDRKHDDHHVKKVKKIAIPVVPVPEVQ YIPVPSVPSVTVASSNNA
>scaffold_37_F302	MALKIATLLSCLSLWLLFAETFYWKETLSLEVSFAFRPQTSLACVDSTPSNRRSTYRRWLRVNVPWQRLRTQS QCETVQADAQSRFSILGFCMEPTAIWSG*

>scaffold_7_F13 70	MRLTYLLLVIATTLFSCNNATASGSSSAKLVISDSADPLHNGDAAEIVGKRILRGSNAEKNKYFDEEEVEEERA LPNL SKLDDEANLKILVDIFKYFDDAGVPGPKVFIKKEAMDLDLASMMTLYQRYRGAGADDFMDLMKKKI GVAS*
>scaffold_2_R34 10	MYKPLLVTVLILLASYTAASLELASETKALDAVPRDRRRLLRANTEEGVDGTETQHEERGITTGVNLIKDWKIK QMFKNGKSFEEIFNKGVTSGDVWDAFKIAKLQNKMSLTDLQFNPKYANWFHYD VVYAWRTAK*
>scaffold_16_F2 450	MRICFLLLPPVALIAAVSGSSVNL RASHRIQSRDVAQDNTGGREL RGD LNTGEATEERAKFDFVKKLVSKAKG DPLEFAKKQTRYVFNGRVFNDLYKKFPDPDALYTTLLKLSKYENRWDFGQATPSFKIY G KFRNAYVEKFPD WTSKLNWL*
>scaffold_24_R1 723	MASGIFKVIALLVIFAVATTVNAEPVRRHLRVEPDHEPVRTRKLSRKVPASMLKNFVGIVRTNLENQPTINKAQE MYAKLSHAGHVKPPAFHVPKAKAGEDVLKHNYRFLDFA*
>scaffold_21_F1 267	MMVVAVRALLVADLLFLCLHENL GADDWVRNDRCHCLSNSSQDEGLQCRQRTHALGIASRHLRVLQLEL QFVEDSVDRRVTHQYE*
>scaffold_11_F6 83	MIATATEVLLLISGLTHRGVASAVGTDNAEVIDTLADLVTPCKSQSDFVRVGVGGLAAFSPTPITKGSSTAP TRSLRSTGLHKPKPTRASNAPTKAGPKPRQKTAHRDSDAETSNTKSMLTSSRLGGDLRAFRDVTGTRRA DVDGVLD RCEASFAKAKRTRALGASDELKQKISSIQAASSGGFSGSIMKVMFLFREEN*
>scaffold_475_R 2	MRLSFVLLVATISSLVATSHALPHEQSTVLNVAATNP DQSVTEGQ TSEKRFLRSASLGSQLLRSETFKKSKFK DLLDENVSSFTFFVDMLKGK KKYRGIYNEYAAYRKAHNAYP*
>scaffold_50_F3 14	MRFFLSLAVMILALVADGDAKGSQVLVSNFPNFQYQYQASTGVVSTTRLLRARSDEERGGGISVPATDKLSKLL KLPKVTDEQLQQWLSKGAESA VYRMDLGNTRITKLFENTQFLRWLQYADDLSDSGKGISAISILSTQYGD DTLYKMIDS AKKTTNTEALGLRLQSEQLKHVVKIGKDPDEVFKLYDLNYAGRRILSTS QFSAWTKYVDDLNA KNEGAFVLIVPTLRKYFSDEL FHIALAAKRSGETEAMGAKLEDAFVQFWTRRKDTPDNVLVELGLKKSMETL LESPLLNLTKYTEVYNVNYAAKTTVIETLRTFGDDKVARMMLLAGRTESTTKKIAKQFQTDQLEMWLVSSGQ SVDDVYKLLNLPSSRDLSDFGNQKLFNTWVTYINTVSLKNPEKTSAMLSTLASSFRDKPMMQILEAANKFPS MEKAATKLQLEKAQNI FSTGISPYEAFMLVALDSVGESVLSPLFKKWMLYVDFNKKNP GKEESWYMALR GSYQGGVKNIIDKAMKDPSTMKI ASLAQKEQLNEALTRWKYSPEKLFRLN VGEAGEK VFSAPK FELWVKYL DDWNNAYPSKKT MIDGLVDNYHISALVPM LAAAEKVPSTKKLASQLQDALVEKWVAEKTMAYL KPRLK GVPSSDDMLERYTKKLSA*
>scaffold_111_R 154	MKVFSILASA AVLIVMTALVDAQRLRSEASTVIDSVSTADFSTLSPGSGFTTGNVEAHNNFGALDKEGSTGG PCRAELDAVS VGRALYRIADLDIDTTASNL*
>scaffold_79_R5 54	MSRFETLSLLVLWRSMCLVAIPTAAFPPPLWRSLSRWTASASGYK PINAAWRTFAFFFTTRAPPSTRSWLNISV QALISFTHRSLKMQLS SFR TISRCLPASSMQRRLWLSRENLSLPHVPASTLHPPFFDRPRSSAVRLVLRPSTTS CCITLPHQQRLRASIL*
>scaffold_22_F1 370	MTPLHLVLLFLDLGQIHDPELLVADGAVKDLLQLPIDRSKSACRSFPVAASRALRMLLEHSVLLVQSSSLPSPLS PLLDSAHRPIRQLSGRTRHARLHRQAASIQRHRYRQHPPFRSY SFLTAVYLLHPFPRLPVPQVFHQSSQRTS RSSPQRCSLPPSRPPARTNLATSAC*
>scaffold_48_R1 250	MVKQPFLILVCLDLGFCRVIPVWSADAPAVTNGSVARS LRAAHLELPHWLLSEPRTLAHCAFCALQSTPAVL AKLERSQ TWNRWPF SRK*
>scaffold_12_R1 094	MRLSYFVLVAAVCIFACCEQVA AVKDSQGIAATHDLSLRKIDNRFLRGREDVMGDES DDEK DSEAENEERAL PKLDVA AEKLMTKAAAKLTRSKLSS LAKLDDEAFHRAVVTNNFFTLERIEKMGYNPD KMFLKMKEMGKNA PLTDPQKVLEYYSMFWKIKYPSWVSEVPHMF*
>scaffold_16_R9 43	MRLSLVLA AVLFASGTAVSSADPASVA AVHSSRVLSDEDKRFLRRHPTEHDNEERAFGQNMF AALKLSKM KTDAEYRVKVFHRWKKHGYTADDVAKHVPAKLADQYSHHVNTFTTSGWVMNPLRIFSP*
>scaffold_1_R45 69	MRFPIIALAALVAFLSTLDASSLLVQAASDKLNSGRSLRIAAGTGLEQDEERGLITKIRTTFSKARVDEWAKA EKSDDFVRKALKLE NVADDHLWAMKNYPYLRFLFEKTEAKKINDWLIGDVPTYGAWVKLG LSIDIEKVKT TAAFKTYEKFVKEYDDQAIALWKDYKIPIVAKATSPT EMNARM DILAAAKRGDDYAKKVLGLD NVTGSALIS HVNYQYFEHYRRTVKRLQDPK KKLNR LPTITER*
>scaffold_24_R7 35	MRLQAVVLLVLSAALAVADISAATSGTGHHVNQNDV SANRLLRSEADVSDGEERAATWLQSLKNLVKPN TAPKTMTKL ERENPDVAKLVGKSLDGAFRSLKNLIKVSDDLFTSKNFETFNGFMIYRNSQSRNKPSTIAKFFT KKLGDEQASKLFSQA AAKSSNTKVKKMGESYQTQLLRQWGKEGKTLKQVTKIDASLQTRYQTVLDDLARA AAK KKA EQAAA KAKAAAANTAT*
>scaffold_1_R25 2	MKTTGSIMLTAALLSDSVCTAYYLRGTGIDEDHALDKARVATVQVRYLRKSVEPSFLDSSSTINTSEHHVDNT KAINSSSPVSATKLPDVTLSLDLDETERTSTVSPTNVEIGISSGNMVEFMVHPSERSSSVSDIERRVPMAGPN



	RARPTERNFWLGSHPYRYHMKPQHFFMNRQMDRFPVNLPLILPRARQRQHRYFVGV*
>scaffold_29_F1 478	MRCILYIALALAAAFARSDAVEAFTNADLSSKISHDFAANELVNESSQKRFLRVDPKSVSDTEERMKISSLKKIIKE LDVKDAKAKKLAIAIKDLAKARKDAQKLATNVVKSQAQRTRTKFSSLEYDNFMRMFKSNLAPEKAKSTGKIKT PEQFTRYEDFYETAKAADILTRMAHA*
>scaffold_93_F1 27	MRLHCIVVLAVIAFATNGNEVSAGKSRVAITTTGALDTPTRLLRQTDEERAFGLNLLPGSKISSFMTDKK LSKYLKSNEQFDDVFIKLKDAGDKLFENPKFLAWAQYVDDFNQKHQTQNSMLPTLVRQFGDDLSIMLE KAKQADKTYGVALRLQGEQMKLWRREGLTTDMLFKIYKLLDDGATNLLNPGIKIWMRYADELFPDSTLLF KKLQKTYSDAALSILINGKTVASSEYGEVGDGFAASSLAEGPCASGESFPVAVTQQGGRCVW*
>scaffold_13_F2 760	MLVERDLLATEASQTDLLLLLLLLLGEPRRVCNFWCSTFLLRCRLLRRCTCITSTRLLLFLTSLRWFLRLLW SL*
>scaffold_8_F32 13	MCLQSIFCGAAVLCGEWLVIKRAFAVKCRLRSHSLPPAHAALSRGVLPRHLKCLLRYSSVSTKWHLYVQRR RWRNLRHQSRILFLVRLPLCQDKSPRDNHQFLVQVWDSIPLRWFGSRSQTTPL*
>scaffold_18_R4 28	MIHICTFILLLSGERDFGVNLNKPFFNHLPLDLPFSGNHADLLIVCLHKIIVSGYEKLSVYNCFLTIICNISPYC KKNLMVSAVRLRLFLKFAQTRYLFDNEANHHLVFFLETFDNIQYQYEGNQVYAMIQNKNVFYQLNDL QLPPIRASTEGKKEATEKTEEEKATDGEFVPTVEWLSAWKKKLPSTSLRLLQYLIPQLEDACKKAGGSLDEDA MLYFLRTTMMVGLLPVPHPIVIRKYQINQFTHLWFTTFTWGVIFLRNQVLPFDGGAITLFTISVL*
>scaffold_8_R13 70	MRLSFVLLAVAVSSLVATGHALPHEQPTVSKVTAANLDQSVTEGQTSEKRFLRSAAGIGRQMLRSESFKKT KFGEWLKDNLSSFTIFVDKLGGEKEYRRLYNEAALRKASGQYP*
>scaffold_2_F23 3	MMGSVSFAFVWLKSLNLPPTTCTCSCPCDVQTCYRRELLLLLPVRACLRRLRLLRLLVPRRLEWDLRFLR ADLDLDS*
>scaffold_4_R23 6	MRLTFLPVPTMAAIYCATCNATAVSDQGKTPTVHSLDARLNDDTDGDRRSLRAFKEKEEFDTEERGFLKAAV KKVQGGNYERP*
>scaffold_29_R9 03	MRLASILLVSALLCGSVFSTEGKQAHTVKNTDGRLLRSDDYDEERGFNWPWLKIKQLDETTAIKQLATDF ADLKSINREALDVFHLMREGGMSPKKATYISNLFKAYMENPRLYH*
>scaffold_50_R4 62	MRFSYFLLLSAAILSNSNATATVSGEGHVMSTADAPARALETNNGKRSRYAAEDEDKDYDQKNGKYDDD EEEERNFTAQAQLAKWTEKAESWVSKNRTPAYIKDKLTGMNGLMTAENRKKYELFTAAYGRANPHALDRL*
>scaffold_25_F4 87	MRPILLHAEFWTLWLVLAWKACCLREPSGLAFTTTYWSMTKTSYRLTWITSFASTRLSLLRMTTTRRRLRLL HLLQQTPRMYPYLYKRMVRKRALYRWLQLTGCASTDASARFS*
>scaffold_7_F31 0	MRSLLALAHHLILCLLPHPAYFHTLMSASRPLDTSMGLGFWLLPSSTSVRSKIQSVWAGDGGTRPLRSILIADS TPPPPEAATLPGDE*
>scaffold_50_R8 12	MRLTYILAVAVVATLHSSATAFSSVKDSNAADSALAEGGRMLRGEYGNDAIADDDAGKKKVSYGDDALDY DDLDDDDLDYFEEERTLGDVLKLNLPVRAVKSAEKTEHAAKVKEALKDAADYQAMIARAKEMVNKD*
>scaffold_30_R3 24	MGVWVLLLLDVALVAATSSVRTALFSLPVELCSFVFLTDAGRGLRPEASLVLAGDAVRGPWSKFCDFGAK LDSTVRGGNGPL*
>scaffold_111_F 98	MKVFSILASAAVLIVMTVLVDAQRRLRSEASTATDSTVSTADFWTLSSGSGFTPGNVEAQSNFGALDKEGST GGNRPSGVSQGGAGRGFGSGHNGMQNVGSGEGLAHGSGSFGGHGGFGRHGGHGRGEGSFGGDF GSFGGHDIGGGNFGSGNGEMPSIGSVAVPTTSGSGAPVAATTTSTSSVAASSA*
>scaffold_25_R8 04	MRLTQVLVIAVASLLFARDTVIATSNQAKISKMEQSTPSQRLLRSNKYPIEEEEDEFEDTMDFEEDYTTTDE DLEERSPLSAAVAKLDDIASGWGTSWARVAMGQSSISEDKIKALLALRDAYISGSKKAKQAARMAVLRANN S*
>scaffold_81_F2 85	MRLNCIVLIAAVASLSTAAATSATTDIKPVRPAINLQPPPLVVGRLLRTVQDEERGFTLPGAGKLADLFESTALK LTQSARINTWLAKGTSTDDAFIKLELNTAGSRIFENPKLLTWAVVYTKVEKNPEEIIARLSKQFTEGSLAKMI ASAKLDSKTEGLATILQAQRQVWVDAGKSSDEVFKLLQLDEAGTKLFKNQQFSTWTSFVDAFNRYKPEEA VSIFSKLAKTYDDFTLWKMLEAAKVPKTEIIASKLQAQQIDAWLDAGKSTDEVFNLLKLQRTGDKLFKNSQF LTWVSVEKFNKDPDQAIAIFSCLAGIYDQVTLSSMLEAAKHVPSTKRIASYLQGGQNNQHWLADGKSTDDI FKLLKLNTPSLENLIGPRLDAWTSFMRAFNMANEGKETTIALTLTHYKDRGLAQLLQEGTKFASTKIAEELQ TAQFARWLQLGKTEEDIFALLKLLTPTTDPPEAIVFYRYKLFMDAHM*
>scaffold_50_R1 069	MIVSFKTLFVSAVAVALAVSVEGYSGAVESTYETKRMLRLEAQDVAEEEMADDSECGSLEMAEDDSECGSL EMAEDDSECGSLEMAEESGTGDKGGDNGGNTWTQAPSTGDKGGDNGGNTWTQPPSTGDNGR*
>scaffold_29_F7 68	MRLVSLFLVIIATLVATGNTLAVEHTEGKITSSDTLLQPTATFNPDVQTRRLRTPESPKDGEERRLVNLDIAIK DAVHEVRKLTWKWLQFAVWKEIGKPKQKLIQEWGMKYHM*
>scaffold_10_R1	MRLSVILLVAAFVVALSPTAAASEANTVVAAPKLHESTATARFLRVRPEDDYPVKDERDGEDSDDDKGNDE

133	ERMFSFLEKKTALSFAFKKLVSSEGDLLVMVAVSSLSKAEFVALFNQGGQSAMAKLVPGRPGMSLDDFVTVVKS AGLRRDMEDALMVGYGKYLAHLMD*
>scaffold_50_R9 34	MHLLYLAVGVAISFAAGATDARVLASDDSNQYRAHAANANIVSTTRLLRARSVIDEERAGGISASASDKLAKL FKSSKVTDEQLQQWLSKGGAAESVFNRMDLGNTRITKLFENTQFLRWLQYADDLSASGKGTSAISILSTQYG DDTLKYMIESAKKTTNTKALGTRLQTEQLKHVVITIGKDPDEVFKLYGLNHVGSILSESQFSAWTKYVDDLN AKNEGAFVSIPTLRKHFSDDDLFHIALAAKRVDKTKMGTKLEDAFVQFWIHRKETPDNVLVGLGKSAETL LENPLLKILTKYTDAYNVKYAAKTTVIETLRTFGDDKVARMLQAGRTDSTKCKIAKQFQADQLEMWLNLSG QSVDDVYKLLKPSRRDLLVDFGNQKLFDTWLTFMNAISIKHPEKTSIFTTLAPTFRDKPMMQILEAANKFP SMEKAATKLQLEKAQSIFSTGISPYEAFKLAALDDVGDVLSPLFKKWMLYVEDFNKKNPANKESWFLPLRG NYQGDRLDEIHKAMKDPSTVKLAKSVERERMKEWLEKWEYSPSTAFRKLHLKTAGEKVFSPNPNFELWVKYL DDWNKAYPSNKMIDGFRDNYNDLNLVRLFTKAEKTPSSKKLASQLKDALADKWVAEKKTLDYVKSWSY HVPSSDDMLDRFTKLNNA*
>scaffold_2_F36 47	MRLFWTLLVGLATSGVQPIAALSKVADTSETSTLDHGQSTIIEGTARHLRLAPHEDTSITDVLVERGLKVHDE ERGNFAAAAGWTANKAFNGLGKIVGHDNSNKLKTKVAEFFSILRKKGKTAGDIFAHARKQTDPSQRAKFET VATMYQQYLTKVL*
>scaffold_644_F 7	MAGRLCVVMAITITLVAATVTTSPQSLLTERQESDTSGRFLRVSTLKEENDEERAVAPVEAVTSLIKNKNVA NAAVEAVEKKYPLVIPGVTDLIIKARMQRWFWKRTLPTKVFKKLGRLGHSEDRLKNHPFRKFAEYLEKWKD AQAHNLVDWGKLGKATAALPETITTTGNTVLKT*
>scaffold_104_R 67	MRPNLVVLAAVATLVSRCTVVSATSTNQNINSLNDQALDIVENHAGNGNRFLRSANIVDDSDDDIDSEDEE RGGKTWAQKFAKWNQRGESANDVYMRFGLEPLVRKAYKYGGIQGLQKNEYRKAWAAYSAYLKDGLN*
>scaffold_36_R1 210	MRFFMVAAVAFAFASSETASAEAPNAFLIDDNTNAVFSRYLRSTQTDSEERIAQVLKSEDRTVANVMIK YQSLYRAKITPKQAKLMLGVSDNMVFEFTKMPRIQRFYTGYSYFTTMEKRKKWKKELKNQVMV*
>scaffold_379_F 2	MNIAVLLCFFAFPSGLFFSFRRLRAASLAPFLS DIRWHVLGGPSLQHFTPKQQQLHALPLQAAAYLTSSAAFC QLHRRALISLRL*
>scaffold_20_R1 237	MLGFLLLVMTVVGSTTEILGGWSSAAITPDTRAVLVQALSTTNVCVDSIISVRSQVVAGTNYEFRINGCRGLR GGNCVRASCVPARTFVVNVFDQPWTRTRTRVMSVSEI*
>scaffold_24_F4 23	MRLSFLLLAATFALLSSGTVASPTTNDPEISSPNTVLSSETTEGRHLREHKNSIDDTEERGFNPAKFDRMLNERS YRQTRFGNWVDKPYTDMDVYKLLRVESNPNYRRIFHYQNYLQEFAPHLITP*
>scaffold_2_R38 00	MKFVSTLVFMTVALQSSCSTAQIDFVRSYDHHAI DFSTSSKPTQPSVADVNTVEANQPLRSGNRRRLDGSAA GIVIVGRNGGGFEPLRNGETPD*
>scaffold_11_F1 235	MKAKLLLVLSFLLAVTSVAERHLRVADDANPLKPYEALNAVIEKFKNAKAGKPERRRLTGEKAFDKFVKAIA VLKEKDHARRVEEAN*
>scaffold_55_R4	MRLFIKTLVALAAVLLATSTEA AKAVQTGGNEDVVQSSHLSRESKRVLRSEYDEEKLEDDDEEELLEENDEEERK NGANLFTDAKMKMLASDWYRYQVARRWKERKYTWQNLPPNVDPNLVAFYKGRFRERHG*
>scaffold_55_R6 23	MFFLVKQLSAVNHMYRFLSASFLGLFKGTATKMESSSTKDRILRLIPILEHKVLMFVGRALFKEHRPFGMH LVHGMHPECDFDKNEYEFFCGEVVELERGS GGHSTLPEWASPERKEAFTQFVETLPRLTQLCKFESHDMWIR WSKSMECEQNFHPKMDKSGSAGGLSPFQKLLVVQALRPDRLQSAIIQFICGVMQLKSLTPPSLDFKVGITEE ATNTTPVLLTTAGADPSKELEEVATSVVGKGHYFEVAMGGGQQEKALNLLKSTAEHGEWLCLQNLHLVVA WLPVLEKEFSALNASHKFRLLWLTTEPHDAFPLVLEQLKITFESPPGMKKNLQRTYAAWNPAFIAKGN SAR AQLLFLAFFHALLQERRTYIPQGWTKFYEFSGDFRAGSNVMEACQTS GAAIDWQTLHGLMENAIYGGRI DNPYDLRVLRCNLTEYFSQDLLSGHKSLTRGVKLPQSTQHADFLDIIDRFDPIDAPAMFGLPDNIERSMQRSL SGQVIAQLKALSSNEAEATTFDREKWRAQLGPLLETWSKLTGTFQLEGTSLSSSTGKNLQAMTPADAFVALE NEYALDLVQQVNSILQALKKVIYGTGLLTPAIQTVAKALLKGVPTWAA*
>scaffold_325_F 4	MLSVLSLALMLAVVTGAFETS RDVKNVGVTPDSRRLLGFTADQEERKFGGPATGTDHSNSHAWENFKAWF VRTFFWRKREQTRRLRNYSSM*
>scaffold_50_F4 3	MGLFYLVCAILAFVARDATGDRVIVSDGFNQHRENAARASVVSTTRLLRTRKSVIDEERVGGIPVSATDKVAK FLKSSKVTDKLQEWLRKGTAEVSYRNMNLKTSQLFENPQFLRWLQYADDLSASGKGTSAISILSNKYGDEK LYQMIRWAKEKLNQDGLMRLQTEQLEHVVVKVGDPEVFKLYLNHAGGGILSSSQFNWAKYVDDLS AKNEGATVSIPTLRKYSDNLIKIALAAKEVDETETMGMKLEDA LMQFWIHRKESP DNVLVDLGLKSTGT LLESPLTILT KYEAYNAKYP SMKTTMIETLRTFGDDKVAKVLLAGRTESTTKKIAKQFQADQLDMWLNLSG QSVDDVYKLLNLPSSRRDLLGDFGGEKLFDTWLTFMNAVSIKTP EKTSTIFSKLATS FEDRPMQILEAANKFP SMEKAATKLQLEKAQSIFSTGVSPYAFR MVALDNVGDVLSPLFKKWMLYVEDFNKKNPGKEDSWFLSL

	RVNYQGNRLDRVIDKAMKDPSTMKLAKFVEKENMKEWLVRWEHPPSVAFRELHLNKAGEKVFSA PKFEL WVKYLDLDDWNQAYPSKKT MIDGFVDNYHTLDLIPILAAAEKVPSTKKLASQLKDALVDKWWAEKKT LAYVKS WLVNGVPSSDDMLKRFATKLSA*
>scaffold_11_R1 430	MRSYHFLLLATAALLSSCNATAAVLCEGQVMTSADAAVPRALGTSNSKRSLRYDYDEEEDETDKHHQKND KYDEDEEEERTWSAAQIDKWTAKADEWVDLGKTPAYIKAKLTAFNGVMSDKNRKYELFLAKWGRANPDEF GRR*
>scaffold_22_F2 08	MALCSCICTGIACFPVSSHFAVYFHLSPHSLLSLRRCHTDTAERLLRRVLLIARRTQEQRRAEWLQVATQR AERSGSRTIQHGHTGAGWTCLLLHRWVVISLFPRLHSHSTGHQLVSL*
>scaffold_29_F1 480	MRSVYVVILAVLALLCNDALAATSKTDLAEELTKNERNRSLRGEVIADEDSYAIDEERVQTSGISKVAKELK KANLKKVSAALEKAKSNPSKLAVNAKMKKAIKAEKILAKLSSMENDNFLRFLKANFTPQRAKSTGKIKNPEQF AKYEEFYKLAKLIGLK*
>scaffold_3_R39 1	MLPTELVLFAFVGLRQAGYAPPPATTSEWPLLFSPGLGNVWHTFAFLRINRFLRIVHLRPLSDQLQRFLLYD RRLKRLTPGICYLVRALDFLLGTHWLSCLFYGVSYLAYDDGEMSWLTPDMLAFGDGVRDLADIRKVP LLQS YLRTYHFSIGAITVCYGDIIIPMNAQETEVMAVIFISVALFMSLGGFYKYFDMELGRRAEYEERVAQVGHFL KFHRFSDTWRQMQVYFALSWSRESRGRERELLSGLPPSVRQDLAQHVHASLLKNVALFTRCDPTFARAIIA ALQHEFFVRNDVIIQRGDMERSLYIVESGIVLISAVRKRQVHAQAGGAEQASNDPVGADDNRSPGVSVN EWVRASVGSALRLRKAKEKQANTPRQRQKSLVALMSPTGTITDINNQTREEKIYKGFDFYGERSLLLG TPRNATCMALCVTSFLVLSARFEAILDEFHERSNSVSAWVMTRTPSLPPDERPIDN*
>scaffold_7_R68 1	MKACVYLPSSLFLPCPSTSAEPTDPEDNSTPHLDALERLLDRERARQLVNRLLRRPDQEIDLHDSIRWH VRYGPERIPSPQPSPPTDFIETYGDEYAVSDDNSSDSGTESEQSC*
>scaffold_3_F35 36	MALVFFRILLVCLQIGLDEEAIEDHPTRKTRRQLQAGPHEASSEERVEETHEPPEMARHLRQFPTQHFDIV QSIFGRIGQQIRRAGIDS*
>scaffold_61_F2 09	MRLFLLLVAIATFLIASEAFSTTGDSNQIYNVDSVPGPRQRFLRAHAEVLDLEKEMKMMKMMKRVTKEDF AKTLKITDQIDDIINKHAPGMHEFMQTPKYQRYSNYMNFLNDMAKKPEYAAALVEEIKAKSRAQVALKTRFKP TTSQNRWQIIFASLKGKRIGK*
>scaffold_23_R4 90	MQRMMSTPFFLMITTIGDAQGEVEVVMIPADNSPLIKSDNFSRNCGATRRTRWATGVALPTSMSQTAPRA AGGRAFPPIRRCLRFQMICLNRSICSGVLPSASSIWISSILTSSVVALTSGSTAI*
>scaffold_25_R1 22	MYRILLTTFALLCGFSNAVNSDARLLRVDPTEEEKGGFTTYVKDSLTKWRINSKIKSWVKNKKTDEYVLKKG LSTLTGKDLVNAPKYSQFQDFKVGVMWLKEATPTTTVFNTLGLNKVEGAVENADDFGTYYVYVITLGEKADN YPLSQWPRLFGGGSLEQLLEKRLRLQKRNVL EINFMLG*
>scaffold_640_R 2	MRICLCYLLSLTAVVSGSSVNLRASQKIQSLNVVQARMSGRELREDLNTDEATEERVNFGFLKADRLKSAF QMDETHIRTKSMNHKRN*
>scaffold_38_F1 173	MRSYCVLLLVYAVMSTAGTESTAMDSTQSTQYDIVLHVRTLRTGEYTVSEERAAGASAVESLGKATTSVD DVETWLKRGDTANKVFKALKLQKAGDNLLDNPQLSTLMRYLRFNEANPTKKTSLIATVTKHYNHGLTKIIE AGLASTSKKTVATAKHLQTEQIHYWMAHGRSPESVFGVLIQYTKDALRRSVLLKDKLLPFTWISSDLFEKPG LKTWIRYLDEFNVRNPKQKTTLSILSKRYNDKTLANMLIAANKAESTSSIAKRIQSEQLTQWLSKGGKTS DLFTMFQQLQKAGATLFQNLFP AWIKYADDFRVIHRDTQLETMTTLMKHFDVLLAKMIMTAYDVPSTKSLAS R LHAELLRGWQWRQETPDDLYILLKLC*
>scaffold_25_F1 656	MRLSLLLVAALVANSDAAPQSTSSLTKFSTVDVAPVRSR LGASKTKTEVDEDDSFDP EEEERGISMYGKLDK VDDILKQLNLADDTVLKLIKAKGGVEQLITTDKGVKTLVITSKKTGKKVFTFNIDIENIRKIESTPAIKKQISQ WKKLQLSPLAVSRDLRKKGIPRTDNDVMWEAFRLYSATSGRKFNSLRPTGL*
>scaffold_77_R2 49	MWMTQYHLVVAPALSILTSARDEMGTQEQTAMLKEYLDMASYTVDDLKDKPSRCRRLDGKTVQDHLGP EAYQDVARALRVLQVWEKVYPKASIEDELAFDLRLPQLNSTKS*
>scaffold_1_R40 7	MRTATAFATVLALIVATNGAHVSPNTPALRGLRPTADTPSVEDDKEDRKDHHHVKKVKKIAIPVVPVEVPQ YIPVPSVPSTMVASSNNAVIGPSTNVAGPGAAAPGAPGAPGAVTPAPTTLNGRPAATPAATSTTRSRTPA PTNFAGARPSGAQLPAAPVQAGAPGMAGFPNSVGIGDNTNNNAFGAGIGAAGGFPMTGNGLAGGFGG NPM SFGGANGMGSGGMFGGAGPAMGRLNGNDFGGNFGQSMGFGMQGGNGLGGFGGQGMMA NFGQTGNNGFAGGQALTQGGFGGNSFGGGFSRQRRR*
>scaffold_43_F1 201	MRWLCIKQQVWLQSHCLMVVSPFLVCCPCLSDSNVFTSGWTMMLLGSQMWKSSLQNL EWLAAISSACL QMRPRLLRMQMMLFALVSTSLLS*
>scaffold_6_R23 12	MLLRIVIAVAFVTISLVATGSEASSITVVDVADRSTQVKRSLRLRNLESVDEDRGPIAGLEKVDILTKEKAS RKAGKVP SGLKNLLRNIDEFAEHSKLAKKLSGLKLYKDAGLEKMSLSTLRQLDDIEVKRVSDIKNGITGNKDT

	GGMRRKMDHVVDVAPAKYLTSIHGRGDQLYGADGSRLSSAVVSRPAEQGGGKVLIISSSKPEKGDWLLP KGGWDKGEDIAALREVMEEGVVRPVLFFLGLSYQYSN*
>scaffold_405_F 4	MRLAQILVIAAASLLFAGETVAVATSNQVKISKVAQSSPSQRLLRSNKYPITEEEDESEDPVDFEERGEDLEE RSPSSAIVSKLDDIASRWGTTYARVAMGQSTISQNKIDALLSLRDAYVSGSKAKAAKIAVLRAND*
>scaffold_9_F15 5	MPTLLVVIIVSTAMAILDMTRTLRIRISICWYTRSIEFLLSLPLRWCDSSRLINNSILIHVHRDRFIRCHHGRMV WVILFLFSYRTVVSHWRSSGRRVSRVVFIFTMRSIHR*
>scaffold_42_R1 91	MSKVLLLLVLSVFALVSCDALSAPVGSKLSLTKDELNAQPIDAKRMLRAQEPTNAADEERGMTELANKFK AWAAAIAIKTWTNSKLVQSMNNKLASLTQKGRVQIEKLLKQDNVNVNVLVYQNKVKPDELFLALKLDPKLL IADAPAAWANNPGLSMFYQYATYYAKMTTKA*
>scaffold_73_R2 70	MRLLYLAGVAILAFIAGDATGAKVLPDDSDHNRAQAASASVSTTRLLRTRSVIDEERAGGISASASDKLAKL FKSSKVTDEQLQQWLNKGKTAESVFYRMNLENTLYTRVFKSPQFPRWLQYADDLSASGKGSAPISVLSTKYG DEKLYQMIGWAKKESSTKALGTRLQTEQLEHWVKVKGDPPEEVFKLYDLNYAGWRFLSNSQFSAWTKYVDD LNAKNEGAFVSIPTLRKYFSDDDLKIALAAKRSGDTEAMGKLEDAFVQFVWHRKDTDPDNLVELGLKQST KTLLESPLLSLLTKYTEAYNVRFATKKTIVIELVRAFDETVARMMLLAGREKSTTKIAKQFQADQLEMWLN GQSVDDVYKLLNLPSSRDHLGDFGGEKLFDTWLTFMNAVSIKTEPKTSAIFTTLAPTFKNRPMMQILEAANK FSSMEKAATKLQLEKAQSIFSTGVSPYKAFKMAVDNVDGSDVSSPLFNKWMMLYVEEFNKNKNGKEESWFLP LRGNYQGHGLDRVIDKAMKDPSTVKLAKLVQENMKEWLVRWKYSPSMALRELHLNKAGEKVFSAKPFEL WVKYLLDDWNQAYPSKKTETMIDGFRGNHDLVPLMLAAAEKVPSTKLASELKALVDKWVAEKKTLAYV KSWLKGISSDDMLERFTAKLNSV*
>scaffold_300_F 13	MTGSTPDHWLCFVISSSLCATTGICALHCCVSHSLTFQLDFQRLRLQEQQSMGVTTAPLKSPMGSPAVPY EPVQTMWEARPRKYKSILFEV
>scaffold_39_R1 000	MMLVLLAICETIHVAAGTSLLFESDFAFGVDSTTSACAIIDRPFDPDKHLLYSNLTNLIALARCTVLERLEVS CKDMDQNRNKFSSRLRSYLLHVPVALYSTERTSYHQGRNHIHYHVGLI*
>scaffold_7_F14 94	MSSKAGLISCALWLLLLVSTLGVDAHKRLLRSEVSHDNLEDRVLDNWKLSLLVKVGSRTKADKLYAKHVVG KITGNFFDTNAFAAWFVAVQMAKAKTAKAKVDMVSSLTARYGDQALAKMLATTEDDKFIREMKAIQLDN WQKDKRTVGSVYKLLKLDKEQDELLQSPLIATWIAIYATKLDNEDPLGAVFSTLKTQYNGKDFATMLLNKDT DDSFVVAEKLETLLMKSQREDKSVVDVYKLLNLDNEGDLFFQHPLIDTLIRYATVVDKDSFSGVFSLLQAR YNEEKMTDMFMTMRDWWPRNILDQLEDLLKTWQRQEKTMDDVFLLKLEQQGDSLFSKLLSTWVSY VAKVETNPYNVVFSLKSTYGEETLSMIIQARDMPTADYVGTGRRIRESSVQGLGEGQVHCP*
>scaffold_17_F9 40	MQSVTSLACVNGAFLSSVAVIAGSDRSLRVLVDVGAGGGGRTMRVVRDAHSRAAHTVALPRPTCYTSHPSNF YDLLSSAPDSTTHLWDIRADNCVMRFCEHVNRVHTLGVAFSPCMRYVATGSEDRAAYIIDIRTGRRVLK GHTDVVTSVAFSPLHPQLATAACDGTFRFYSSTRSD*
>scaffold_21_F4 92	MSSRLNLLFTGSFLLMARKEIVRIFHFLLLVNCSAIHATVSSSSGKSITATRHRRQAKPSVSRARVDG*
>scaffold_2_R24 30	MGLPLMSSVFPFSLAAGLGGSHATTTWNLADVFVSRLTSELPISLYGVMAGDATHLHHVLAHIGFALFSGV DVPRVTRPSIRTWSQDLVGE LRLLRSHALPTEVLEQVTGSNERRSALGNELLRVVEPFVSELVDFLVRATSAS RAAAFGTNSATFLRTMTQIVRQLRVYARGESTESEDSDERLKRLLRGLLVWLGMMENMARFVIDSLVCW AEGDNSSIRGRTRQREENSTDSIPAQRRE*
>scaffold_30_R1 833	MSDSPAKISAVCTALLLLAPFQWQSTYIPLPSGLLDFLHSPVFPFLVGCHSLSETAEWSDVCFYDIDRDRIAVP AVTRHLGPSSIPNGVELCRLLRKARERFCSLRPTSKPWYELSEEQDTIITLTMQEAEIFLRDLGFDISSQDLAASI SGKSSVLLLLREHEVYSRIR*
>scaffold_40_F1 027	MVVKKVGRHLHLSFLELGDICFADFHCRLTSTRVHSIASSASLRPSRWLQSSRSSTLWTCSRLTRSSGSTRTR TCMTNCNRCWRTIRRRSRTL CVRRSRYHCRRLRDSAVTLV*
>scaffold_5_F25 81	MRFHVLVIAAFVLSIDTFSTVSATNTVPSRGLRRIIDEERAGGAI SVTSEKATLKFSSKATDKQLQKWLQK RKPAEDVFYRMNLAKTGTGIFDNPLFIKVVQYADDLSATTSGKGSIASTLTAQYGDSDLKMLNVAKQDSK SKELASRLQSDQLEHWVTIGKDPSEVFKLYDLNHVGGSLRNPNQYNSWTKYVDDLNAKHGGEVSMIPTLRK YNYDEDLFAIVGAASVDALKSAGVKLENAFVQYVINDKQTPVKVLAELQLGATPKTLESPLFSLAKYTDVY NVKFPQSKTTMIETFTQAFGIEKVAKMVA AAKETEGKAKKIATELEAAQMOMWIRSSKSVDEVYNLLKLPK TLVIDLSSPLFSTWIAVMKILSIKNGDEMILQIKTLSMQFADRPMMLQLQAMEKFPNIGSTATSLQLRKAD DIFATGVTPFRAFKMALDVTGDSVLSPPVFTKWMSYVDDFNKRNPTKEESWVFSRSTYEGDFMDKLIETA RKSPKTVKIANTVESERMKDWLTRQKAPEHVHFHLKLNKGGEKAFSSPNFQLWAKYLLDFNLQYPGEKTTM IDSIRANYRDIELMPLNEAAKIPSTEKLANKLQNALRDKWVDEKVTVTQLKGLFGHMPSSNDWIQKYAEKL

	NKLS*
>scaffold_39_F70	MRLHCFLLAVATTLAVLNNGITTEASSLRKVPASAPIDSINAVQPETRRRLRSAETVYRHEDSYKRRPFIEEKLHKALTNPKKTKRLYARWYKSGFTKKQVAKGLDQSENRELDVYENLAKGYAKYVDARRTQQQSV*
>scaffold_48_F1199	MDTSGACVLAVLLFVDPNTDTPQKIVLNVGDCRAIIREAPESSTGTLKKGKAASGMTFALSEDHCAANTKERMRALRSGAYIQNNRIAGVLEPFRTIGDIDVKGPDMDWVIPTPEIHQSELLVGRSILVIATDGVWTVLNNRRAMAHAVKELNGGRSSAESAAQAIKEAREFGSSDDITVVVVSV*
>scaffold_77_R178	MLLCVFTVIAAIAVSDTTATNAIDDDGVLQTTSTRYLLGFNQEERGRVGGPATDGGTDKVSDDWWPNFKAWFKRTFYFWKKKETRRRLRDQADY*
>scaffold_15_R3220	MNNLGRSSSVFFTAFFLFFESPCSAFSSINAASSASLPLAVTASCPNLENITRKLRFNAKMYSPLLERTPSTAAKITADLDWITLQQ*
>scaffold_18_F2149	MRPNLVVLAALVSRCTAVSAASSTNQINLSESNQALDTLQNHAGDGNRFLRSANIVDDRVDIDSDDAIDNDDEERGEKNWPKFAEWHADGKTAEDIYKYSALSHVMRYAYRTGSIQWLKKNYRKYWAAYSAYRKDRGFD*
>scaffold_9_R771	MRGSSQSSQLCMVLLIRILIVRQLRSLAHQEALLPRAHETSFLEHPARVRHRIVAPHSPQAVGYFGYEPLEWMTVLWEIRSV*
>scaffold_42_R407	MRIYFVLLAVTALIAAVSGSTANLRASQTIQSGDVVQDNTSGRELRGDLIADATEERMNFGFLKPDPLKSF AKQQMKYVYNERIFNDLLKFFEDPDALYTTLNLSKIKNRSNVNGVKTSRYNLYENFLISYLDKYPNWRSTLK*
>scaffold_5_F2028	MRLSYTLIIIAVAVSSGNAVATTNGRTTELSAMASPNAVASVDTAVGGEKSLRYHNNEGLEDESDEALLEE EERKYTNMFSTTKLDEMNGTKMMSRFRKWKARGYNTYNLPAVTQKDKYTWIRQKYRDFLYHN*
>scaffold_73_F95	MRCFYLAVILAFVCGDGTGTTVLASDFSNQHRDHVSSITISITRFLRTADASTGDEDRVGGVSISGTDKIAKLF KSSKVTDEQLQRWLSKGPVAFVYHGLGEDSLYEVI*
>scaffold_42_F41	MANKHDACQKSLFLFLFLSLQLPLSAQSPSCPTESPLPPSAPDWQAAPPFWPLFSIYDVVTSSSPPAHWTSRTLRSATQPQP*
>scaffold_5_R2132	MRLSYVIPAIAVTFASSGNALAAADGSNTGLSAITSPNVVASIDTAVGGEKSLRYHTNEDLEDDSDDEGLDDAEERRRGNMFMSTTKLDEMMDGTQLMSRFKWKQELKYNMYNLPDILASKYDELKMYRRFLYNN*
>scaffold_44_F578	MRFSYVLLAAAAALLATANAIEADPRTRSLRAHKSHEKSQDEERAFTYTFNFSLWDDLNSLPEQFQRMKEPWYLRIRFRSWSRGMGTSDEAVAYMRSQGLSQKIDQFEDAYIKYRAHKLAKGK*
>scaffold_6_R3203	MRLAIKTLVALAAAILATSTEAAKAVQTGGDVHVQSSHILPGENKRLLRSEHDEGKLEDEGEDDEEERKYG
>scaffold_11_F1232	MKMTALLTVLTVMLAFVSADNSPRQLRSTLTTSIQDTDGNRLLRSEGLISNLLGGLNSLLNNQQSTNPPTTSTDPTTSEQNPDEIDLLRSRRVS*
>scaffold_31_F1104	MRWYRVLLIAVVSFVISAQESESSHIRTRSLRGNVAVNYSFKDVEDGNADERAGEKEVIKLTSSKTMKLSRSVTKAANSFSEKIPALPIKAKLQVWSNTGKSVQFVRQELGLTDLAEAAKKTQSFYKYDDFVTSQLPIWAKKDLTPDEVIEQLGMKGLPAAWFKADPNFKYDNYLKVARYVYWSKNNVEVDVVKMLNLTLSGAARREAVNFQYYDDFLVSQLRVWVDKLDLPVGTVMAKLDDLKLTGKEILHPNYEYKYFVKNRKLKAWATEGSLDDVAVR LGMGDLHGQVQLKAHPNFKFLEKYQAKAFQYQEGWLKQGVTTFDMWNDLQVYRVPMSILRRSNTYNTYKNYVNVVDNYIIRMRKKGVPDLKPLGTLTKSDATPHELREKTLIWTSAKRPEWYVVKFALGLDGLGENALKEAANYQFYAYYLEAVKFA*
>scaffold_12_F482	MRAHFLLLAAAAIFLATSVDVANQAELSKVASPQSIETANIAPKRFLRTNKYELDEQEERIGALDDVIVKAGKTKMSNAELKKLVTPKVLENALSDRNMKLFKDLYAGKVSLLKRFKAVMKNNPNKEEVLKSYRWFERNYHISQAKARTAV*
>scaffold_30_R1705	MVSAALASSGSLSGSLVAEPLLLVVLVSRSDSVALDVVDLPDDLDPDPELLDVVPLVVALSSSPPLVTATMIPTAAPMTTRIPTTMRTLRAATVIF*
>scaffold_5_F1718	MQLLRNLVFLALFAGVVAAVQEEQPQKTHLRGLLDKIVSSDPTPAPVRVLVASWEDGKVGGEARKLRPIAEKIVGGETVVMFNDRRLLSTADDLESVNFVDRSNPNCVSVCGELTKWYLSGEQCFDLRIAPKSADQIENGLIRGVSAAYSGLRPVAKNLYLKFDETNFIDGSRCEYEILSGSKTVREEEIASGSQAAMA*
>scaffold_25_F1308	MRLSFLAAAMATVYCACNATVDSQNKVSMVQSRLNGQADGTRFLRTHHENEQESDREERDLTDVFEFKKAAVKKLAKEVMADNRRRAKDVFLWKEKGYTLDELNTFLKSAYQHVVYNQYMIFRQYV*
>scaffold_53_F91	MRFFLVAALAAFAFASSCEAAVAEAPNAVQIDDNINAGFSRSLRSTDSERAIQLLSEDRAVASVKVYQSLYKAKITPNQAKVILGISDDMVELTKTTRSLRFRYTYGYSYTLMEKRRKRKKELENQVKW*
>scaffold_11_R969	MILSTWLRLSAFLAAIACCTTQLGTPRPSMWINVTCSNTFGRSRSRKIMPDTRMYVRTGPSGCCDAGQH KWLIDRILRAHTRRPVSRSTKESIYSRKHSTRPSEFDDGGFHSQDQRMMAAPRNLVSDGSPVRTAVASAPSPAP

	SAHIRSGPDTRLLPLPACRTGRMSSTWPWTWSCCRRGAPH*
>scaffold_98_R3 65	MRLSFLVLAATFALLSCDTVASPMTKDECNPSPNQVLSSETEGRRLRVHKSSIDDVEERGFNPEKFNRLMNE QSYRRKRFPNWVSKKYTD RDVYNLLRVDSNPYKRIFNYQTYLENFAPRLISS*
>scaffold_66_F2 74	MRWTSILLVAAAALTGVLDASTNVTANSVGMESAFSPVIHDHRSRLRVDDDDTVDDDEDESVDVNEERT WFSNAKQALADKLALTAVASNFAGKSTDEMGEVLKLSRDQINTIFDKGEDSIRQILPGFKSGMDSKKFDDLI KALPQEQQGVLLSAYGKYLFNNGLL*
>scaffold_5_F17 02	MTLLAFFLEFGFCVLAMAAKPTFFSCCTVGPSALLLKPKRELVCSTRSNATSSSPSSSELLSSSESLPSSPSRRA LRFCSRSSRVISSRDVTNLRVAVPFSRFLRPLPPAAPGFPPGLPLSLIIVF*
>scaffold_10_F1 990	MRVSVILLVAAFAVALNPTAAASDANTVVAVPNVHESIATGRFLRARPVDDYPVKDERDEDDSDDEKDEE RMFSEFFQEKATALSFAFKLVSQSGDDLVEAVSGLSKGEFQALFNQGAHMAKMVPGFYPGMSLGEFGTVV RAAGLSDDMENALMVGYGKYLALHMD*
>scaffold_26_F3 52	MERVGGLSCIAVAGATVALVEALLSGLEQVRVGHHSREVVQARKAIAYVLGGARRVEAQHSSASVRSHGL RPRLKAEGLANCAARSLRLARSLLRGRNCEPRRERGAERHCKAAGWDQ*
>scaffold_96_F2 12	MRLSHFFVVVAAAFATGAIADSEPNHRNLRKHHDTLVDEERGIPKILDQNIPIERLNSLLKMDQRKKAELA KLIKLYESSPKFGRTKPSNS*
>scaffold_92_F1 4	MRFSQVLVAAVSLFASETA AVATSNQAKISKVQSQSSPQRLLRSNKYPIKEEEDSESDVDEERGFATPD EEEEERSPLSDATVGKLNKIAKGWGTTYGK VAMGQSHISEAKAKALLALRDAYISGDKSAKAAARMAILNA NHR*
>scaffold_853_R 1	MQRMMSTPFFLMITTIGE AQGEVEWVMIPADNSPLIKSDNFSRNCGATRTRRWATGVALPTSMSQTAPRA AGGRAFPFPIRCLRFQMICLNRSICSGVLPASSIWISSILTSSVVALTSGSMAI*
>scaffold_42_R6 7	MRFCFITLVATTILASSGNISAATVLRNRSVTTSIDAVQPIEAAQTNSNRSLRRRNNYKDEEVAAEERSGIESLA AQLNKKLLPTIRQVAHLDLGRAALTLQQMSLSFDERQAIQALLQLSKKDRKAVLMLIK*
>scaffold_7_R19 13	MRLLLWTLVILVILSSCDAASV NENKSLQRKLYTKVASHALAADDGFEHDKRALRGASNGVTEARAATVST KFGSRLMAFFRSIKDKYLAWELKILVPGFEKMAKKGTTYQVREDFRTRLNWSGLWGTPSGFKRYAKLYRT WLEKNHYSQLAV*
>scaffold_8_R16 99	MRVLGAIFSALFLAAGIDVGSLLPNSGVAFVNPVPHSLAVETVESKRLLRSYEADSEDEERAGGQLGLVDKFAA KVMQKLYKNPSDVFKRLKLDVNLENNKVFEGWL VYVNKFRQVKGVENFPDQALFNVIHQSQYYQRDLVP LFQSLTHVQGMKDLARTMQFKLEAATPATR TLMNKAWLEGFDTSDDVFHILKLDQGVDFHSDKLIQWLK FSDMYKKLPTSQSTSWLDELNLVLKTKKPNQQETKFGLLFQALKEEKG METIAGKMESQLFERWMKMDSM TPDKVGGMLGGSATTNWKRIFEKLEFTDDRYIFLKAYTEAYAANRGANVLKSVEKLAENKPVAAALERAIAK*
>scaffold_87_R4 30	MRLSQVLVIAAATFLFASDTVVIATSNQANISKIEQSIPSRLLRSNKYAVKEEEDSESDVDFEERGFATPDEE DLEERSPLSAAIVEKLD DIASRWGTTWGRVAMGHSSISDDKIKALIAMRDAFISGKSDRDVARAMILMANK S*
>scaffold_15_R1 164	MRLTSAFVAAASIFVCFQEASAVSDSKGPESRVQTANSNDRFLRIDQDEERAGPQPSKSLLEKFTSKVTATK LKRKAVADLTKLDDVVYLKATPGYNVPLFQRIEKMGFNP DGMLLKMRERKIDQTLKHYTNYWKGYPT WTSNPSV*
>scaffold_17_F1 758	MPVFDALLTLILRAIGCDRVCANQKRRMADIVKRMEDGAFRTGKAWRILRKLNKSEMKNDAERWSTFLEL SNVLDPRAFNSRRGRALMNEAEQVISVQQLA AVRGPIVDVKPEGENVADLWDIAEQIVEFIERKAAPVA EPQDTTNDPTFSFDVVLVTDLEDYLKVEARTAPSGVNGMSDRETHIIDEGIELSVTEQLSRMCSSLKEEYVIS SDILEKGFAELSAIERLDTVSIQVSFLLGMQMR LKSCIIDHCESAKSEFERRIKRVFNQLAGKGQDMDHAASLI VLSAFCPGQVIRECIRGARTGVLHHDLSLKV LQSSPLLEWREPSDGSGLTLELELQMTVLDISRNOSSFDRE SHNVVSFLLSLV GIDNSTSSIQSSSLMTVSKLITVCINPVWCCPDQSVEMQLNLLTLIQQLFHFFVATSADIDT DTLQISFNLAFRALSSANSNDTKV GALIREKVL LLLKSIMELMPDPVSTIRLEQFDSPLNAPLWTLISLFSDDL NEELCKGLEDVTA VEAYMQTSSVDEADPLPLP IVISAIQALLWGLLWDSILSENVSVESTKAETWRLLDIIASFE FCGSESPDETIKGSSLIESAVAEMMLECGNVLF RALLCNIIPFLLEYELTENFQEEKLIPQW AIDKVS ENPEIKE QIPCR LVSSHVIMRYVAKCWCLSGVANRQLNAQSDMLVLEAL THVVT AHDQAITASKESL SGLFCIQWLCF LVSAARELHDLTSTWSTVRTQLELSFLRLNQL EHLKAISEAEAKFSQVFVAAWLGYPDDQFVQVFKYISTK RSN*
>scaffold_22_R9 74	MILTTNLATWIFLTWAATSSMNL SKCQCTCCLNKCENPRPLRGHLLSSWVSGKQSGWPYQANLLHVHLLH PRQIRTVGSRK*
>scaffold_65_F3 81	MRIPCSLLVVIALLSTTTNAISTEADAGRRSLRSMKAKVQDNQVEEERGGTGTSSLKAFVHDFDFNLLDNIFL PADFKRMTKEPEFLRHMMASWQMGFMSVDDIVLYMTRLNMSEKAINQFKLAYTAYLEYLKAVAKAEKAA

	KLAKASLN*
>scaffold_25_F1 318	MRLSFLAAAMATVYCATCNATADSDQNKVSMVQSRLNGQADGTRFLRTHHENEQESDREERDLTDFVET KKA AVK KLAKEVMADNRRAKDVFLWKEKGYTLDELNTFLKSAKYQHVVYNQYMIFRGYV*
>scaffold_184_R 6	MRLSYFVLVAAACIFACGEEVAAVKDSQGI AVSHTDSL RGDNRFLRGRQDVADEESDDEKNTNVEYEERAL PKLDVAAEKLMTRAAAKLTKSKLSNLAKMDD EAYHRAVVTNNFFTLERIEKMGYNPDKMFLKMKEMGKN APLTPYQKVLL EYYSMFWKIKYPSWVSEVPRMF*
>scaffold_1_F40 0	MFVLFNLLSCTRLELSLFLPRPVAAAAIAAACADGG LGVTRHSPSCRLELSSVTASFVLLHQLRILRST*
>scaffold_6_R20 44	MRVLLVALAVFASSVNTGVAGIQTKRSLRQYDFKSLTVADSKEEERNFVDKVDIARVTD DFVTKVKIPTN MNAAVEKVTTMADDIAAVAKTVAKTYPEGLSKGTLAQIKEVEQLRLKDIATYTKKTGDGMRRKISPFPGMKI APKKYLESHVGRNMQLYGGDDGSRMLSSAVVSRSAKDG GVDLLISSNPQKNDWLLPKGGWDKGEDIQS AALREVVEEGVCFILYM*
>scaffold_60_R8 42	MFSLPTFVMFLVVPILVMKAEDWSTEGISHSLPNARSLRQERVVDNSDVDSKAQRISGHVATVLGHSAPMD EVGQVVGMLLGV*
>scaffold_8_F32 65	MPQTPRCLLLKVL FADVHCAALYDLLGHSNGSDLKYL MILGHPADLQLSGIQFVRLLRGQSPVALPVAHQL ST*
>scaffold_10_R1 425	MRLSVILLVVAFAVALNPTAAASDANTVVAAPNVHES IATGRFLRARPVDDYPVKDERDEDDSDDEKDEER MFSFFQEKATALS AFKLVQS GDDLVEAVSGLSKGEFQALFNQ GKAHMAKMVPGFYPGMSLGEFGTVVR AAGLSDDMENALMVGYGKYLAHLMD*
>scaffold_81_F2 33	MRFHALLVLLSTALLATD AFKLTADVTAPQSRLLRKSEPKTNEERVF EGLTSTKLQYNLLWSKLQLGDDLSAV LKSPDVAKIAKFNLRAPGSQVSMIQRITAKYGGD DVARTLVSIERDASDNPILLTMVWQLREDQIANWLKN SETVPGVVSKLKLGTDESIFRSRALDVLEDFIKKYN TARNGDESLLKLT TIYGESELVKMIAKTRVLGRPPYSN HPASIEKANNIESQLIQKWKSNLPDFRVMNKLNFDD DVSMALSAGKVGVLKYSDSKTSAFRRLSAKYGEA EVAIAFAKAEGFLPEATALYRMQMNGWLSKGD TAGRVSILKMKDTRDFVYKLDAL ETVYKFLKTKNPDDV TDVFKVLKKGFGAGENKLALAIVRPFEITGYHKS LFDWVARDLPLSVAVKVKMSEADVAAAKYSDEL KPIIKQYTKFFKETVDLPEMPAVRVGRS*
>scaffold_6_R31 91	MRLFIKNLVALAVLLATSTEATKIQTSGKVDVVQSS QILTGENKRLRSEHDEGELLGDDEEGLEDDEEER KYGANLFSAEKMKMLGDTDTEKKEEKSCQQ*
>scaffold_67_R4 06	MWLLVTVL VFGSIFTYADNSGSDSDNSIDDDY VESTYYYSSNAGLFGMLVAANTIMHLRCLRTAQLLVAE LVNAGVDRLQPPVVM LATTNPTS AV*
>scaffold_636_R 1	MQRRMSTPF FLMITTIGDAQGEVEWVMIPADNS PLIKSDSFSRNCGAARRTRWATGVALPTSMSQTAPRA AGGRAFPPIRCLRFQMICLNRSICSGVLP SASSIWMSSILTSSVVALTSGSMAI*
>scaffold_12_F1 261	MGVVDWILCF TVCEEVGAACPCLTPSIVGRVLLHGKTKKIVSKPPTSNSQTMFCSFILDIWTTYTTMSKPIQ SDSDLDALRKLTRQLRVAKLVTDRLKQTD RKNATQAVMRKWLP LSTTVLKMVTRVLPSPIAAQVKRAERL CTISSEQLEQSPQHAQVFRSLQSCQTS EDAPLVIYICKVISVEANVLS DYHQSGLAATDEVYVGVGRVYSGVLR EGQPVYVMDPKFQGVSGDMDVDTIDPSTVKHVARID SGLIKTYMMMGRDLHLKDRVPAGNIVIGVGLQE HVLKTATLSSTLACPSLTKMPYQAKPIVRVAVEPED PRNFGALEAGLQRLYRSDPTVEVHVQETGEHVIVALG ELHLERICDKLKERFAKAVAVQVSEPLVGFRESI VDGTISSFQENIVFKELLNP DVTKDDSEKEDINASA EVQDT KVALGTTDPDGLTLKLRALPLLETAKLLEESASLL KRIAVSKKANDDMKDKNTVVELEAAASEDVS VFKKKLEK SLQSSSESSFLKALPLDQIWS CGPRRVGNMLINSIPTYRATGCLFPSDSVAETHDSEKDEKIRKLENSIVTGFQ MASSAGPLCDEPVWGVAFIIEDVVFHDEKSEEDK SEEKAEMSKYGPLSGQVISIMRTTCLMSFVKQPVRLV EAVYECTVQCQAEQLGKLYSVISKRRGDIYSEELSDG TALFTVKAHLPVVE SFGFATDLLIQTSGAASN PQLIFS HWSIEMDPFFQPQTEEEREDYGERVYEHYVRRYIEAVRKRKGLSRDEKVVVHAEKQRTLKR*
>scaffold_81_F9 0	MRFPFLLLLLVTFLLVNGKADSQSTELRLLRDGNSPREEERALPPP KVS LFADWLKATGLKVS DKVRARYWL WRKQSAEDVFRLLKLDGGLEKLLGSRKFNTWTSFVNIYNKKNPNEKVTMDGILSKTYGDLELAKALEVAMGS MVKSERKMGTTLSLQREGWQAAGKTADDV FILLKLDKVGADLFTTPQLNSWYKYVSMQADSKSLMASV LRNHYSDETL SKIFREAKPEIKRMRIIRVQLET AVAKSKPKQLSPEEYFKMLKLDGVDKFLASNLD TWIKYV ARYNTKNPGQDVSTIKILT KFYGDEELAKVLEAGK MATTEKVATELQSAQFNQWLSLYSTDDVFRLLKLDN DLDSLITNPNLITWITL YLQG FNANNPGKGTMMIKTFTK FYGEIPLAKMLESSLVPKTEKVATQFQAQFKQW LRDGKKPAEIWKALKMEKATWMQNPD AQVWYKYKDWYKLNKPQ*
>scaffold_6_R31 37	MPLLILFIASILATTIYVNTKLLNILPGNSLGVSTY NHSHLDWKMDTAAFETS VGTSIHPTSSFYRRGKTFDRSA SRERAVMVCLHDAMLNMGSLLLRELRLCLGNHELIQVYHCGNELSDRSVELL FSLDNRVELVDVCSDSLSSRGII

	SKEMATKFRSWWIKPLAMYHTDVRHVMLLDVDDVILKDPVAVVRTLDGYKNTGTTFFYDRVISNKRFLTGN TGEMYVHKLRLTFNYTRFNVSSEGFNPSQHMLNTFAFNGKSIHEMDSSMVLIDKQRAGKVVMDILLWFITEE RFRFTYSWGDKETFWLAFEMARVPYFFSPWGVSVVDSMPNEDLNHPDTLCGSILQFMPVKGMNDTAEV LYMNGKALIDPYPQIGIFIRKAKQNNLNFNTIPTQMTTPQKRRQINTKAYPGKKFNTECLVGMGAVPLP PNTLRRRVHFLGLAMGVLGSLDHCETY*
>scaffold_2_R11 14	MPVCYFMFLCVSYFASSSCQIKQHVAFIGDLADAFVPEGGVVLVQRRRNLTLQGLVARQVHTHELEVPAH VARYLRHEEVSRLDADLDAREGAMYDVRREHETELHELREQTREPHEEQQLDVALWPLQ*
>scaffold_5_F94 7	MRTTFLWLLALVLCVCAAEPKTPEPTSSANARDNDPVVQEIRGLRNSGMKLNDAKDFKGAIEKLR AITLLHNRVFGEGRHAIIDPSEISQDAALYAQILNDYGSVLIRAKQYDEAIEVLEDSVTMVEKIYGD SHPSLGLSLRSLADAYMAKEEYKLAIKKYKTLRKHVKKGLEETHEAYIEASLRIAEGYKGLGNKKNL KVLRDVAVKAQGTINGLTGIAELYMELSTAHTAVGEIDDALRAETASAIFLQRDGEETLSYAFSLN ALAGVKMRQKKVDEAVKLEHAHKIAVKIYGENDPITQASAKTLKEVKEYRLDMHAQKDEL*
>scaffold_48_R1 407	MRALCFIFSVLLLLLEIDASSVFNSGAAVTHPHLELTQVTTPTLRLLRSHHEEENDERAGASVLDG VAKAMQLI NKNPEDVFKLKLANTNLQNNAVFEQWLQYVYKFRAAKGEDKFNHRLFNLLRKSQNH PDDLVLPLFQSLTHVQGMEDLARTMQLKLFESGYQSTRNLMNKAWLQGLDTPDDVFHILLEKNA LESQQRLPQWLKFAEMYKTQNKISSWENELSLLLKTPHEKETQFGLLFQSLKKTGEMETIAAKM EAQLFTRWIKTDTMTDPKVGCVLASPTNTNWKRIFEFLPVTEPRHVLESYTVAYAASRGGKVLK SVEKLFANNQPVAALERAIV*
>scaffold_59_F7 11	MRLTYIMIVATAAILACCDGASAVSDSKRLTVPLDRVQTGNANRFLRVHHEEEEEERTGPQFIK LSEKFAKAAETGNFAKTVEKLRKSLNGISKVDDVVVPGRAGKTLTEVLKIDDVAYLKAAGKW PKNLDDIQEAKLVREISTLDDQATLKLITKENAAEFKIEDMGFNPDMKLRMKQLSKNDKDYFDL VLLKHYYQYMAKHPTWASSL*
>scaffold_29_F1 645	MRVFSILLVAAATLVASASAESESKQRDLVSPAAPQWRTIAENEVPTKRNLRKKEIEEERAITA ISLFDVVKAKGLQALPYPELANLDSKLRQYLKLLVNNLDRKQIVEITGQVPHYLTHGDKKARRI VQYNKWWRKEPVPDPWVLKNYPAFFKGYEEFFNNRFRTRYKYA*
>scaffold_2_R17 01	MRFSHFVFIAAAILLSSENAIADTPVEGQALMTETDAETPVRALSSNNDKRFRLRSYKEEEAYL TEDKYDEEKKREES*
>scaffold_29_R9 98	MRLLYIAVVAILASTNVYPAAADA EVSSFTTERPHWDRSLTAATEGDNDGKRFRLRKRKTTT NETIRERSKQ GSENTVSYCTACLHYP*
>scaffold_9_F34 50	MRFSHVLLLATAALISSCNATAIVPGEGQVTTSDAVVPVRALETRNGKRSRYYDAEEEDETD KYDQKNGKYDDDEEERVMTAAQIAKW TAKAGEWVEQGKTPAYIKDKLTA FNQVM SDKNKEK YRFLATWGRAHPNELGRRYLRPEAESSRFRKLIVFISNHLLDVLFCVTR*
>scaffold_6_F30 32	MSAFLVAFRCCHVVFAFWELRSVEFALALGLNRARGSRWLRVLAHLLSLYEAVLDGPGSAST SVAFMPIV*
>scaffold_32_F2 41	MSRAGSPVALVPPKTVLIVVNLPLVFERSETSASGWSVSWATGATAMLYRTLVRDADQYSPLFIG CEPVFVAKSEEALEKQLRALRCVPVFLDPPVAHRYFQGFCKGVLWVPHNVVDVYNSAELQDCE ENEGKRAKQW FPGQKEDSSGVKSAWCDPVSWNPAAQDMCWSYCSVNRTVARRVSVYHDGDLV LHDFHFLMLPSYLLRRLRTALVTMYLHVFPSSIEFRCLAMRTEILRAMLCADHIGFLTFEHARH FLTCKRLLGLDYKTCPNGMLVIEYNGRKIHISCSHVDPVTHLHEMLDKNVAEVNGAALEFAAHV KNAIMAGRDSQRRRIVIGSVDRLEGLTAIPLKLRADFDRFLATHPEKCSSVVLVQIGISLDRP NDYHRTRDNVLFTEEINRRYAPPGVVVVYFEERKTTCAE RVILWRMCDIYLDTCVRGGLS LLPFEYMI AQHRNIQSKAKNSAGTGWSSPRGTIDVGGLDRSFGIMIVSEFSA YSRILSGS LAVNPWKTD DMV GALAKACGMSYIEKHNR FYMNYKFVVGSRSDSKPWGERLLTDVEAVTE KME DASTGEVVQVGFDFRVMRFESGFVCLDDELVKKCANTSRRFLIFDYGGTSSANILDEE GARFSHRPG CVEQSAENADSSDRSGDCTGRSAARYVDGKVRKPISETRASLRLCVDPCNIV FVTSNTQRGALEDQFDSI PNLNLIAENGLFIRMGGQTRWECVCEEDKRSFGWKDDVKRVM EAYAARTNGSFLVENAASLLYDYRNSDQ EYGEIQSLELCAQLRKIVEVCIKVILSSR*
>scaffold_399_R 2	MRLTCILLVAAASLVGVLDA SAATTGNTVVANAAMVISPLAPESQRRSLRLVYDDEDDSDA EKDDEEEDSA DKVDEERGWLSDKMALTSLSKVFVGKSTDEMGEVIKLT PAQIDTIFDKGED SIQKMLPGFYSGMDFQKFD DLIRALPQEQQAVMLSAYTKYLHQNGRFS*
>scaffold_7_F17 75	MRLVNVWSMLGLVLVLMVTEAFETTKGAKNGVTPDARRLLGFAADQEERRFGGPATGTDH SNSHAW ENFKAWFKETFFFWRKWEQKRRRLRS*
>scaffold_18_F2 220	MQRMMSTPFFLMITTIGDAQGEVWVMIPADNSPLIKSDNFSRNCRATRRTRWATGVALPT SMSQTAPRA AGGRAFPSPIRRCLRFQMICLNRSICSGVLPSASSIWCISILTSSVVALTSGS MAI*



>scaffold_50_F2 79	MRFLVFLALAIVALVADGEAKDSRLLRARSDEERGGGITVPVADKVAKLFQFSKLTDEQLQQWLSAGKTAES VFYRMGLDNTFVTKVFKSPQFIRWLQYADDLSASGKGTSAISILSTKYGDEQLYKMGWAKKESSTEALGLRL QSEQLDHWVVKVGDPEVFKLYDLNYAGSRILSTSQFSAWTKYVDDLNAKNEGAFVSIPTLRKHFSDDDEL HIVLAAKRSGETEAMGMKLEDAFVQFWIHRKETPGNVLVGLGLKSMETLLESPLLSILTKEYEVYVNVYAAK KTTVIETLRTFGDDKVARMLLAGRTESTTTKIAKQFQTDQLEMWLSGGQSVDDVYKLLKLPYRDLVADIGTN KFLGTWLTFMNAVSLKNPEKMSAIFTRLEPTFGNRPMMQILEAANKLPSMEKAATKLQLEKAQRIFSTGESP YQLFKLVALDDVGESVLSPLFKKWMLYVEDFNKNPSDEVSWFVALRAGYQDDKLGPIIDKAMKDPKTMK LAKLVEKERMKEWLEKWKRPPSMAFREHLNKAGEKVFSAKPFELWVKYLDLWVQAYPSKTTMIDAFVD NYHMSTLVPMLAAAEKVPITKKLASQLKDALVDKWIAEKESLAYVKS WLKVPSSDDMLERFTKKLNSA*
>scaffold_7_R19 03	MSVLCLALMLAMVTGAFETSRDVKNGVVTSSRRLLGFTADQEERRFGGPATGTDHNSHTWENFKAWF KKTFFFWRKREQTRRLRN*
>scaffold_24_F3 57	MRLSFLLLVAAVALLSSGTVVSAMTNDPEISTPNQVLSSETTEGRKLRMHNIASDDTEERGFNAQKFEQLMD DGTYSKRFRANWVTKRYTDTDIYNKLQISSNPYKRIKLNKYQTYIEHFAPGLISP*
>scaffold_17_F3 59	MAANSCVAVLVLCGLPGAGKTLVKQLVATACSISSRLHERISFDDLYEQHVTAEGKPGFEFPEKWKMCQ QDMLKRVSNRLKEQNDPVHRNECNQLVLLVDDNFQYRSLRKRFFHLTAKRRRPSGFTLCTTTGMPLMTRSE LWFWCALCGCSFRYLSGTECWSKQTRTSTQ*
>scaffold_8_R31 93	MRLSFLLPVAMAAIYCATCNATADSDQNKMSTVHSLDARLNDEAGGRRFLRVNQEEDVDAEERGFYFEKA AVKKMAKAIMADPSKADEVYNTWAEKGYTLSKMSEYLKAKKYDQVYNGYALHLDI*
>scaffold_83_F3 73	MHPPSLVLTVLSPAALKSSTLHVALELQDTPVSSHASEPFSFPRCRRPLRVASSTCAKAGADPLLAPNGH LK*
>scaffold_25_F1 083	MRLSFLLPVAMVAIYCATCNANVDSNQNKASMLQARLNDEAGGTRLLRVHSHESDTEERGFLEKAAVKKMA KAIMADPNKADEVYKWKWADKGYTLTQMSNFLKSKTAGKYDRVYNGYVIHLDY*
>scaffold_22_F1 823	MRLTFLFAAMLAASFSTSDAASVDQTTGVRSLRRYQAEDEERGVTSTVSTSIDDLNLIKQKSSLSKLISQK LDNMLTKNFIKLLRSNKSYTDEVFTKATLNKMLTSEKFAEKKFVEWYALGLTDKILQLRNLNGVGEHFGLTHSQ YVTFINRIHGVA*
>scaffold_157_F 14	MRVASIALLAVVTALASVTDSSAATTGTVLAKVVSNEAAPSVEHEHATRFLRKHKDHADTEREERNGISLLQ GLKSTFEKVADLPFDRAWHHLQMLNLSWDKREALLKHLRLSAKDREAVLKLT*
>scaffold_7_F23 10	MISRFTLITAGVMASSTLIHASPLQYDYPYTPVNISTPLTSSHPAYGAQTEGCIPIVPEDPNQAKAESMIIQAD IYRKLRSMEDTTNSDIQDLETYFGTKMEVNFQTLKQQYSSGHAPATPWASSYWPTFQDSINYVWKTGEP SA SEKYATAYGLNVTEFKDKISERSGVSRRRSTRCTADSDCKDGSVCGKRDGISSGYCIPGWFGICHAWAPAAI LEPEPQCDVTKNNVTFHVMEDIKGLVTSIYDGAIEIKTVFTGARFSGLDSPANKDQYGRFTDAARRDLGPGYFH IAITNVMKQNRSFVVDVTAGSEVWNQPVRSFNVQSMDLVDTRVASMQYFGVPSYPFNDKMLVRLAYVKT TFSWVSESYKDGPLVSSGRIDRYTESKDYELLELDADYNIIGGEVWVQSKDEHPDFWLPTAKPSASAVTST GLKYADVQELLNLSQSC*
>scaffold_39_R8 34	MPVLPRLSLAGSSSCGAQVLSLLALLDASSAQYASLPSFDELFPYLYLLLHALVKLEDTKVSEVNAVISKLH NRLETCWNARRPLRLQTFAPTILPTFAPQFDENYTVRKDKTAPKDTAQLKQLQRQVKRARKGAARELRRDA EFIHREKQKEEEARLSAKEEKQKEIRRWLEEQNATFNQQVRKGGHMLKGGGSARGPAPRARTPRK*
>scaffold_104_R 20	MRLTSILAAVVVTLHTSATAFPAVKDTAAIENGAVADIVDSSVTGGRMLRVNYNDDDDLDLDDKKKTRN SEDPLDNYDEEERVGIVEALKKLNVPVTAANKSAKKLQSTLRRSRK*
>scaffold_61_R5 21	MKVTKVVVALAALCVLWTSPTDSEDISNILEVSASRHLRQTSAEFAAKPQETGKKRDSTNPLQRRDQALVS AHRVYDPVSLGACSLVGEVACVQSERDESFCRETGYRQELDCPRPNDPKDEALLTKPEDERETRFKACSPA DSARPGVAVVKFELLMAAVLAASVLLRRERRNHMSSFDLRKDPRQRTGLLGGNSDKSSD*
>scaffold_90_R9 4	MANLYKLFVTLVLVSWGSKVSVCCLTSLRFLRTQNLKTRYLAKSTSCFQCXGSHHLPLRHYAVSVSQLASLN LRLACC*
>scaffold_25_R3 32	MYRVLLLVTFALLCGFSNAANSGRLLRVVDSAEERGGFTSYLMDSTFKWRINSKINSWVNKQKTDEYVLAK LGLSTLTGKELVKAAYPQFQDFKVGVLKEATPTTSVSTLGLDKVEGAVEKADDFGTYYKVMALGEKAD DYPITRWRELFGGGSPEQLKLRQLLFLAKRNAIDIRIMLG*
>scaffold_18_F2 130	MRPNLVVLAAVIALVSRCTAVSADSSTNLNQAALDTLQNHAGDGNRFLRSANIVDDRVDIDSDDAIDNDDE ERGEKLGRLNLPNGMRAERPQTSTKGSHSSLTYAKRTNMAKSDGSITTSTIASGPITWPS*
>scaffold_74_F6 12	MVFIAPKLTAEQALVIISCLLAARGNRKRLFRMTMHFLIASHASVFETHLLGSTQATASTTPLTTRRHGHASILR YLSYDC*
>scaffold_37_F1	MGLLQKVKTMMIPTVALSLTATRIGVPSVLAARAVPTQTHQPLLRRAKLIRELRQGINVSRLLVAKSPRIRL

084	QGHLRAVVRYRTRRMIL*
>scaffold_11_F1 319	MRIGYVTLTATTAILASFGNVSGDSDLTQVVKVASLDAVLPNTNRLRGRKNNEEMEERNGFEALAAKL DKSVLPAILKVANLDLGRAALTQLRIPFEQLAIQALLRLSKKDRKAVLLLIK*
>scaffold_11_R2 801	MKWCRASSASLALLACSLAGLQDQAADRWTVHTVQRTRSAEELVHEGTSRWPGDAGAVASVTCPSDLLL ALQCREADGQRELRRDDQDLRRLTRMCMCCADHRRIKSGGLFALYMKASVRLTANCDRYELDAPLVSTLTC RSVDKDIHLLPDKEPL*
>scaffold_11_F2 657	MQRMMSTPFFLMITTIGDAQGEVEVVMIPADNSPLIKSDNFSRNCGATRRTRWATGVALPTSMSQTAPRA AGGRAFPFPIRRCLRFQMICLNRSICSGVLPASSIWMSSILTSSVVALTSGSMAI*
>scaffold_50_R1 378	MGLFYLVCAILAFMAGDSTGDRVIVSDGFNQHRENAARASVSTTRLLRTKSVIDEERVGGIPVSATDKLAK FLKPSKVTDKQLQEWLRNGKTAESVFYRMNLNPNSTKYLFEDLQFTRWLKYADDLSASGKGASAVISLSAKY GDEILYLMIDRAMQEQSALGIRLQADQLAHWVKVRKDPDEVFKLYDLNYAGRGILSNSQFNAWTKYVDD LSAKNEGAFVSIIPTRKYYSDDNLIKIALAAKEVDETEAMGMKLEDAFVQFVIHRKETPDNLVLDLGLKSTK TLLKNPLLNLTKYTEAYNVNYPMSRMTTVIETLRTFSDEVMAKTFLAGRTEYTTKIAKQFQTDQLEMWLSGG QSVDDVYKLLSLPPRNSLDFGNQKLFDTWLTFMNAVSIKNPKDTSIAFTTLAPTFNDRPMMQILEAAKFP SMEKAATKLQLEKASIFSTGVSPYTAFRMVALDDVGESVSSPLFKKWMLRPDRYHLMAHSHLCCRPAAQ HFLKRPRRRDVCGGNSCVLPRYVVRGRGVAGVALLCRKPNEQLLLLLSTTDC*
>scaffold_17_F2 587	MIVYTGTLVTTLVAFVATVCLETEHTACVLSNDLGISSSTAQVLGLSLWSGVHLEQVEQSPFSRQLHGHVVA LDQLEDGRYKGHQVFARLLRGALSRLNHAQRATDHVLLVLRHTLHQYWD*
>scaffold_25_F1 282	MRLSFLPAAMAAYCATCNATSDQNKMSMVQSLDARLNGQADGTRFLRAHHESEESDREERGFTDLFK NEKAAVKKMAKAIMADPSKADEVYNTWAACKYTLTQLSNFLKSKTAGKYDRVYNGYALHLDY*
>scaffold_68_R3 1	MRLNLAVLAAVIALVSRCTAVSAASSTNQJNLSNLNQAINTMPNHAGDGNRLRTAKIVDDEDDIDSDDDI DRDEEERGGKTWAEKFAKWHARGESADDVYQRFALPEVVRQAYKYGQIGRLDDNEYRKYWAAYSA
>scaffold_11_F1 227	MKLSMLVLALVCISQLGGSSANEATDIMRRQLRVGKAVASLFENQHQSTRELEENIMQDEDNKPNEVQAEF TKFRMRRLRSYVELIE*
>scaffold_117_F 62	MLRSVGGAHFDVHIVSLLFLLHGFSTHTLELLVANVQSQGIETSECEVDDQNGNTEPNVARALIDREALEL SFALSISVSVTRELHQHIGT*
>scaffold_53_F9 79	MRLSVILLAVFALSSSVSATRNHPGETATANTAMQGVDMRTDTNQMRFLRTEADDDEERLAGKNMNFN AEKIEKALQDTSYAKTLFRRWKRYEVEHGAADFCLKIFNIGKDDKVFGLYKSYVSWLEKHHPLGAETGGGPNL FSKAKLDKAMKDPKYENTMFGRWKRQGFESDAAYNKLLAFNLASDADVYKIYKYVTWLNIIHPLAKTRKT TAKDFLFNVDRARAKKDSEFAETLFKWKTSGLDEKPVYKLWDMGLKTDELYKLYKNYVKWLDIHYPLP AKAT*
>scaffold_22_F2 097	MGGLRRPALLWIPHFLVADANCNAAVEIDFKSGRILRDIDYAVISDEFARVAISRSTFAVVSRRPKVFRNDEE GTGIVDRVRLMLHPTDLSSSRFGDVKLSFTLVRDVTNYCREAEVRLRQAREIDGQLPCLTMHSFQLNIRE NFSLNLHISEGHRVFRWPPPTAEVLLTHVEIPLDNLQESVTYPAFMEIPIHAVVGKTPAQKRTAVNSADTK TPNTEQFLQRDWAVVPILRDSKAELDVAPPSPSIERTSTYLVDLKTANEGDPTRMTVEQKEFTPYFYVV EMAFSPTFWCRYDQTWVFDKTKKVLDMYQVVHRGFDTKVMISTSAYAGCVRVARCSIDCLENVHLF FCHHPYISKAIICLVKISQPTLLKWMPPRAADCITYLKSFKLIIPS*
>scaffold_13_R9 5	MRLLFWTLVALVALSSCDAASVDENKALQRKLYTKVASQALAADNRHGKRALRGESSKIAPSSVTEARAAT VSTGFGSKIMAFRAIKEKYLKWEQKILAPSFKEKAEGTTYSEVLANYRTRLNWSGLWGTPSGFKRYARLYE TWLKNPNKYSHLAV*
>scaffold_73_R3 02	MSSRGHFFSTAFPILAACKFQVSSSPFPHVALPFGSFLMSIANTFHAPGSLQYLVASLVSAGVMSSGTATSG KSGSDASMRWLSNMMRMLRRLRASLTITSRTSR*
>scaffold_25_F1 407	MRLSFLSVAMAVIYCATCNATVDSQNKVSMVQSLDARLNGQADGTRLLRTHHENEQESDREERGLTDL FKTEKAAVKKMAKAIMADPSKADEVYMKWEAKKYTLTQMSNFLKSKTKGKYDQVYNGYVIHLDH*
>scaffold_60_F3 66	MLIHATTICHVVWLVLQLANGFATVFMEMKTLTITRLLRRATAKETRNTCTWIASSAGITIWMRTERTRRR CVPSPIQMAWTCASARRPT*
>scaffold_5_R26 54	MRPYFLLLAVLLAISNQLRPADQSIGPLKTRRSLRLAKKSDTSNEKEDERLGLSSLKTEIKKVPLKVKLAWWQ HFVGGPSEYVKKLGANHPLYLYRHTREGLEMWSWLAEAIRHTKSGKGLMAWSHCMNLDQIARQIKK PEGTEPFRVYKRYAKEFDGHRLLSSDITYFIDESASVAGRYARAHWAESKVDKEYVLEFLGLLYMKPIYVKHNPY YQYCSASSSVLVNAMVIKVFVEVHGRVEA*
>scaffold_13_F1 424	MLGLPLAILELLHCHVVLAHMSGLTSQNILVSNFTFCKKQKLHVCSRLRLPDTNSRGGRIIPRTARAQVCAG ADQEQQEADPEPTGADPSTYQQAETLGCGEGLTF*

>scaffold_7_F13 78	MSVLCALMLAMATGAFESTGDAKNGVVTSSRLLGFTADQEERKFGGPATGTDVNSHAWENFKAWF KKTFFFWRKREQTRRLRI*
>scaffold_24_R3 31	MVLFSCFLVYIILCCYAEKIRPLTLGQDRRLRCAVIAFPVHEKQRSEDTEVDITIPKVFLAKGSSVEMLWHFCAIS ADRRTLFLQRGSLRLRLISRPFLECAWGIPTFLDVVPAAPARWRRRTSRAQNRRAIRPREVAVRLDQGG QIGFKEKIKPSPVARTRAKGNDEKECVLHDIRDKFHQLLHVLR*
>scaffold_11_F9 7	MPTSRPCSWLHPAALCPVVFPMMLPLLDLDCREFSNGPFNLAYVIAVGSSEPTPIPTTARMCRSGQTPFCP KFRLGCPFFIFSLNCRGRHPHHRALFHRCLRHFLHYPRRHCPRRWQCPRSVRTS*
>scaffold_6_R29 10	MVSFFLPFFLFLAFVFFTFSCSSPHHDNEPPSRTDRSTPRSSGQPDHLPLRRLRGKSGSGTARRCILPGQTPSD ASKDVPLRPPPHAS*
>scaffold_25_R1 205	MRITYILAVTVAATLHSSVTAIPSVKSSKATENGAVPAVIDSTHTGTGRMLRWVNKYEGDLDKYEGDLDDN DDLDDDDLEEERGFSDTLKKANPLKLVKKGTKLTAEQAAKVQALKDAADYQKMIENANKLIRSD*
>scaffold_12_F7 09	MRASKLLMTVFLASLDATSGYNKLGQNTTEVVDGTQRGVNSERLLRGHPSTVDKVSADDEERASLPTFLK KSTSGATNWLKDKKLAALKLRALPMNLDSVQKTMKDGIDPDRVFTLLNLQKKS
>scaffold_12_F2 959	MRLISIVLAVATIFACCGAPTVDSDKSIQVPHHVQTENNANRLLRVHQDEEERTGAQLVKSLEKFSKKA AEKLTRSKSFNDFVKLDDVAYKENFHSATQALYQRIEKMGFNPDGMLKTMKRKGDVLDLLAEYTRYWMK KYPTWTKNQ*
>scaffold_5_F36 83	MFCGVLIVALVQSLFFNFLDLPSEKRVRYLIELEWWEKATRQNAAKLLQTAWRSGNLRRTDIDGQCHLFS LMRTARRLRIDKPAIELSVEDQVAEMEATILAEVDRMEAQKVKVLRQIQAQATQLATLKHKLQMKKKK*
>scaffold_495_R 1	MRLSLLVAAAVLVANSDAAPQSTSSLTKFSTDVAPVRSRSGASKTKTEVDEDDSDPDEEEERGIAMYGLDK VDDILKQLNLADDSVIKLLAKGKGGVEQLITTDKGVKTLVITSKKTGKKVFTFNIDIENIRKIESTPAIK
>scaffold_536_R 3	MVLMVLSAVCMCSCLLYCAAQRLVNPQQLLPTGVMVCRHLRWNHWSRRDALTALQASDTLQDATYAKGA SACEVTKLCELVSSCRRRGDAGSRLCPA*
>scaffold_5_F17 32	MALGVAMAITLGLLSLVSNNTAVGTENAVGPVTRHLRSLLDQKVSEHGAALDQQPLAASMEATSRRSVPQ NPGGPLGGGRTMEIAPRYEKKAAPETIAEAVAKAEAEIEEALIVALGAENDLQAEIAITEASILSLATNSIT EGLGGEEIVVGEIEDSDSDSSDQEHTTRTKKAKKHKDW*
>scaffold_1_F44 48	MNCSQQRLLFLAFCQHSRLIFALVFSQQSRLQCVYDDRILPDEHLRAIRRDVSPSLYSRDLRRPSNAP*
>scaffold_53_F9 2	MRLGYFLLATIVGFLACDNATASVSESTSKLTAREEHPIHGRIGDFTAGHDNKRALRSEDEDGDADDSDDEE RDLILSTIHRPKYWRWFKAGMTPYAVQVGLTGVRRWLKPKFRREYKGYVVFYTEQCHKPEYHDFCKKHA DP*
>scaffold_12_R4 2	MRLTSIVLVAAVSIFVCCQALADSDSKSISVPQHVVHTENANRLLRVHQDEEERAGPQLVKSLEKFSKKA AEKLTRSKSFNDFKLLDDVAYKENFHSATQALYQRIEKMGFNPDGMLKTMKRKGDVLDLLAEYTRYWMR KYPTWTKNQ*
>scaffold_3_R28 40	MMALLLVGAPWLLPLMLPLPRFDLAPDVTLTPRERALRFSSLRILPSLISSLANLFTLLRLPMTAPPRGFLPLR *
>scaffold_68_R5 30	MKTIIASLLTAVAVNAANGDVNALSIASTISDAKQVSIRALRAAHGSHEHSSGMGSMEDSHDTTSSSTHESTV AGDDDDDDHSDHDTSSKSSMAGTAGSAGPSNSTESTQAPDTSSAASITVAAGSIFLAAAAAFL*
>scaffold_24_F1 366	MRLLLVVALTLAAFLAAADVSALNDAPSKRLLRSTVRVDEEEERGMWETLSSKVTKLIKPNQVAIKAMDDPKI AEVAGTSLTSLKSVNPKKFDSVDGLFSSKAFNNLENYVLRNLNKQDINKQTSVAKVFSTGLGDKQAFHLFFTA TQSSDSAVEKSGRFFRDQLLTQWATEGKTWTEVSKSVKGLPATYYPRENKYFDILFNLAHDTQKRAARLA RLEKARMAANTAA*
>scaffold_77_R3 94	MRLTYIALVIAATLHASGTAISTDKSVKIPAIADDAGRMLRIVKEKPVSDKEAEREERFANPIKKGAFLLKK WDKQTLKEAIKRDENRRKWIREQGFEPD*
>scaffold_5_R20 89	MRLSFVLPVAVIATFASSGNAVATADGRNTGLSAITPPNVVASIDTAVGGEKRSRHYHNNKDLEDDSDDEG LEDAEEERRGNMFSATKLDEMLDGKQVMSRFKKWKAFGYNTYNLPDAIQARKYDELKMYRKFLYYN*
>scaffold_12_R9 67	MRLQFAVLFALSIVITAANGFSETTAQQFNELSTGEKQHDEKRILRTEKVEDEDEEGTEGEERVQVSPVSWII DLFTPKTAEQIAEAAKAEAVKFYTKLANSPSFRAPERFNWKIDGMQVESVLVHLKLWGLDGEKFKAIATKYT EFLASGKLS*
>scaffold_535_F 2	MRLTCILLVAAASLVGVLDASAATTGNTVVANAAMVISPLAPESQGRSLRLVYDDEDDSADEKDEEEESA DKVDEERGWLSDKMALTSVSKFVKGSTDEMGEVIKLTTPAQIDTIFDKGEDSIQKMLPGFYSGMDFQKFD DLIRALPQEQQAVMLSAYTKYLHQNGRFS*
>scaffold_29_F1	MRVFSIFLLVAAATLVASASTESESKQRLDNSPAAPQWRTITENEVPTKRNLKRRKKIEERATTAISLFDDAVK

837	AKGWQVLPYAELANLDATVRTQYLKLVNLERKQIVELTGQVPRYVLKHGDSKATRLVQYNKWIFNHFKE AVDPAWVLKNYPAFFKGYDKFYQNRFRGYKYA*
>scaffold_11_F1 676	MRLPHFLLVATATFLSSYNSTATVSTEGQMMPADAAVPRALEANDGKRFLRYKKEDMYDENDGDDDDV DDDDKYDEEVEERGVMATQVAKWTDKANKWVRLKETLVTIKEKLTNMKGVISAKNREKYNLFTAVYGRA NPHVFERL*
>scaffold_31_F1 184	MRFGLFLALLVATFVACSTVANAESVALTLDNEVRRRLRNQQNIAKAAGDFISKSSESATLTKAINIAKTANG DEAAARRAVMLAAGAKEGAKLSDETMVKLSAMIAESAKKNPKSWPRLKKFVKITLGIQVGLAIYGAYKLLF DKGSSTAAATTTTTTSSGAA*
>scaffold_40_R1 072	MAFSSFLKFLAMATLLMVQVNAEPSQQRNLRISDQLPQEQARRLGNWALVINVKNNPGVSDGVMK LLKADLITGTSSKIKIEKVKDAAEKVKNSAGVKDKVTGN*
>scaffold_62_R1 2	MRVTQTLFAIAVVLFAATDNLTTASKATTSSKVQKDGLYAEIYNVEDGVVTKMRVPLGDVEQYSDTDFEQL KSTLTTEERAAVHLPFGVDSFFKGLEKVFVGFVKGRRLRIEEA*
>scaffold_4_R32 84	MVKCAFVVGLVMALASGENNVVDVGDVGGNGVKTEAVVRVNAVESLRFVLFDAIINRSVVLEHSRETRD LRVLSIEREGVVEVEVDAATVSSCNATTACPPENVNDEIDENSVPPLSQQTDRLVVDGENVSTLSFQD VIDSAAGSVAVLPLFKPIGSAHVLSGFARVEILSPKLEFPAIPEREQVVMAWIEEKARLKAEREAREIANN KELQERLEKERLLAEALAKKEEELLAKLDREYERTRMTPHNLAAGKRRDGEWFRYEFVKTKGPIGLNWDL NTRDKAVVSHLEPELPAQQLNVIAPRDQIISLNGVDTSKMGPPQEVVEVYLSAIPKRMVFLVQMSAERAAK SAEKNPVKRVMMNWTAFDAPEVLRGWEVRLHLASWSVPPQINETNASLPLQFELPTPITGCSFVPVQSS NETAGVVYLAYRGACTLVEKAKNARTANGSALLIVNANGEGRFTPSGTVVVERVDVPTLYESTFVFIRCIW NLICGVCTAG*
>scaffold_211_R 6	MRLSQVLVIAVASFVFSADTVATSNQAKISKTVQSSQSQRLLRSNHYPVKEEEDSESDVDFEERGFTTPDEE DLEERSPLSAAIVEKLDIARWGTSWAAVAMGQSSISEDKIKALLALRDAYLSGNKNAKAAAKLAILRANWT RSQQKW*
>scaffold_80_F4 73	MSFSLFCFTQLLWSCNFQTVKAVFEAYAQTYVRIPPEGTVVFSTALPTCTWKSTDSVFSFITRILRF*
>scaffold_62_R7 23	MIGCKSLISRWPTFFLTLAADSIWSDFFVACNPQLTDQARHLNSRERKRYLREYPGIARHFHRRFKAFFFL QHLLWKRSSSWGNCRLLLAR*
>scaffold_1_F54 50	MKTATTFATVLALIVATNAAQVSPHTPALRGLRLTADTPSVEDDKEDRKHVHVKKVKKIAIPVVPVVEVPQF IPVVPVSTVASSNNAVGPSTNVAGPGAAAPGAPGAVTPAPTTLNRPAAATPAATSTRSRPTPA PTNFAGARPSGAQLPAAPVQVGAPGMTGFPNSAGVDNTNNAFAGIGAGGFPMTGNLAGGFGR NPMNGFGGANGMGGGIFGGAGAGPAMGGNGFGGNGLGGFGGQAAMNFGQAGNNGFGEQGGF GSGFNRRERHRRR*
>scaffold_26_R1 820	MAAIKISWQPGCFPPVALSYLVVWSELCAANRRMVWIRSLRFGKTRLRSPYLTEHKLCMFHVMHFFYL N*
>scaffold_52_R8	MSALRAQIYLFVVARAAVDGQVQVCLVAVQQDLVRARAIRLATTNHVHQRLISTRPPQSRHQARRRESAH TLQQVQGLFRALRVRHGVQKVLERHHNHERRAANRRFALLRVVYFYGILVQNDGRILLDR*
>scaffold_33_F2 96	MGWVFCIAILLIMASMSIPDPYGDPAHMSIDEEDWTDQIDSINADAPNSAGKYVPMMLASFGLMCE LQQMPWWSSTHNENRSNNVAAFPPFTPSKRRSLRSELLSRSS*
>scaffold_16_F1 464	MRFSQLVIAAVSLLFANDTVAVATSNHAAISKTVQSSQSQRLLRSNKYLVEEEDQSESDVDFEERGGGKS HPLTNRKLRSLKQSLVGEELLIRELLWVSQASRPRLMRCLPCETRTCFATGLLSRQQR*
>scaffold_2_R38 99	MRLQSIVLIVATLVATTQATTKLNAPSSETVDISPQRFLRKHTQNDDEERGAASLIEKAKRVFPKITDKTLQR WANKKSPKQALTRLKLDIPGRTSLRSLSSASGPLSWPSATRTPPKRWSRLYWRNTAMRP*
>scaffold_28_F9 19	MDTCLSVLLSLVVSACSSQTALPEVLNASVEMASVTVSLYGVGTPSLISRWLRAIAEFYDYPISQLLDDHFCGL WHRFISASHRPVPQEEENSTGWMKNSQLAPLPNGHSLQQFPLCILLGEEPMNTQETHFAKMLDKIVPIG VLHSFISGDMSENGDRFKFVDEILSCFPVDDMNAERKIDFGAQLTDLFAFSFMLLVYDPDLKQLAQQM VDIAEERAHGNTLQLSHLGHIAASKMARFTVWNIQGCDEDLVTQSDLWRDALKMMKEKYSAFDWKLLNIA DLLGEFVYLLRTEHIDPRAVCAVECFKIFVEETRDVAESSVLQQLLSICFQSIKRLAVRNRIRGRVLSLLVRE NCEYFMKSTDKFGKYLGFVVQEISDILSKCNASSQTRNSVSGALSVSADDQAELEWVIFAVCNELGSGLGKH ALDIDMVDGISSSLDKLNALISSRKVVSSETSQSEERKKNLSQSAMGTRNQAIQILMFIQREQSRGAQFY NPHPFSGTASAISETYVNAATQSPAGSLADVRLSAVTTCIDMVRDSSQSTMKLYGKLAQTLVLSSSGTFGT SRYNCEAASLANTLGQLGALHASEYVSPAEEGELSRLYWRHFHREGALREIKTTFGLVMHENVLYLSSL LFEGTRFGHVDPTVVEETLKTQLTVLNLEEGLAALARSKDNELKAFKPFESSSPSNWSSSYSSSGGDWGVKP

	KRTFRQFLKHWTSAEELGFEAWVRSCLAARESSDPVLKACSAAMRVDMAVFLFPYALERILRLDNRDV DNPDEEKSSGVSEPSRIMKAANQGIRFVLGTGSDALSHHVLASLDGTQRESEFSQPPEAVQLVVHSINFLR ETEKAQFVETNGRGPQTVSTIKGKGSRRSSTYTAASIGRQHNLNDLAYGCLVDVDFLAVAKAAVRVKMPYSA MQYVEMWLEKKQGGKITSLSLDRDGMVDTVRDILVEAYSFDSDDDGIYGVNDGRTVKSQLVKYNREGLH ARALPLYDVSQFSSQQLVSTDELTLNTPPRLVEGILTSLSLQSLGYNHLLTGYLQSLQSGDVAGNKSQTIAIQAAL EHKYKLAWKSMQWEAVLSGLSASGEHSSHQIMIFQGLRAIAHGNFTRLQGITTAKAEQVLRVSLHSFE STKDSYSALVRLQAIHEIEELANHIRNSVPPEPLVFSATTTGSGPFLPSLGGTLAAPRQETLTVLPLEQWHQR RDQIKNDFDKAESLLALEEVLVQVAKPSDNARVVTKLYDLASLSRKAGRIAIAYRALQKLEHLDERGSLGIYER MQCQIQKAKLLWKQEQEARSIAWTGKSVSSELTGYLRDTSISATEVTSLQLLLKVLFTTGKWIQFQSESSQVI LEDFFQKATEIMSNMDPEAVSERSRDAAKAHFALAEFMAGMYQQVSTRVTSQEWLTGKMMVQARHDEL QELQSMEQNMQENRAHIFALNKEVIYDMNERSKVEASVDQFLIGAICSYGKGLTSLQAEELDMVFRVLSL WFNNQHKPDINRVVIEVIDMVPSYKVVPLSYQIISRISASGTFQTALRKLVMKLEQHPHHTLIQIALKNS GDVEGKALQFRTNVGDAAKAEKAVYLTLMKTEQRELLQSLDSIANAYVQLALFDTSEYHGKKKKIPLSTVK IFETNSGRSGGTTFDQCLRARARRGDSVVLPAVLTSQIAPQPDMMNYSNVVRMYSFEPQFSITDSGIHRPKIYC YGSDEPEYKQLVKGQDDTRQDLVIEQVFETMNQFLMEEKATRKRKRLRTRVPLSPIAGVLEWVENTMP WGSYLVSRKRLSAHERYHPHEWKHTECRQYLNAPDKLPAFLEIEANFTPVFHHFFLEKFPDAAVWYQRR LSYVQSAAVTSIVGYILGIDRHSQNILIHEKTGELVHIDFGVVFQGMALYTPETVPFRLTRDMVDGGMGISG VDGVFSRCCVTLQLLRKKSASVVILEVFVHDPLYRWTLSPKALRIQEGQGHGKPTRSRSSSRSSGSAEYDG TGSMQDTPADEMHAEPGSTDAAARALIRVKQKLEGYEDPNGSALSIEGQVQQLINAAQDPLNLCKLFPG WAPWL*
>scaffold_29_R3 08	MTSSSCRLLPLWSGVSSVYSDAEIPLRRPFLVFLHRGFWYSRCQVPVSSLCFRIRTFLEVPWPPARVTRHR VHRSSGRLRFTLLSRRVCCSYRARRSLRSACRLRAFVRSYRWYSIGRLFSTQVLVFTVLRMDHPHLGDVLLRL LHCRRLCGALDCGLRSLFSILSDRPIAPISHATIRYIPDAGEFIPNSLWVRENCVGVSRCCRRIHRIPYANT WYYHGVSGRPNRYRIRHLRSYPLLPDVLHPLSYIIGVVHLRRLVYRLVKCLRLALSH*
>scaffold_21_F2 030	MQRRMSTPFFLMITTIGDAQGEVEWVMIPADNSPLIKSDSFSRNCGATRRTWATGVALPTSMSQTAPRA AGGRAFPFPIRCLRFQMICLNRSICTGVLPASSIWISSILTSSVVALTSGSMAI*
>scaffold_494_F 2	MRLLYLAGVAIFAADAKVLVSDSVNNRAQAASASVVSTTRLLRTRSVIDEERAGGISASASDKLAKLFKSS KVTDEQLQKWLNNGKTAESVFYRMNLENTLYTRVFESQPFRWLQYADDLSASGKGASISVLSTKYGDDT LYKMIGWAKKESSTKALGIRLQTEQLEHWVKIGKDPDEVFKLYKLDYAGNRILGNPQFSAWTKYVDDLNAK NKGAFVSIIPTLRKYISDDDLFKIALAAKRSGETKAMGTKLEDAIVQFWNRAGGPVGNPT*
>scaffold_100_R 322	MRICFVLLLTVAALVTAVSGSSVNLNRDSQRIDVVQDKTSSRELRGDLNTEATEERASDFVKKLVAKLKGDP ESFAKRQTKYIFSDDIFDEMLKFPDPDALYTTKLHVIKNRSNKYGVTTARHKLHQNFLLTSYIDKFPNWRSKL N*